

TecTake 401030-4

TecTake Aluminum Folding Work Table Instruction Manual

Model: 401030-4

Brand: TecTake

INTRODUCTION

This manual provides essential information for the safe and effective use of your TecTake Aluminum Folding Work Table. This versatile 3-piece table set is designed for various applications, including work, events, and camping. Please read these instructions carefully before assembly and use to ensure proper handling and longevity of the product.

SAFETY INFORMATION

For safe use and handling of the table, please observe the following warnings:


- Ensure the table is placed on a stable, level surface before use.
- Do not exceed the maximum load capacity of 15 kg per individual table or 90 kg total for the three-piece set.
- Be cautious of sharp edges during assembly and disassembly to prevent injury.
- Keep children away from the table during assembly and while adjusting height.
- Regularly check all connections and fasteners to ensure they are secure.
- Avoid placing hot items directly on the table surface without protection.

SETUP INSTRUCTIONS

Follow these steps to set up your TecTake folding work table:

1. **Unpack the Tables:** Carefully remove all three folding tables from their packaging.
2. **Unfold Each Table:** Place each folded table on a flat surface. Release the locking mechanism and extend the legs until they are fully open and locked into position. Ensure the crossbars are securely in place for stability.
3. **Adjust Height (Optional):** Each table features a 4-level height adjustment system. Press the button on each leg to extend or retract it to the desired height (73 cm, 80 cm, 87 cm, or 94 cm). Ensure all legs are set to the same height for stability.

4. **Connect Tables (Optional):** If using multiple tables together, align them side-by-side. Use the integrated connection clamps to securely join the tables, forming a larger, continuous work surface.



- 1. Basta premere un pulsante**
È possibile impostare quattro altezze grazie al sistema a scatto.



- 2. Coesione perfetta**
4 morsetti di collegamento assicurano un'elevata stabilità dell'intera struttura.



- 3. Design sofisticato**
Per evitare che le clip vadano perse, sono saldamente avvitate alla parte inferiore.

TRAVERSA PER UNA GRANDE STABILITÀ



- 4. Pieghevole e compatto**
Grazie alla funzione pieghevole, i tavoli sono facili da trasportare e da riporre.

Figure 1: Assembly and Stability Features. This image illustrates the height adjustment button, the connection clamps used to join multiple tables, the stabilizing crossbar, and the compact folded state for transport and storage.



Figure 2: Flexible Table Configurations. This image demonstrates different arrangements possible with the three individual tables, highlighting their adaptability for various uses.

OPERATING INSTRUCTIONS

The TecTake folding work table offers high versatility for various tasks:

- **Height Adjustment:** As described in the setup section, the table height can be adjusted to 73 cm, 80 cm, 87 cm, or 94 cm to suit different activities and user preferences.
- **Multi-Purpose Use:** These tables are suitable for a wide range of applications, including wallpapering, general DIY work, serving as buffet tables for parties, or as practical surfaces for camping and outdoor events.
- **Portability:** The lightweight design (approximately 11 kg total for the set) and folding mechanism, along with integrated handles, make the tables easy to transport and store when not in use.



**VELOCE
& FACILE
DA PULIRE**

**90 KG
PORTATA TOTALE**

UN SET - MOLTE POSSIBILITÀ
È tutto pronto: I nostri tavoli multifunzionali brillano per la loro grande versatilità sia all'interno che all'esterno. Anche all'esterno fanno un'ottima figura come superficie di presentazione per cibi deliziosi e bevande fresche.

 **tectake**[®]
GARDEN

Figure 3: Versatile Use for Events. This image shows the tables arranged for an outdoor gathering, demonstrating their suitability for displaying food and beverages. The tables are also designed for quick and easy cleaning.



Figure 4: Demonstration of Load Capacity. This image illustrates the tables supporting various items, highlighting the individual table capacity of 15 kg and a total capacity of 90 kg when all three tables are used together.

MAINTENANCE

To ensure the longevity and optimal performance of your TecTake folding work table, follow these maintenance guidelines:

- **Cleaning:** The table surfaces are designed to be quick and easy to clean. Use a damp cloth with mild soap and water to wipe down the MDF panels and aluminum frame. Avoid abrasive cleaners or harsh chemicals that could damage the materials.
- **Storage:** When not in use, fold the tables compactly and store them in a dry place, away from extreme temperatures and direct sunlight, to prevent material degradation.
- **Inspection:** Periodically inspect the table for any signs of wear, loose fasteners, or damage to the plastic components. Tighten any loose screws and address any damage promptly to maintain stability and safety.

TROUBLESHOOTING

If you encounter issues with your TecTake folding work table, consider the following:

- **Table Instability:**

- Ensure all legs are fully extended and locked into their respective height settings.
 - Verify that the table is placed on a flat and even surface.
 - Check that the crossbars are properly engaged for maximum stability.
 - If using multiple tables, ensure the connection clamps are securely fastened.
- **Difficulty Adjusting Height:**
 - Ensure the adjustment button is fully depressed when attempting to change the leg height.
 - Check for any obstructions or debris in the leg mechanism.
 - **Damaged or Loose Components:**
 - If plastic corners or other components appear damaged, contact customer support for assistance.
 - Loose screws or fasteners should be tightened immediately to prevent further damage or instability.

SPECIFICATIONS

Detailed specifications for the TecTake Aluminum Folding Work Table:

Feature	Detail
Model Number	401030-4
Total Dimensions (LxW)	Approx. 300 cm x 60 cm
Individual Table Surface (LxW)	Approx. 100 cm x 60 cm
Adjustable Working Heights	73 cm, 80 cm, 87 cm, 94 cm
Total Weight	Approx. 11 kg
Material (Table Panels)	MDF (Medium-Density Fibreboard)
Material (Frame)	Aluminum, Iron
Maximum Load Capacity (per table)	Approx. 15 kg
Maximum Load Capacity (total for 3 tables)	Approx. 90 kg
Special Features	Foldable, Height Adjustable, Interconnectable

MISURE



Superficie
ca. 100 x 60 cm



Peso
ca. 3,7 kg

Portata
30 kg pro Tisch




Figure 5: Detailed Product Measurements. This diagram provides precise dimensions for the table surface, weight, load capacity, and the four adjustable height settings.



90 KG
PORTATA
COMPLESSIVA

3ER SET

CARATTERISTICHE

3

Set combinabile
composto da 3 tavoli
esterni versatili



Lavoro confortevole
grazie alle altezze
regolabili di 73, 80, 87 e
90 cm



Telai solidi
con montanti trasversali
per una maggiore
stabilità



Estremamente leggeri
con meno di 4 kg per
ogni elemento del tavolo



Portata elevata
che consente un carico di
30 kg per tavolo



Materiali robusti
per resistere al vento e
alle intemperie



Pieghevoli
per facilitare il trasporto e
lo stoccaggio in spazi
ridotti




Figure 6: Key Features and Dimensions. This infographic highlights the combinable set of 3 tables, comfortable working heights, solid frames, lightweight design, high load capacity, robust materials, and foldable nature.

WARRANTY AND SUPPORT

TecTake is committed to providing quality products. While specific warranty details are not included in this manual, please retain your proof of purchase for any warranty claims.

For product support, spare parts, or further inquiries, please contact TecTake customer service through the retailer where the product was purchased or visit the official TecTake website. TecTake aims to make your daily life more comfortable and your home more beautiful.