



Manuals.plus /

› Gessi /

› Gessi Oxygene Kitchen Tap 13175 User Manual

Gessi 13175

Gessi Oxygene Kitchen Tap 13175 User Manual

[Introduction](#) [Safety Information](#) [Package Contents](#) [Setup](#) [Operating](#)
[Instructions](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty & Support](#)

1. INTRODUCTION

Thank you for choosing the Gessi Oxygene Kitchen Tap with Swiveling Spout, model 13175. This manual provides essential information for the safe installation, operation, and maintenance of your new kitchen tap. Please read these instructions carefully before installation and retain them for future reference.

The Gessi Oxygene 13175 is a wall-mounted kitchen mixer tap designed for durability and functionality in modern kitchens. It features a swiveling spout for enhanced convenience.

2. SAFETY INFORMATION

- **Professional Installation Recommended:** Installation should be performed by a qualified plumber in accordance with local plumbing and building codes.
- **Water Supply:** Ensure the main water supply is turned off before beginning any installation or maintenance work.
- **Hot Water Safety:** Exercise caution when operating the tap, especially with hot water, to prevent scalding.
- **Cleaning:** Use only mild soap and water for cleaning. Avoid abrasive cleaners, solvents, or harsh chemicals that can damage the finish.
- **Inspection:** Regularly inspect the tap for any signs of leaks or damage. Address any issues promptly.

3. PACKAGE CONTENTS

Verify that all components are present before beginning installation:

- Gessi Oxygene Kitchen Tap (Model 13175)
- Swiveling Spout
- Mounting Hardware

- Installation Guide (this manual)



Image 1: Gessi Oxygene Kitchen Tap 13175. This image shows the complete tap assembly, including the main body, lever handle, and the swiveling spout, all in a chrome finish.

4. SETUP AND INSTALLATION

This section outlines the general steps for installing your Gessi Oxygene kitchen tap. For detailed diagrams and specific measurements, consult a professional plumber.

1. **Prepare the Installation Area:** Ensure the wall surface is clean, dry, and structurally sound. Mark the desired mounting points for the tap.
2. **Turn Off Water Supply:** Locate the main water shut-off valve and turn off the water supply to the kitchen. Open existing taps to drain any remaining water from the pipes.
3. **Mount the Tap Body:** Secure the tap body to the wall using the provided mounting hardware. Ensure it is level and firmly attached.
4. **Connect Water Lines:** Connect the hot and cold water supply lines to the corresponding inlets on the tap body. Use appropriate sealing materials (e.g., PTFE tape) to prevent leaks.
5. **Install the Swiveling Spout:** Attach the swiveling spout to the tap body according to the design. Ensure it rotates smoothly.
6. **Check for Leaks:** Slowly turn on the main water supply. Carefully inspect all connections for any signs of leaks. Tighten connections as necessary.
7. **Test Operation:** Operate the tap to ensure proper water flow and temperature control.

5. OPERATING INSTRUCTIONS

The Gessi Oxygene kitchen tap features a single lever handle for controlling both water flow and temperature.

- **Turning On/Off:** Lift the lever handle upwards to turn on the water flow. Push it downwards to turn off the water.
- **Adjusting Water Flow:** The further you lift the lever, the greater the water flow.
- **Adjusting Temperature:** Move the lever handle to the left for hot water and to the right for cold water. The central position provides mixed water.
- **Swiveling Spout:** The spout can be rotated horizontally to direct water flow as needed, providing flexibility for various sink tasks.

6. CARE AND MAINTENANCE

Proper care will ensure the longevity and appearance of your Gessi kitchen tap.

- **Regular Cleaning:** Clean the tap regularly with a soft cloth and mild soapy water. Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** *Do not* use abrasive sponges, scouring pads, harsh detergents, acid-based cleaners, or cleaners containing alcohol or ammonia. These can damage the chrome finish.
- **Aerator Cleaning:** If water flow becomes restricted, the aerator at the end of the spout may be clogged. Unscrew the aerator, clean any debris, and rinse it before reattaching.
- **Leak Checks:** Periodically check under the sink and around the tap base for any signs of leaks.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Low Water Flow	Clogged aerator; partially closed shut-off valve; low water pressure.	Clean the aerator. Ensure water supply valves are fully open. Contact your water provider if general water pressure is low.
Leaking from Spout	Worn cartridge; debris in cartridge.	Contact a qualified plumber to inspect or replace the cartridge.
Leaking at Base	Loose connections; damaged seals.	Ensure mounting nuts are tight. Inspect and replace seals if damaged. Professional assistance recommended.
Difficulty Adjusting Temperature	Cartridge issue; water heater setting.	Check your water heater settings. If the problem persists, a plumber may need to inspect the tap cartridge.

8. SPECIFICATIONS

- **Model:** Gessi Oxygene 13175
- **Type:** Kitchen Mixer Tap
- **Installation Type:** Wall-Mount
- **Spout:** Swiveling
- **Handle Type:** Lever
- **Finish:** Chrome (Standard)
- **Manufacturer:** Gessi
- **ASIN:** B00KRGLNNU

9. WARRANTY AND SUPPORT

Gessi products are manufactured to high-quality standards. For specific warranty terms and conditions, please refer to the warranty card included with your purchase or visit the official Gessi website. Keep your proof of purchase for warranty claims.

For technical support, spare parts, or service inquiries, please contact your local Gessi dealer or visit the official Gessi website for contact information. www.gessi.com

