

Franke PKX11025

Franke PKX11025 26 3/16-inch Stainless Steel Sink User Manual

Model: PKX11025

INTRODUCTION

This user manual provides essential information for the safe and efficient installation, operation, and maintenance of your new Franke PKX11025 26 3/16-inch Stainless Steel Undermount Sink. Please read these instructions thoroughly before beginning installation or use, and retain this manual for future reference.

PRODUCT OVERVIEW

The Franke PKX11025 is a high-quality 26 3/16-inch stainless steel undermount sink designed for durability and functionality in modern kitchens. Its minimalist design features a unique square drain and an integral ledge system.

Key Features

- **16-Gauge Stainless Steel:** Hand-fabricated for high finish quality and durability.
- **Franke Integral Ledge System:** Designed to support a shelf grid, transforming the sink into an ergonomic workstation.
- **Precision 5mm Corner Radius:** Provides a modern and clean aesthetic.
- **Sound Dampening Pads:** Minimizes noise from running water or waste disposal.
- **Undermount Installation:** Designed for seamless integration with countertops.
- **Square Drain Cover:** Complements the sink's design and functions as a strainer, concealing the waste disposer or strainer.

Specifications

Attribute	Detail
Brand	Franke
Model Number	PKX11025
Material	Stainless Steel (16-gauge)
Color	Stainless Steel
Size	26 3/16-inch

Product Dimensions (D x W x H)	18"D x 25"W x 10"H
Installation Type	Undermount
Finish Type	Brushed
Shape	Square
Drain Type	Grid
Item Weight	19.5 Pounds
Minimum Cabinet Size	30 inches



Image 1: Top-down view of the Franke PKX11025 stainless steel sink, highlighting the square drain design.

Safety Information

- Always wear appropriate personal protective equipment (PPE), such as gloves and eye protection, during installation.
- Ensure all plumbing connections are secure and watertight to prevent leaks and water damage.
- Handle the sink with care to avoid scratches or damage to the finish during installation.
- If using power tools, follow the manufacturer's safety guidelines.
- Do not use corrosive chemicals or abrasive materials on the sink surface, as this can damage the stainless steel finish.

Installation Instructions

The Franke PKX11025 is designed for undermount installation. Professional installation is recommended to ensure proper fit and function.

Required Tools and Materials (Not Included):

- Sealant (silicone recommended)
- Mounting clips and hardware (typically included with sink, verify package contents)
- Drill
- Screwdriver
- Measuring tape
- Pencil or marker
- Jigsaw or appropriate cutting tool for countertop cutout
- Plumbing connections (drain, P-trap, faucet, etc.)

General Installation Steps:

1. **Prepare Countertop:** Ensure the countertop cutout matches the sink template provided by Franke. The minimum cabinet size required is 30 inches.
2. **Clean Surfaces:** Thoroughly clean and dry the underside of the countertop and the rim of the sink where sealant will be applied.
3. **Apply Sealant:** Apply a continuous bead of silicone sealant around the perimeter of the sink rim.
4. **Position Sink:** Carefully lift and position the sink underneath the countertop cutout, aligning it correctly.
5. **Secure Sink:** Attach the mounting clips and hardware to secure the sink firmly to the underside of the countertop. Tighten evenly to ensure a tight seal.
6. **Connect Plumbing:** Install the drain assembly, garbage disposal (if applicable), and connect all necessary plumbing lines according to local codes.
7. **Cure Sealant:** Allow the sealant to cure completely as per the manufacturer's instructions before using the sink.
8. **Test for Leaks:** Once cured, fill the sink with water and check all plumbing connections for any leaks.

Refer to the detailed installation guide included with your sink for specific instructions and diagrams.

OPERATING YOUR FRANKE SINK

Your Franke PKX11025 sink is designed for everyday kitchen tasks. Its features enhance usability and efficiency.

- **Integral Ledge System:** Utilize the integrated ledge to support compatible accessories such as a shelf grid, cutting board, or colander. This transforms your sink into a versatile workstation for food preparation and cleaning.
- **Square Drain Cover:** The removable square drain cover conceals the drain opening, providing a flat bottom surface for improved aesthetics and functionality. It also acts as a strainer to catch debris.
- **Sound Dampening:** The integrated sound dampening pads reduce noise during use, providing a quieter kitchen environment.



Image 2: Franke PKX11025 sink showcasing the integral ledge system with a grid accessory holding fruits and ice.



Image 3: Franke PKX11025 sink integrated into a modern kitchen island, demonstrating its aesthetic appeal and functional workspace.

MAINTENANCE AND CLEANING

Proper care and maintenance will preserve the appearance and longevity of your Franke stainless steel sink. Stainless steel is durable but requires regular cleaning to prevent water spots and maintain its finish.

Daily Care:

- **Wipe with Dry Cloth:** After each use, rinse the sink thoroughly and wipe it dry with a soft, clean cloth. This is crucial to prevent water spots and mineral deposits, especially in areas with hard water.
- **Mild Soap and Water:** For general cleaning, use warm water and a mild dish soap. Apply with a soft sponge or cloth, then rinse thoroughly.

Avoid:

- **Abrasive Cleaners:** Do not use steel wool, abrasive scouring pads, or harsh abrasive cleaners, as these can scratch the stainless steel surface.
- **Bleach or Chlorine Products:** Avoid cleaners containing bleach or chlorine, as these can cause pitting and corrosion on stainless steel.
- **Acidic Foods:** Prolonged contact with highly acidic foods (e.g., citrus juices, tomato products) should be avoided. Rinse the sink promptly after contact.
- **Metal Objects:** Do not leave metal objects (e.g., cast iron pots, steel utensils) in the sink for extended periods, as they can cause rust stains.

Addressing Scratches and Stains:

- **Minor Scratches:** Stainless steel can develop minor scratches over time. These are often superficial and can be minimized with specialized stainless steel scratch removal kits, following the product instructions carefully.
- **Water Spots/Mineral Deposits:** For stubborn water spots, use a solution of vinegar and water (1:1 ratio) or a dedicated stainless steel cleaner. Apply, let sit briefly, then rinse and dry thoroughly.
- **Rust Stains:** If rust stains appear (often from external metal objects), use a non-abrasive stainless steel cleaner specifically designed to remove rust.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Water spots or mineral deposits	Hard water, not drying the sink after use.	Rinse and dry the sink thoroughly after each use. Use a vinegar and water solution or stainless steel cleaner for existing spots.
Scratches on surface	Abrasive cleaning, contact with sharp objects, normal wear.	Avoid abrasive cleaners. Use a cutting board for food prep. Minor scratches can be reduced with a stainless steel scratch removal kit.
Rust-like stains	Leaving ferrous metal objects in the sink, exposure to harsh chemicals.	Remove metal objects promptly. Clean with a non-abrasive stainless steel rust remover. Ensure proper ventilation if using strong cleaning agents nearby.
Slow drainage	Clogged drain, improper drain installation.	Clear any debris from the drain and strainer. Check P-trap for blockages. If issues persist, consult a plumber.
Leaking around sink rim	Improper sealant application, loose mounting clips.	Check mounting clips for tightness. Reapply sealant if necessary, ensuring surfaces are clean and dry before application. Professional assistance may be required.

WARRANTY AND SUPPORT



Franke products are manufactured to high standards. For specific warranty information regarding your Franke PKX11025 sink, please refer to the warranty documentation provided with your purchase or visit the official Franke website. Warranty terms typically cover manufacturing defects under normal use.

For technical support, replacement parts, or warranty claims, please contact Franke customer service directly. Contact information can usually be found on the Franke website or in your product packaging.

If you purchased an extended protection plan, please refer to the terms and conditions provided by the plan administrator for coverage details and claims procedures.

© 2025 Franke. All rights reserved. This manual is for informational purposes only.

Related Documents - PKX11025

	Franke Sinks: Global Contacts and Installation Guide Find Franke kitchen sink contact information worldwide and access installation and maintenance guidance, including product details for the Franke Maris MRX 110-40.
	Franke MYX210-70B Mythos Kitchen Sink - Dimensions & Installation Guide Detailed information and installation guide for the Franke MYX210-70B Mythos kitchen sink, including dimensions, features, and available accessories. Learn about its topmount/flushmount installation, bowl size, and material.
	Franke BOX CENTER Stainless Steel Sinks - Installation Guide Comprehensive installation manual for Franke BOX CENTER stainless steel kitchen sinks, including models BWX 220 54-27 TL, BWX 220 41-27, BWX 210/110 27, and BWX 120 41-27. Covers Slimtop, Flushmount, and Undermount installation methods with detailed diagrams and dimensions.
	Franke FEX Series Stainless Steel Sinks Installation Guide Comprehensive installation and user manual for Franke FEX series stainless steel kitchen sinks, detailing Inset, Flushmount, and Undermount installation methods with technical specifications and care instructions.
	Franke P2X 110-21" SI Sink Installation Guide Detailed installation document for the Franke P2X 110-21" SI sink, including dimensions and technical specifications.

Frankle to Service

Specialist Series Stainless Steel

undermount sinks



Frankle to Service

Specialist Series Stainless Steel

undermount sinks


Frankle Specialist Series Stainless Steel Undermount Sinks

A comprehensive guide to Frankle's Specialist Series Stainless Steel undermount sinks, featuring detailed product specifications, features, benefits, and accessories. The guide covers single bowl and multiple bowl configurations, including models from the Peak, Kubus, Planar, Oceania, Ariane, Eisinger, Galassia, Aurora, Regatta, and Steel Queen series.

Documents - Frankle – PKX11025

Peak PKX11025 Stainless Steel | 122.0192.590

Frankle / Serie: 1220192 / Peak: 1220192 / PKX11025 / (Peak: Stainless Steel) / INSTALLATION TYPE: Undermount



TECHNICAL DATA	
Frankle Integral Ledge	80.8 x 7.6
Minimum Cabinet Size	30"
Drain Opening	3 1/2"
Length overall	26 1/2"
Width overall	17 3/4"
Length of large bowl	20"
Width of large bowl	16 1/2"
Depth of large bowl	9 5/8"
Number of Bowls	1
Type of Material	18 Gauge Stainless Steel
Cut-Out Template	Yes
Installation Clips	Yes

Frankle Water Systems LLC | 10445 10th Ave. | Denver, CO 80231

FRANKLE


[pdf] Dimension Guide Guide

Pretty Websites Frankle PKX11025 Dimensions Guide Peak Undermount 26 1875 in x 17 75 Stainless Steel Single Bowl Kitchen Sink 7612980607440 44132371 lowes productdocuments c0a3d529 4df6 4e76 b74c a4cea85284bf |||

Peak **PKX11025** Stainless Steel 122.0192.590 FAMILY : Sinks SERIE : Peak MODEL : **PKX11025** FINISH : Stainless Steel INSTALLATION TYPE : Undermount TECHNICAL DATA Frankle Integral Ledge Minimum Cabinet Size Drain Opening Length overall Width overall Length of large bowl Width of large bowl Dep... lang:de score:40 filesize: 215.02 K page_count: 2 document date: 2016-02-11

Peak PKX11025 Stainless Steel | 122.0192.590

Frankle / Serie: 1220192 / Peak: 1220192 / PKX11025 / (Peak: Stainless Steel) / INSTALLATION TYPE: Undermount / STYLE: Contemporary



TECHNICAL DATA	
Minimum Cabinet Size	30"
Drain Opening	3 1/2"
Length overall	26 1/2"
Width overall	17 3/4"
Length of large bowl	20"
Width of large bowl	16 1/2"
Depth of large bowl	9 5/8"
Number of Bowls	1
Type of Material	18 GA STAINLESS STEEL
Cut-Out Template	Yes
Installation Clips	Yes
Frankle Integral Ledge	80.8 x 7.6
Where to Buy	Showrooms


Frankle Water Systems LLC | 10445 10th Ave. | Denver, CO 80231

FRANKLE

[pdf] Specifications

122 0192 590 Specification Sheet Frankle PKX11025 PEAK 26 1 5 x 17 3 4 Single Build frankle pkx11025 specification sheet s1 img b build mediabase specifications 858066 |||

Peak **PKX11025** Stainless Steel 122.0192.590 FAMILY : Sinks SERIE : Peak MODEL : **PKX11025** FINISH : Stainless Steel INSTALLATION TYPE : Undermount STYLE : Contemporary TECHNICAL DATA Minimum Cabinet Size Drain Opening Length overall Width overall Length of large bowl Width of large bowl De... lang:nl score:32 filesize: 85.87 K page_count: 3 document date: 2016-08-15



[pdf] Specifications Dimension Guide Accessories

122 0192 590 Specification Sheet AJ Madison Product Information FUN US Part Number PKX11025
Franke Integral Ledge built in Minimum Cabinet Size 30 Drain Opening assets ajmadison itemdocs |||
SPECIFICATION SHEET PRODUCT FAMILY : Sinks FINISH : Stainless Steel
SERIES : PEAK MODEL : PKX 110-25 Product Information FUN# US Part Number
Franke Integral Ledge Minimum Cabinet Size Drain Opening Outer Dimensions Bowl
Size Number of Bowls Type of Material 122.0192.590 **PKX11025** built-in 30 3 1/...
lang:en score:25 filesize: 72.78 K page_count: 2 document date: 2014-02-26



[pdf] Instructions Reference Guide Accessories Borchure

2022 Collection Franke 21 gen — instructions for use and follow the s Chef Center gives you power
Copper \$740 DW16065 Bronze DW16080 Satin Nickel Canada EN force true franke content dam
corporate ca en ks brochures |||
2C0o2II2ection RefQuriecnkce Accessories DisWpaossteers DisSpoeanspers
Filtration Faucets F ... in countertop preparation and sink installation. Peak Stainless
Peak Stainless Peak Stainless **PKX11025-S** 3,030 SPECIFICATIONS Interior
Dimensions: 25 x 16 x 9 Exterior Dimensions: 26 x 17...
lang:en score:24 filesize: 13.52 M page_count: 160 document date: 2022-04-28




[pdf] User Manual Accessories Borchure Catalog

V ol 202 4 2025 13 feb 2024 — *Always refer to the installation manual Polished Chrome TIGE CUBE R
E G A T 903 INOX CREAM UV 36RM Sinks and Franke CA English franke content dam ca en home
solutions documents catalogs brochures core |||
FAMILIES 12 Mythos 20 Maris PRODUCT CATEGORIES Sinks 32 Stainless Steel
110 Granite 152 Fireclay Fa ... sponsible for any errors in countertop preparation and
sink installation. FRANKE.COM 55 MYTHOS **PKX11025-S** 122.0280.465 3,340
MYTHOS PKX11028-S 122.0691.759 3,355 MYTHOS PKX160-RH-S 122.0691.854...
lang:en score:20 filesize: 31.6 M page_count: 136 document date: 2024-02-13



[pdf] Dimension Guide Accessories

Layout 1 frtuyumvmhfo images webfronts cache |||
Franke Peak Series Peak 25 Sink - **PKX11025** PEAK 25 SINK GRID HAVE ARRIVED
The **PKX11025** and PX-25S are now available to complement the incredibly successful Peak series sinks Exceedingly attractive. Exceptionally crafted. The perfect harmonization of minimalist style and maximum performance ma...
lang:en score:18 filesize: 150.63 K page_count: 1 document date: 2018-10-31



[pdf] Specifications Accessories


112 0260 338 SPECIFICATION Shelf or Bottom Grid for Franke Consumer Products PKX11025 Sink
Ferguson 4461081 5341095 specification fergusonprod a bigcontent io v1 static |||
Accessory Sinks Grid Drainers Bottom and Shelf Grids Stainless Steel 112.0260.338
FAMILY : Accessories SERIE : Accessory Sinks MODEL : Grid Drainers Bottom and Shelf Grids FINISH : Stainless Steel INSTALLATION TYPE : Accessories for sinks
TECHNICAL DATA Length overall Width overall Where ...
lang:de score:15 filesize: 63.87 K page_count: 2 document date: 2016-08-16



[pdf] Reference Guide Guide Accessories Catalog

Franke Catalog2014 Layout 1 Shelley Carpenter Catalog 2014 ajmadison itemdocs
FRANKE STYLE 2 CONTENT 4-5 6-7 8-9 10 11 12-16 WHY FRANKE FILTRATION
WHY FRANKE FAUCETS WHY FR ... 4 Colander Twist Waste Kit Drain Cover
Stainless Stainless PX-21S PX-40S PX-70S FRTWIST-SN **PKX11025** with Integral
Franke Ledge PKXCVR Included Bottom/Shelf Grid Stainless Cutting Board Sol...
lang:en score:15 filesize: 22.49 M page_count: 94 document date: 2013-11-25

Sink Grid - PX-25S | 112.0260.338



Stainless Steel Bottom Sink Grid for Peak PX 1121025 Stainless Steel 24.8-in. x 16.3-in. Franke stainless steel bottom grid offers everyday protection for your sink. The rubber feet elevate the grid from the sink surface and the protective bumpers add additional protection to the surface of the sink. Cutlery designed for the Peak stainless steel sink, the bottom grid is raised to sit on the integrated ridge of the Peak sink, creating a higher level work space. Dishwasher safe.

Aspect	Cutlery stand
Type of material	Stainless steel
Color	Black
Sub-category	Peak

Sink Grid - PX-25S | 2024-10-30



[pdf] Catalog

PX 25S Spec productcatalog plumbingonline ca DocServer DSAonDownloadServlet action type product artifacts key DSf3305bf6 0631 4970 b493 481a138b06a3 |||

Sink Grid - PX-25S 112.0260.338 Stainless Steel Bottom Sink Grid for Peak **PKX11025** Stainless Sink 24.8-in. x 16.3-in. Franke stainless steel bottom grid offers everyday protection for your sink. The rubber feet elevate the grid from the sink surface and the protective bumpers add additional prote...

lang:en score:15 filesize: 325.85 K page_count: 1 document date: 2024-10-30

Peak PKX11025 Stainless Steel Kitchen Sink

Anatomically pleasing and remarkably functional, the Peak sink collection brings unparalleled style and safety to any kitchen.

FEATURES

- Integrated ridge: The integrated ridge enhances your workspace by elevating you to work directly over the sink. Custom Be automatic installation the workflow.
- Adjustable Ridges: The ridges and give users an on-the-go adjustable ridge creating a higher level workspace.
- Integrated grid: The grid is made of stainless steel.
- Removable Grid Cover: The removable square dish cover protects the sink for a stainless steel surface, while providing a flat surface for the sink to allow for more work space. Square dish cover included.
- Undermount Installation: Sink underneath the counter. It gives an elegant look that is easy to clean.

Product Picture



Technical Drawing



Product Dimensions	
Length overall	25.31" (647 mm)
Width overall	17.34" (440 mm)
Length of large bowl	20"
Width of large bowl	16.12" (410 mm)
Depth of large bowl	10.56" (268 mm)
Minimum Cabinet Size	30"

General Information	
Type of Material	16 Gauge Stainless Steel
Number of Basins	1
Insulation Chip	Yes
Cut-Edge Treatment	Yes
Integral Ridge System	Yes

Article Numbers	
Model	112.0260.338
Color/Finish	PKX11025



FRANKE Home Solutions | 10.06.2022 | 1 / 1 ...

[pdf]

Spec SheetFranke Peak PKX11025 Stainless Steel Kitchen Sink — RiseFranke PKX11025cdn shopify s files 1 0513 0564 4209 Franke v 1654887913 |||

Franke Home Solutions 10.06.2022 1 / 1 ...

lang:en score:15 filesize: 438.75 K page_count: 1 document date: 2022-06-10

Peak PKX11025 Stainless Steel

Contemporary, attractive. Exceptionally crafted in 16-gauge stainless steel. The perfect harmonization of minimalist style and maximum performance makes the Peak sink collection. Each element is designed to work in both form and function to create complete design harmony. Anatomically pleasing and remarkably functional, the Peak sink collection brings unparalleled style and safety to any kitchen.

Product Picture



Technical Drawing



Product Dimensions	
Length overall	25.31" (647 mm)
Width overall	17.34" (440 mm)
Length of large bowl	20"
Width of large bowl	16.12" (410 mm)
Depth of large bowl	10.56" (268 mm)
Minimum Cabinet Size	30"

General Information	
Type of Material	16 Gauge Stainless Steel
Number of Basins	1
Insulation Chip	Yes
Cut-Edge Treatment	Yes
Mount to Top	Undermount

Article Numbers	
Model	112.0260.338
Color/Finish	PKX11025



FRANKE Home Solutions | 30.11.2017 | 1 / 1 ...

[pdf] Specifications

Specifications Sheet Franke Peak 26 Undermount Kitchen Sink Stainless Steel PKX11025 Friedmans Appliance Bay Area Concord CA avblng avbportal assets products documents |||

Franke Kitchen Systems, LLC 30.11.2017 1 / 1 ...

lang:en score:15 filesize: 275.34 K page_count: 1 document date: 2017-11-30



[Franke 2018 Kitchen Collection: Sinks, Faucets, and Design Inspiration](#)

Explore the Franke 2018 Kitchen Collection featuring a wide range of high-quality sinks, faucets, and kitchen accessories designed for modern living. Discover innovative features, materials, and styles to create your dream kitchen.

lang:en score:15 filesize: 10.92 M page_count: 33 document date: 2018-01-05



[\[pdf\] Accessories Borchure Catalog](#)

Untitled 2023 Franke Collection CA EN franke content dam ca en home solutions documents catalogs and brochures core |||

COLLECTIONS 2023 2023 Collection COLLECTIONS 2023 FAMILIES 12 Mythos 20 Maris PRODUCT ... 54 145 One included with each sink Centinox CEN-SP-304 115.0547.857 1,045 FRANKE.COM 49 MYTHOS **PKX11025-S** 122.0691.852 3,180 MYTHOS PKX11028-S 122.0691.759 3,195 MYTHOS PKX160-RH-S 122.0691.854...

lang:en score:15 filesize: 28.23 M page_count: 134 document date: 2023-06-26



[\[pdf\] Reference Guide Accessories Borchure Catalog](#)

Catalogs Brochures 2022 Franke Catalog Spreads franke content dam us en home solutions documents1 catalogs and brochures core ||| ||| Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FCAT0222 Print 2/2022 2022 Franke Kitchen Systems, LLC All rights reserved. Printe

Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FC ... reparation and sink installation. FRANKE.US 39 Peak Stainless Peak Stainless Peak Stainless **PKX11025** 3,100 SPECIFICATIONS Interior Dimensions: 25 x 16 x 9 Exterior Dimensions: 26 3/16 x 1...

lang:en score:14 filesize: 12.91 M page_count: 159 document date: 2022-09-08



[\[pdf\] Borchure](#)

Franke 2017 Consumer Brochure force true franke content dam corporate us en ks s

2017 KITCHEN COLLECTION Simply Elegant. 10 Metropolitan Elegance Stainless Steel Sinks 16 Clean ... 4 PKX11021 Interior: 21 L x 16 W x 9 D Exterior: 22 13/16 L x 17 W Min. Cabinet Size: 27 **PKX11025** Interior: 25 L x 16 W x 9 D Exterior: 26 3/16 L x 17 W Min. Cabinet Size: 30 PKX1...

lang:en score:14 filesize: 12.37 M page_count: 31 document date: 2016-12-07




[\[pdf\]](#) Reference Guide Decleration of Conformity Accessories Catalog

Franke Kitchen Systems LLC 800 Aviation Parkway Smyrna TN Making something wonderful rarely happens overnight and has been pushing the boundaries for over 100 years Founded in 1911 was built on a FRANKE AG150 Catalogassets unilogcorp 267 ITEM DOC FRANKE Catalog |||
 Franke Kitchen Systems, LLC 800 Aviation Parkway Smyrna, TN 37167 800-626-5771 franke.us Part No. FC ... reparation and sink installation. FRANKE.US 39 Peak Stainless Peak Stainless Peak Stainless **PKX11025** 3,100 SPECIFICATIONS Interior Dimensions: 25 x 16 x 9 Exterior Dimensions: 263/16 x 1...
 lang:en score:14 filesize: 12.91 M page_count: 159 document date: 2022-09-08



[\[pdf\]](#) Guide Accessories Borchure

2019 Consumer Brochure force true franke content dam corporate us en ks s
 KITCHEN COLLECTION 2019 MAKE YOUR KITCHEN THE MOST WONDERFUL PLACE DETAILS THAT MAKE THE DIFFERENC ... GE SYSTEM Interior: 21g x 16w x 9g Exterior: 22C x 17e Minimum Cabinet Size: 27 16 Gauge **PKX11025** LEDGE SYSTEM Interior: 25 x 16w x 9g Exterior: 26c x 17e Minimum Cabinet Size: 30 ...
 lang:en score:14 filesize: 14.59 M page_count: 27 document date: 2019-10-16



[\[pdf\]](#) Specifications Catalog

Product Specifications Franke PKX11025 PEAK 26 1 5 Inch x 17 3 4 Single Basin Undermount 16 Gauge Stainless Steel Kitchen Sink in PKX1102 homeperfect pub media catalog product |||
 Franke Kitchen Systems, LLC 20.02.2020 1 / 1 ...
 lang:en score:14 filesize: 284.58 K page_count: 1 document date: 2020-02-20



[\[pdf\]](#) Reference Guide Decleration of Conformity Warranty Accessories Catalog

2022 Collection UnilogFWDJ75B \$645 e HP Disposer FEATURES AND BENEFITS Horsepower Feed Continuous RPM 2700 Silverguard® Warranty 10 Year Bio Shield® FRANKE MA 40S Catalogassets unilogcorp 267 ITEM DOC FRANKE Catalog |||
 2C0o2II2ection RefQeuriecnkce Accessories DisWpaossteers DisSpoeanspers Filtration Faucets F ... in countertop preparation and sink installation. Peak Stainless Peak Stainless **PKX11025-S** 3,030 SPECIFICATIONS Interior Dimensions: 25 x 16 x 9 Exterior Dimensions: 26 x 17...
 lang:en score:13 filesize: 13.52 M page_count: 160 document date: 2022-04-28




[\[pdf\]](#) Accessories Catalog

2021 COLLECTION PF Valente Associates Inc 14 mar — Dispensers Filtration Faucets Granite Sinks Fireclay FRANKE US 3 2 Collection On the cover PTX110 28 sink with FFPD4450 faucet

2021FrankeCatalogUSA pfvalente manufacturers franke |||

2021 COLLECTION Quick Reference Accessories Waste Disposers Soap Dispensers Filtration Faucet ... reparation and sink installation. FRANKE.US 33 Peak Stainless Peak Stainless Peak Stainless **PKX11025** 2,665 SPECIFICATIONS Interior Dimensions: 25 x 16w x 9g Exterior Dimensions: 26c x 17...

lang:en score:13 filesize: 20.66 M page_count: 194 document date: 2021-01-25



[\[pdf\]](#) Accessories Catalog

Franke PKG12 36RM Catalog markssupply ca ASSETS DOCUMENTS ITEMS EN |||

2017 COLLECTION 2 franke.us/ks MAKE IT WONDERFUL DISCOVER THE WONDERS OF A FRANKE KITCHEN At Fran ... ntertop preparation and sink installation. 23 franke.us/ks Peak Stainless Peak Stainless PEAK **PKX11025** 2,299 Specifications Interior Dimensions: 25 x 16w x 9g Exterior Dimensions: 26c x 17e...

lang:en score:13 filesize: 22.51 M page_count: 127 document date: 2016-12-20




[\[pdf\]](#) Accessories Borchure Catalog

Catalogs Brochures 2023 Franke USA V3 4 26 23 franke content dam us en home solutions documents1 catalogs and brochures core |||

COLLE CTIONS 2023 2 2023 Collection COLLECTIONS 2023 FAMILIES 12 Mythos 20 Maris PRODUCT ... esponsible for any errors in countertop preparation and sink installation. FRANKE.US 49 MYTHOS **PKX11025** 122.0192.590 3,255 MYTHOS PKX11028 122.0074.954 3,385 MYTHOS PKX160 122.0080.011 3,885 P...

lang:en score:13 filesize: 36.74 M page_count: 236 document date: 2023-04-26



[pdf] Specifications Accessories

SPECIFICATION Franke Replacement Drain Cover for Peak PKX11025 Sink Ferguson 7060053

12474323 specification fergusonprod a bigcontent io v1 static |||

Drain Cover - PKGCVR 112.0395.171 Technical Data Aspect Type of material
Accessory type Product identification Product family Collection Stainless steel Drain
cover None PLANAR 8 Drain Cover - PKGCVR 2023-12-28 ...

lang:en score:12 filesize: 353.05 K page_count: 1 document date: 2023-12-28

[pdf] User Manual Installation Guide Instructions Specifications Guide Accessories
Catalog

Luke Taylor Dual Mount Composite Granite 33 in 1 Hole 60 40 Double Bowl Kitchen Sink Champagne

Installation Guide Franke EOCH33229 0039487148745 1000636099 653d2293 c501 4dbb 9d7a

c3971c9bbc17 images thdstatic catalog Images 65 Primo Scratch Resistant Drop Undermount Brown

Mocha 4 Gravity Shadow Grey Ellipse Off White Beige Basin 17 Bar Gray DIG61091 SHG Manual

DIG62D91 GRA DIG62F91 KBG11031MOC KBG11013MOC ELG11022ONY PKG11031OYS

ELG11022STO KBG11013SHG ELG11022SHG ELG11022VAN PKG11031STO PKG11031SHG

PKG11031ONY KBG11013CHA PKG11031CHA ELG11022CHA KBG11031ONY CUX11018 W

CUX11024 PKG160CHA PKG160MOC ELG160SHG PKG160OYS ELG160STO ELG160CHA

ELG160ONY ELG120SHG PKG160STO PKG160ONY ELG120CHA CUX11025 CUX11027 CUX11030

CUX11015 CUX160 Sheet MOC 0039487157266 1003957607 7612985453820 1003939051

7612985453813 1003938924 ELG62D91 LIN 0039487157204 1003955597 WHT 039487157365

0039487157365 1002277224 EDCH33229 0039487148011 1000837110 SZCH1720 0039487144440

1000840812 SZGR1720 0039487142040 1000636017 mount x 22 Graphite Single 7612985453806

Equal 039487157259 039487157273 Offset 039487157280 Kubus 32 375 18 5 7612981671693 15

7612981642488 25 19 625 Onyx 7612981641627 Peak 75 Oyster 7612981671297 Storm

7612981641641 7612981906825 7612981906832 Vanilla 7612981641672 7612981671280

7612981906658 7612981671273 7612981642525 7612981671303 7612981641665 7612981671686

Chef Center 28 125 88 Stainless Steel Workstation with Drainboard 7612981761035 875 7612981761059

7612981671662 7612981671631 21 7612981906856 7612981671655 7612981642365 7612981642389

7612981642341 7612981906849 7612981671648 7612981671624 7612981642327 Cube 26

7612981792329 7612981653347 31 5625 7612981653354 16 7612981653323 7612981653385 Linen or

Commercial inch 9 deep PKX11025 PEAK 3 Build PKX11013 Collection 14 7 606b680c b8de 4f86 9a16

bdb066a6fd51 da6bb793 af32 42a8 bb82 984f0dee2d36 fa178957 321e 48b6 ba4d ad3f7c0393d6

b7b05e1f 0860 4012 8e3c dc33f1cb8b89 624becbc df11 4621 8900 bf28ce54bb5d 71b9ae82 6893 4b15

9964 b6abaf9d9a0f fcd7a3a4 b8ad 417b b3d9 0cf94b99cea3 ed156e85 2f2e 4345 80d5 9aac8de14f57

61067570 61067566 61067572 61067568 49250550 44131161 44131799 44131488 44131965 44131497

44131867 44131880 44131805 44131800 44131970 44132705 44141155 44131815 44131809 44131837

44131854 44141153 44131824 44131992 44132710 44132722 44131952 44131959 44131148 44131546

44131502 44131513 44131810 44132728 44132331 44132706 44131516 44132697 61CGgQq j9L 2017

franke stainless granite sink undermount installation instructions pkx11013 sheet da fa b7 62 71 fc ed

lowes productdocuments a1eabedd 0d84 4769 85c0 79b7d04833aa 65802b73 8bce 4b50 8e73

ce1d54bf8ec9 7d58bbd9 c67f 430c ab54 7ede02c0d946 77745e16 3337 481a b23f 911755f1f364

35f407b6 ebeb 4d8a 953a a4f3645cf1d0 a27bab98 0df4 4dea abd6 6c97c4b4b28f dc15ef33 36ab 4ce0

a45d 30c5d8f55e08 1d2bd2ba 9f22 47b5 a7d6 3ac572454474 4fdb5b79 3391 4298 9fb6 a8fe3a82cf41

578f2038 edb5 485a bfbdb bc334587b5f9 b4ffcea8 e076 460b 8d1d 868edb0810e0 aa955d2c 01d7 462d

957f 151df9c27089 f075e202 fb0f 4162 8369 49b45544a655 abd6eb6b 0d3b 41b6 92d4 41aefde1d1dc

INSTALLATION MANUAL

STAINLESS STEEL AND GRANITE SINKS

For best results, Franke recommends this unit be mounted by a professional installer. This sink is specifically designed to be under mounted in a solid surface countertop only. Do not install a damaged sink. Inspect carefully.

NOTE: The template included for drilling the countertop is only a guide. The actual sink and accessories should **ALWAYS** be present to ensure a perfect cut. **FRANKE IS NOT RESPONSIBLE FOR AN IMPROPERLY CUT COUNTERTOP OR IMPROPER INSTALLATION.**

1. Create the cut-out to the desired location of the mounting surface using the template for the drill file downloaded from our website. Make sure to compare the actual sink with the template being used to ensure a perfect fit. The size of the cut-out should be exact to this sink size (containing accessories) which to proceed with the cut out. Also be aware of the spacing requirements of any other products that will be mounted to the countertop next to the sink such as faucet or soap dispensers.

2. It will be the responsibility of the countertop supplier/installer to decide the ideal mounting method based on the application and countertop material being used. Determine the placement of the clip brackets provided. Ideally they should be evenly spaced around the sink ledge on all sides. Pre-drill holes and install anchors. Mounting screws and/or other hardware associated with anchoring not included. Attach clip brackets loosely to the countertop using selected anchor.

3. Apply a bead of silicone evenly along the bowl rim and/or along the underside of countertop.

4. Push and align sink evenly over the opening of the cut out. Press sink into silicone seal and partially tighten the clip brackets against the sink as it sits in place.

5. Check alignment one final time to ensure the sink openings evenly aligned with the countertop cut out as outlined in the image below. Make adjustments as necessary to obtain perfect alignment.

6. Once satisfactory alignment is achieved, fully tighten clip brackets against the rim of the sink and remove excess silicone.

NOTE: After silicone cures, wipe inside edge with denatured alcohol. This will smooth out any rough areas.

MADE IN GERMANY **FRANKE**

716910d1 4922 4d45 bae8 2550e3d6543a 1800e668 9699 4f45 8be8 db01d53b9aee 21ec494e c9c1
40bb 80b7 2b5aa2972182 e1dee18e 7bf6 4c9a a775 21787ff54791 41744e06 4832 4134 a23b
31eedfb92828 8ebe934c 47ec 41ff 81ac 9af42cb5fd35 0e791850 f625 47af b4de 3f916dee528d
b54c19e5 097a 4d1f 8d44 e234ed15f2a4 d39c1100 3b38 4fe4 9643 d2075d879639 00d3c23b 163d 414a
bda5 530c2fc1c654 6970cf1c 7db6 4b2c b319 13288b8ca5d9 c463a3de 1c8c 42a2 90f0 4522b050df62
0b7347d3 9316 4fa5 a17d 45db58ef40e9 a5bacd47 db73 48dd ae21 05d7fe8a7579 1cbb1e0e 4135 4d1e
a1c4 1786e324bfd1 4555f04b c75f 487f b8b6 ec743496808f f23e193b d7ac 4b1c 9588 98511159739a
35c2828f 152b 4161 b9ee 13a10c4a38d6 f45f3d56 a814 471b abf3 bbfd50c483d9 90fcd11e 5d84 41a2
91a0 a2313d8fa54d c219d943 298e 46d6 a364 03b56b7dd684 73f5a7ca 178b 4129 885b 614410334286
dd2a8fe3 4ca1 4039 a307 822a8cf84b07 53db4f5b 2cfe 406f 8178 db2741a61226 m media amazon l s1
img b build mediabase specifications 858066 647197 INSTALLATION MANUAL 43418965 860a33cd
5704 4446 91b8 3367e2e2d512 Guide33 GuideDual GuideEllipse GuidePrimo GuideOff GuideGray
GuideFranke ManualFranke ManuallInstallation SheetFranke 1003957607Franke 1003939051Franke
1003938924Franke 1000636099Franke 1003955597Franke 1002277224Franke 1000837110Franke
1000840812Franke 1000636017Primo 7612985453806Primo 039487157259Primo
7612985453813Primo 039487157273Gravity 039487157280Kubus 7612981671693Kubus
7612981642488Ellipse 7612981641627Peak 7612981671297Ellipse 7612981641641Kubus
7612981906825Ellipse 7612981906832Ellipse 7612981641672Peak 7612981671280Peak
7612981906658Peak 7612981671273Kubus 7612981642525Peak 7612981671303Ellipse
7612981641665Kubus 7612981671686Chef 7612981761035Chef 7612981761059Peak
7612981671662Peak 7612981671631Ellipse 7612981906856Peak 7612981671655Ellipse
7612981642365Ellipse 7612981642389Ellipse 7612981642341Ellipse 7612981906849Peak
7612981671648Peak 7612981671624Ellipse 7612981642327Cube 7612981792329Cube
7612981653347Cube 7612981653354Cube 7612981653323Cube 7612981653385Franke deepFranke
Buildimages bdb066a6fd51images 984f0dee2d36images ad3f7c0393d6images c3971c9bbc17images
dc33f1cb8b89images bf28ce54bb5dimages b6abaf9d9a0fimages 0cf94b99cea3images
9aac8de14f57lowes 61067570lowes 61067566lowes 61067572lowes 61067568lowes 49250550lowes
44131161lowes 44131799lowes 44131488lowes 44131965lowes 44131497lowes 44131867lowes
44131880lowes 44131805lowes 44131800lowes 44131970lowes 44132705lowes 44141155lowes
44131815lowes 44131809lowes 44131837lowes 44131854lowes 44141153lowes 44131824lowes
44131992lowes 44132710lowes 44132722lowes 44131952lowes 44131959lowes 44131148lowes
44131546lowes 44131502lowes 44131513lowes 44131810lowes 44132728lowes 44132331lowes
44132706lowes 44131516lowes 44132697m j9Llowes 43418965s1 L X D AF Supplyfranke cux160
sheetimages 43418965afsupply pub product matridtech install |||

INSTALLATION MANUAL STAINLESS STEEL AND GRANITE SINKS For best results, Franke recommends this unit be mounted by a professional installer. This sink is specifically designed to be under mounted in a solid surface countertop only. Do not install a damaged sink. Inspect carefully. NOTE: The template ...

lang:en score:9 filesize: 99.2 K page_count: 1 document date: 2017-04-17