



Manuals.plus /

› Tagamet /

› Tagamet HB 200mg Cimetidine Tablets User Manual

Tagamet 200mg

Tagamet HB 200mg Cimetidine Tablets User Manual

Model: 200mg Acid Reducer

1. PRODUCT OVERVIEW

Tagamet HB 200mg Cimetidine Tablets are an acid reducer designed to relieve and prevent heartburn, acid indigestion, and sour stomach. Each tablet contains 200 mg of Cimetidine, an active ingredient that helps control excess stomach acid. This product is suitable for adults and children 12 years and over.



Image 1: Front of the Tagamet HB 200mg Cimetidine Tablets packaging.

2. DRUG FACTS

Active Ingredient (in each tablet)

- Cimetidine 200 mg (Acid reducer)

Uses

- Relieves heartburn associated with acid indigestion and sour stomach.
- Prevents heartburn associated with acid indigestion and sour stomach brought on by eating or drinking certain foods and beverages.



Image 2: Drug Facts panel from the Tagamet HB 200mg Cimetidine Tablets packaging.

3. WARNINGS

Allergy alert: Do not use if you are allergic to cimetidine or other acid reducers.

Do not use if:

- You have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. Consult your doctor.
- You are currently taking other acid reducers.

Ask a doctor before use if you have:

- Frequent chest pain or frequent wheezing, particularly with heartburn.
- Unexplained weight loss, nausea or vomiting.
- Stomach pain that lasts over 1 month, or heartburn that lasts over 3 months. These may be signs of a more serious condition.
- Heartburn with lightheadedness, sweating or dizziness.
- Chest pain or shoulder pain with shortness of breath, sweating, pain spreading to arms, neck or shoulders.

- Lightheadedness or kidney disease.

Ask a doctor or pharmacist before use if you are taking:

- A prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if:

- You need to take this product for more than 14 days.
- Stomach pain continues.
- Your heartburn continues or worsens.

If pregnant or breast-feeding: Ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) immediately.

4. DIRECTIONS FOR USE (DOSAGE & ADMINISTRATION)

Adults and children 12 years and over:

- **To relieve symptoms:** Swallow 1 tablet with a glass of water.
- **To prevent symptoms:** Swallow 1 tablet with a glass of water right before or any time up to 30 minutes before eating food or drinking beverages that cause heartburn.
- Do not take more than 2 tablets in 24 hours.

Children under 12 years:

- Ask a doctor.

5. OTHER INFORMATION

Storage

- Store at 15°-30°C (59°-86°F).
- Keep this carton for complete information.

Inactive Ingredients

- Cellulose
- Corn Starch
- Hypromellose
- Magnesium Stearate
- Polyethylene Glycol
- Polysorbate 80
- Povidone
- Sodium Lauryl Sulfate
- Sodium Starch Glycolate
- Titanium Dioxide




Image 3: Bottom of the Tagamet HB 200mg Cimetidine Tablets packaging.

6. SPECIFICATIONS

Feature	Detail
Active Ingredient	Cimetidine 200 mg
Item Form	Tablets
Age Range Description	Adult
Target Use Body Part	Stomach
Container Type	Bottle (within carton)
Package Dimensions	4.37 x 2.99 x 0.75 inches
Item Weight	13.61 g (0.48 ounces)
UPC	042037103712

7. TROUBLESHOOTING

If symptoms persist or worsen after following the directions for use, or if you experience any unusual side effects, discontinue use and consult a healthcare professional. Do not exceed the recommended dosage. If you suspect an overdose, seek immediate medical attention.

8. SUPPORT AND CONTACT INFORMATION

For questions or further assistance, please call the toll-free number:

1-800-482-4394 (weekdays)

Manufacturer: PRESTIGE BRANDS

9. WARRANTY INFORMATION

Specific warranty information for this over-the-counter medication is not provided. Please refer to the product packaging for any manufacturer guarantees or contact the manufacturer directly for inquiries regarding product quality or defects.