

[Manuals.plus](#) /

> [SharkNinja](#) /

> Shark NV105 Navigator Light Upright Vacuum User Manual

SharkNinja NV105

Shark NV105 Navigator Light Upright Vacuum

Model: NV105

INTRODUCTION

The Shark NV105 Navigator Light Upright Vacuum is designed for powerful multi-surface cleaning in a lightweight and maneuverable form. This manual provides essential information for setting up, operating, maintaining, and troubleshooting your vacuum cleaner to ensure optimal performance and longevity.





Image: The Shark NV105 Navigator Light Upright Vacuum, showcasing its sleek blue design and upright form factor.

SETUP

Before first use, ensure all components are present and properly assembled. The Shark NV105 comes with the main vacuum unit, a Duster Crevice Tool, and an Upholstery Tool.

1. **Unpacking:** Carefully remove all parts from the packaging. Retain packaging for storage or future shipping.
2. **Handle Assembly:** Insert the handle into the main vacuum body until it clicks securely into place.
3. **Hose Connection:** Connect the flexible hose to the designated port on the vacuum. Ensure a tight fit to maintain suction.
4. **Cord Management:** Wrap the power cord around the cord hooks for neat storage. Unwind

completely before use.

OPERATING INSTRUCTIONS

The Shark NV105 is designed for versatile cleaning across various floor types and surfaces.

General Operation

- **Power On/Off:** Plug the vacuum into a standard electrical outlet. Press the power button located on the main unit to turn the vacuum on or off.
- **Brushroll Control:** The brushroll can be turned on for deep cleaning carpets or turned off for gentle cleaning of hard floors. Use the brushroll shutoff feature to prevent scuffing delicate surfaces.
- **Maneuverability:** The lightweight design and swivel steering allow for easy navigation around furniture and into tight spaces.



Image: The Shark NV105 vacuum demonstrating its easy maneuverability around obstacles on a hard floor.

Using Attachments

- **Detachable Wand and Hose:** For above-floor cleaning, detach the wand and hose from the main unit. This allows you to reach high areas like crown molding or clean stairs with ease.



Image: A user demonstrating the use of the detachable hose and upholstery tool to clean a sofa, highlighting the vacuum's versatility.

- **Duster Crevice Tool:** Attach this tool to the end of the hose or wand for extended reach in tight spaces and for dusting delicate surfaces.
- **Upholstery Tool:** Ideal for picking up pet hair and debris from upholstery, mattresses, and curtains.



Image: A user cleaning carpeted stairs with the Shark NV105's detachable hose, showcasing its utility for elevated surfaces.

Official Product Video

Your browser does not support the video tag.

Video: An official overview of the Shark NV105 Navigator Light Upright Vacuum, demonstrating its features and ease of use.

MAINTENANCE

Regular maintenance ensures your Shark NV105 continues to perform effectively.

Emptying the Dust Cup

The 0.8-quart capacity dust cup should be emptied regularly, especially when debris reaches the MAX fill line.

1. **Release:** Press the dust cup release button to detach it from the vacuum.
2. **Empty:** Hold the dust cup over a trash bin and press the bottom release latch to open and empty contents.
3. **Close:** Close the bottom latch securely and reattach the dust cup to the vacuum.



Image: A graphic highlighting the large dust cup capacity of the Shark NV105, indicating less frequent emptying.

Cleaning Filters

The foam filters should be cleaned regularly to maintain suction power. Rinse with water and allow to air dry completely before reinserting.

- **Pre-Motor Filters:** Locate the foam and felt filters beneath the dust cup. Remove and tap loose dirt. Rinse under cold water until water runs clear. Allow to air dry for at least 24 hours.
- **Post-Motor Filter:** This filter is typically located at the bottom or rear of the vacuum. Refer to the full user guide for specific instructions on cleaning or replacing this filter.

Brushroll Maintenance

Periodically check the brushroll for any hair, string, or debris that may be wrapped around it. Use scissors to carefully cut away any entangled material.

TROUBLESHOOTING

If you encounter issues with your Shark NV105, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Vacuum not picking up dirt or has low suction.	Dust cup is full; Filters need cleaning; Hose or nozzle is clogged.	Empty dust cup; Clean filters; Check hose and nozzle for blockages.
Brushroll not spinning.	Brushroll is jammed; Brushroll shutoff is engaged.	Clear any obstructions from the brushroll; Ensure brushroll is turned on for carpet mode.
Vacuum turns off on its own.	Overheating due to clogged filters or hose.	Turn off and unplug the vacuum. Check and clean filters and clear any blockages. Allow to cool for at least 45 minutes before restarting.

For more detailed troubleshooting, please refer to the complete user guide.

SPECIFICATIONS

Feature	Detail
Brand	SharkNinja
Model Name	Shark NV105
Form Factor	Upright
Color	Blue
Special Feature	Lightweight
Filter Type	Foam
Included Components	Duster Crevice Tool, Upholstery Tool
Is Cordless?	No

Feature	Detail
Capacity	0.89 Gallons (0.8-quart dust cup)
Wattage	700 watts
Hose Length	100.8 Inches
Product Dimensions	13.5"L x 11.32"W x 45.28"H
Item Weight	10.6 pounds
Noise Level	75 dB

WARRANTY

The Shark NV105 Navigator Light Upright Vacuum is covered by a SharkNinja five-year (3) limited warranty. Please retain your proof of purchase for warranty claims. For full details on warranty coverage, limitations, and how to make a claim, refer to the official user guide or contact SharkNinja customer support.

SUPPORT

For additional assistance, detailed instructions, or to download the complete user guide, please visit the official SharkNinja website or refer to the PDF document linked below:

- **User Guide (PDF):** [Download User Guide](#)
- **Customer Service:** For technical support or service inquiries, please contact SharkNinja customer support through their official channels.