

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Lucci LEDlux](#) /

› [Lucci LEDlux Siri 18W 230V Chrome Ceiling Spot User Manual](#)

Lucci LEDlux BI1513301

Lucci LEDlux Siri 18W 230V Chrome Ceiling Spot User Manual

Model: BI1513301 | Brand: Lucci LEDlux

INTRODUCTION

This user manual provides detailed instructions for the installation, operation, and maintenance of your Lucci LEDlux Siri 18W 230V Chrome Ceiling Spot. Please read this manual thoroughly before installation and use to ensure safe and efficient operation. This product features a modern design with three large round LED spots, providing warm white light at 3000K and is dimmable.



Figure 1: Front view of the Lucci LEDlux Siri 18W 230V Chrome Ceiling Spot, showcasing its three adjustable LED light heads on a linear bar.

SAFETY INFORMATION

- **Electrical Safety:** Always disconnect power at the main circuit breaker before installing, servicing, or cleaning the fixture. Installation should be performed by a qualified electrician in accordance with all local electrical codes.
- **Voltage:** This product operates on 230 Volts. Ensure your electrical supply matches this requirement.
- **Indoor Use Only:** This fixture is designed for indoor use in dry locations. Do not expose to water or excessive moisture.
- **Handling:** Handle the fixture with care. Do not drop or subject it to strong impacts.
- **Heat:** While LED lights produce less heat than traditional bulbs, ensure adequate ventilation around the fixture. Do not cover the fixture with flammable materials.
- **Cleaning:** Refer to the Maintenance section for proper cleaning procedures. Do not use abrasive cleaners.

PACKAGE CONTENTS

Carefully unpack the box and ensure all items listed below are present and undamaged. If any parts are missing or damaged, do not attempt to assemble or install the product. Contact customer support immediately.

- 1 x Lucci LEDlux Siri Ceiling Spot Fixture (with 3 integrated LED spots)
- Mounting Hardware (screws, wall anchors, etc.)
- Instruction Manual (this document)

SETUP AND INSTALLATION

Important: Installation must be carried out by a qualified electrician. Ensure power is disconnected at the main circuit breaker before beginning installation.

1. **Prepare the Installation Area:** Turn off the power to the circuit at the main electrical panel. Use a voltage tester to confirm the power is off.
2. **Mount the Bracket:** Attach the mounting bracket (if separate) to the ceiling junction box using the provided screws. Ensure it is securely fastened.
3. **Wire the Fixture:** Connect the fixture's wires to the corresponding house wires (live to live, neutral to neutral, ground to ground) using wire nuts. Ensure all connections are secure and properly insulated.
4. **Attach the Fixture:** Carefully align the fixture with the mounting bracket and secure it in place using the provided screws or fasteners. Ensure the fixture is flush against the ceiling.
5. **Adjust Spots:** Once installed, the individual spot heads can be adjusted to direct light as desired.
6. **Restore Power:** Once installation is complete and all connections are secure, restore power at the main circuit breaker.



Figure 2: The Lucci LEDlux Siri Ceiling Spot installed, demonstrating its appearance and light distribution on a ceiling.

OPERATING INSTRUCTIONS

- **Turning On/Off:** The fixture is controlled by a standard wall switch connected to the circuit. Flip the switch to turn the light

on or off.

- Dimmable Feature:** This fixture is dimmable. If connected to a compatible dimmer switch (sold separately), you can adjust the light intensity to your preference. Ensure the dimmer switch is suitable for LED lighting.
- Adjusting Spot Heads:** Each of the three spot heads can be manually rotated and tilted to direct the light beam to specific areas of your room.

MAINTENANCE

- Cleaning:** To clean the fixture, first ensure the power is turned off at the circuit breaker. Use a soft, dry, or slightly damp cloth to wipe down the chrome finish. Do not use abrasive cleaners, solvents, or polishes as they may damage the finish.
- LED Longevity:** The integrated LED lights are designed for long life and are not user-replaceable. If the LEDs fail, the entire fixture may need replacement.
- Regular Checks:** Periodically check all connections and mounting hardware to ensure they remain secure.

For more information on cleaning light bulbs, refer to general guidelines on cleaning lighting fixtures.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Light does not turn on.	No power to the fixture; loose wiring; faulty wall switch.	Check circuit breaker. Ensure all wire connections are secure. Test the wall switch. If issues persist, consult a qualified electrician.
Light flickers or dims unexpectedly.	Incompatible dimmer switch; loose wiring; voltage fluctuations.	Ensure dimmer switch is compatible with LED lighting. Check wiring connections. Consult an electrician if voltage issues are suspected.
Fixture makes unusual noise.	Loose components; electrical issue.	Turn off power immediately. Check for loose parts. If noise persists or is electrical in nature, contact a qualified electrician.

SPECIFICATIONS

Feature	Detail
Brand	Lucci LEDlux
Model Number	BI1513301
Product Dimensions (L x W x H)	69.5 x 14 x 20 cm (27.36 x 5.51 x 7.87 inches)
Item Weight	1.87 Kilograms
Color	Chrome
Style	3 large round spots
Number of Light Sources	3 (integrated LED)
Power Consumption	18 Watts
Voltage	230 Volts

Feature	Detail
Luminous Flux	900 lm
Color Temperature	3000K (Warm White)
Color Rendering Index (CRI)	80
Energy Efficiency Label	A
Dimmable	Yes
Batteries Required	No
IP Rating	Not Applicable (for indoor dry locations)



WARRANTY AND SUPPORT





Specific warranty information for the Lucci LEDlux Siri Ceiling Spot is not provided in the product details. For warranty claims, technical support, or inquiries about spare parts, please contact Lucci LEDlux customer service directly or the retailer from whom you purchased the product.

When contacting support, please have your model number (BI1513301) and purchase date available.

© 2024 Lucci LEDlux. All rights reserved.

Related Documents - BI1513301

	<p>Lucci LEDlux Zesta Colour Shifting Dimmable Downlight Installation Guide</p> <p>Installation manual for the Lucci LEDlux Zesta Colour Shifting Dimmable Downlight. Covers warranty, installation requirements, safety, troubleshooting, and specifications for models 178260, 178261, 178262, 178263. Features colour shifting, dimming, IP44/IP40 ratings, and IC-4 classification.</p>
	<p>Lucci LEDlux Presly Dimmable Colour Shifting LED Pendant Installation Guide</p> <p>Comprehensive installation instructions for the Lucci LEDlux Presly Dimmable Colour Shifting LED Pendant (SKU 031078, 031079), covering warranty, installation requirements, step-by-step directions, safety tips, and specifications.</p>

	<p>Lucci LEDlux KINGS Dimmable LED Wall Bracket Installation Guide</p> <p>Comprehensive installation instructions, warranty details, safety tips, and specifications for the Lucci LEDlux KINGS Dimmable LED Wall Bracket (SKU# 190708, 190709, 190710, 190711). Learn how to safely install and operate your LED wall light.</p>
	<p>Lucci LEDlux Surface Mount Downlight Installation Guide & Specifications</p> <p>Comprehensive installation guide for Lucci LEDlux Surface CNC Surface Mount Downlights, covering warranty, installation requirements, directions, safety tips, and detailed specifications for models 170330-170367.</p>
	<p>Lucci LEDlux Panorama Track 1LT Spotlight Installation Guide</p> <p>Comprehensive installation instructions and specifications for the Lucci LEDlux Panorama Track 1LT Spotlight (SKU# 159135, 159136), including warranty, safety tips, and dimming compatibility.</p>
	<p>Lucci LEDlux CITY II Gimble LED Downlight Installation Instructions</p> <p>Comprehensive installation guide for the Lucci LEDlux CITY II Gimble LED Downlight, covering warranty, safety, installation steps, clearance requirements, troubleshooting, and specifications. Includes SKU numbers 170608-170615.</p>