

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

- › [Moen](#) /
- › [Moen Wynford Posi-Temp Shower Valve Trim Kit T5501 Instruction Manual](#)

## Moen T5501

# Moen Wynford Posi-Temp Shower Valve Trim Kit T5501

Model: T5501

## PRODUCT OVERVIEW

The Moen Wynford Posi-Temp Shower Valve Trim Kit T5501 provides a stylish and functional update to your bathroom. Featuring a highly reflective chrome finish, this trim kit is designed to complement a variety of decorating styles while offering reliable performance.

This trim kit is part of the Wynford collection, known for its updated classic styles and sophisticated design. It is engineered to work seamlessly with Moen's Posi-Temp valve system, which is crucial for maintaining consistent water temperature, even when other water sources in your home are in use. The kit is also compatible with the Moen M-PACT common valve system, allowing for future style updates without the need to replace existing plumbing.

The Moen Wynford T5501 trim kit is ADA compliant, ensuring accessibility and ease of use for all users.



Image: The Moen Wynford Posi-Temp Shower Valve Trim Kit T5501, showcasing its polished chrome finish and single handle design.

## KEY FEATURES

- **Versatile Design:** Features a highly reflective chrome finish that provides a mirror-like look, suitable for any decorating style.
- **Required Valve:** This trim kit requires a Moen Posi-Temp valve (#3510, 3520, or 3570) for complete installation. The valve is sold separately.
- **Long-lasting Flexibility:** Built on Moen's M-PACT common valve system, enabling future style updates

without the need to replace existing plumbing.

- **ADA Compliant:** Meets the specifications of the Americans with Disabilities Act (ADA) for accessibility.
- **Coordinated Collection:** Designed to coordinate with other faucets and accessories within the Moen Wynford collection.

## SETUP AND INSTALLATION

Installation of the Moen Wynford Posi-Temp Shower Valve Trim Kit T5501 requires a compatible Moen Posi-Temp valve (models 3510, 3520, or 3570), which is sold separately. Ensure you have the correct valve installed before proceeding with the trim kit installation.

### Before You Begin:

- Turn off the main water supply to your home.
- Gather all necessary tools, which typically include a Phillips screwdriver, adjustable wrench, and plumber's tape.
- Review the detailed installation instructions provided with your Moen Posi-Temp valve and this trim kit.

### General Installation Steps:

1. Ensure the Posi-Temp valve body is securely installed in the wall according to its specific instructions.
2. Attach the escutcheon plate to the valve body, ensuring it is level and flush against the wall.
3. Install the handle assembly onto the valve stem.
4. Secure all components with the provided screws and fasteners.
5. Turn on the water supply and check for any leaks.




Image: A technical diagram showing the dimensions and components of the Moen Wynford Posi-Temp Shower Valve Trim Kit, including the escutcheon and handle.

## OPERATING INSTRUCTIONS

The Moen Wynford Posi-Temp Shower Valve Trim Kit T5501 features a single handle for controlling both water flow and temperature. The Posi-Temp valve system is designed to maintain a consistent water temperature, preventing sudden changes due to pressure fluctuations from other water usage in the home.

### Temperature Control:

- To turn on the water and increase temperature, rotate the handle counter-clockwise.

- To decrease temperature, rotate the handle clockwise.
- The handle typically rotates through a 180-degree arc, allowing for precise temperature adjustments.

**Flow Control:**

- The flow rate is controlled by the same handle. As you rotate the handle to adjust temperature, the flow will also increase.
- The maximum flow rate is typically limited to 2.5 gallons per minute (GPM) at 60 PSI.

**MAINTENANCE**

---

To maintain the beautiful chrome finish and ensure the longevity of your Moen Wynford Posi-Temp Shower Valve Trim Kit T5501, follow these simple cleaning and care guidelines:

- **Regular Cleaning:** Clean regularly with mild soap and water. Rinse thoroughly and dry with a soft cloth to prevent water spots.
- **Avoid Harsh Cleaners:** Do not use abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the chrome finish. Products containing ammonia, bleach, or alcohol should also be avoided.
- **Prevent Mineral Buildup:** In areas with hard water, wipe down the trim kit after each use to prevent mineral deposits from forming.
- **Handle Care:** Ensure the handle operates smoothly. If it becomes stiff, consult the troubleshooting section or contact Moen support.

**TROUBLESHOOTING**

---

If you encounter issues with your Moen Wynford Posi-Temp Shower Valve Trim Kit T5501, refer to the common problems and solutions below. For more complex issues, it is recommended to contact a qualified plumber or Moen customer support.

**Common Issues:**

- **Low Water Flow:**  
**Possible Cause:** Clogged showerhead or debris in the valve.  
**Solution:** Clean the showerhead. If the issue persists, the valve cartridge may need inspection or replacement.
- **Inconsistent Water Temperature:**  
**Possible Cause:** Issues with the Posi-Temp valve cartridge or water pressure fluctuations.  
**Solution:** Ensure the Posi-Temp valve is correctly installed. If the problem continues, the cartridge may need to be replaced.
- **Leaking from Handle or Escutcheon:**  
**Possible Cause:** Loose connections or worn O-rings/seals within the valve or trim.  
**Solution:** Tighten connections. If leaking persists, the valve cartridge or seals may need replacement.
- **Handle is Stiff or Difficult to Turn:**  
**Possible Cause:** Mineral buildup or worn cartridge.  
**Solution:** Clean around the handle base. If still stiff, the valve cartridge may need to be replaced.

**SPECIFICATIONS**

---

Attribute	Value
-----------	-------

Attribute	Value
Brand	Moen
Model Number	T5501
Part Number	T5501
Color	Chrome
Finish	Chrome
Material	Metal
Style	Traditional
Mounting Type	Wall Mounted
Number of Handles	1
Product Dimensions (L x W x H)	11.43 x 17.78 x 17.78 cm
Item Weight	9.07 grams
Included Components	Faucet Trim Kit
Batteries Required?	No
UPC	026508253779

## WARRANTY INFORMATION

The Moen Wynford Posi-Temp Shower Valve Trim Kit T5501 is backed by Moen's Limited Lifetime Warranty. This warranty covers defects in material and manufacturing workmanship for the original consumer purchaser. For specific details regarding coverage, limitations, and how to make a claim, please refer to the official warranty documentation included with your product or visit the Moen website.

## SUPPORT AND CONTACT

For further assistance, technical support, or to inquire about replacement parts for your Moen Wynford Posi-Temp Shower Valve Trim Kit T5501, please contact Moen customer service.

- **Moen Official Website:** [www.moen.com](http://www.moen.com)
- **Customer Service:** Refer to the contact information provided on the Moen website or in your product packaging for phone numbers and email support.


When contacting support, please have your product model number (T5501) and purchase date readily available.



Image: A spacious bathroom featuring Moen Wynford collection fixtures, including a shower with a similar trim kit, demonstrating the product's aesthetic integration.

## Related Documents - T5501

	<p><a href="#">Moen Tub/Shower Valve Trim Installation Instructions and Troubleshooting Guide</a></p> <p>Comprehensive installation guide and troubleshooting manual for Moen single-handle tub/shower and shower-only valve trims (Model INS10717-2/18), including parts lists, step-by-step instructions, care, cleaning, and warranty information.</p>
	<p><a href="#">Moen IVER M-CORE 2-Series Illustrated Parts List</a></p> <p>Illustrated parts list for Moen IVER M-CORE 2-Series single-handle tub/shower trim, including model numbers UT2571, UT2672EP, and UT2683EP. Details part identification, kit numbers, and finish options.</p>
	<p><a href="#">Moen INS2154C Tub/Shower and Shower Only Valve Trim Installation Guide</a></p> <p>Detailed installation instructions, parts lists, and troubleshooting guide for Moen INS2154C tub/shower and shower only valve trim kits with rainshower showerhead. Covers plumbing variations, installation steps, temperature limit adjustment, warranty, and care.</p>
	<p><a href="#">Moen M-CORE 3-Series Showering Quick Start Guide</a></p> <p>Concise guide to installing and understanding the Moen M-CORE 3-Series showering valve system, featuring installation benefits, valve options, and trim compatibility.</p>
	<p><a href="#">Moen One-Handle Tub/Shower Trim Installation Guide and Warranty</a></p> <p>Comprehensive installation guide and lifetime limited warranty information for Moen one-handle tub/shower trim models T2711, T2712, T2713, T2714, T2716 series. Includes parts list, step-by-step instructions, and care tips.</p>

 <p>The image shows the cover of a Moen installation guide. At the top left is the Moen logo. To its right is a barcode. Below the logo, the text 'Installation Guide' is followed by 'Guía de Instalación' and 'Guide d'Installation'. The central part of the cover features a series of numbered diagrams (1 through 10) illustrating the installation steps. At the bottom, there is a list of tools and parts required for installation, including a wrench, screwdriver, and various Moen parts.</p>	<p><a href="#">Moen Single Handle Thermostatic Shower Trim Installation Guide</a></p> <p>Detailed installation instructions and parts list for Moen single handle thermostatic shower trim kits. Includes guidance on assembly, calibration, and warranty information for various Moen models.</p>
--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------