

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [SentrySafe](#) /

› [SentrySafe Fireproof and Waterproof Safe User Manual](#)

SentrySafe CFW20201

SentrySafe Fireproof and Waterproof Safe User Manual

Model: CFW20201 | Brand: SentrySafe

INTRODUCTION

The SentrySafe CFW20201 is a fireproof and waterproof safe designed to protect your important documents, digital media, and valuables from fire and water damage. This robust chest offers unparalleled protection, ensuring your items remain intact even in unexpected disasters. Its privacy key lock keeps contents secure, and the integrated carrying handle allows for easy transport. This manual provides detailed instructions for the proper use and care of your SentrySafe product.



Image: SentrySafe CFW20201 with lid open, showing various items stored inside.

KEY FEATURES

- **Fire Resistant:** UL Classified to survive in a fire for one hour at 1700 degrees Fahrenheit (927 degrees Celsius), keeping interior temperature below 350 degrees Fahrenheit (177 degrees Celsius).




Fireproof for 1 Hour at 1700°F



Image: Safe highlighting its 1-hour fireproof rating.

- **Waterproof:** ETL Verified for 72 hours of protection in water up to 8 inches (20.3 cm) deep, safeguarding against flood damage.



Waterproof for 72 Hours of Submersion



Image: Safe highlighting its 72-hour waterproof rating.

- **Privacy Key Lock:** Equipped with a tubular key lock to deter unwanted access and ensure the lid remains closed during a fire. Two keys are included.
- **Digital Media Protection:** ETL Verified for the protection of USB drives, CDs, DVDs, and portable hard drives.
- **Carrying Handle:** Convenient grips for easy transportation and portability.
- **Compact Interior:** Designed to hold letter-size files flat.

SETUP

Unpacking and Placement

1. Carefully remove the safe from its packaging. Inspect for any signs of damage.
2. Place the safe on a flat, stable surface. Ensure it is in a location where it will not be easily disturbed or fall.

3. Keep the safe away from direct heat sources or areas with extreme temperature fluctuations to maintain optimal performance and longevity.
4. Store the keys in a secure location away from the safe itself. It is recommended to keep one key as a spare in a separate, safe place.

OPERATING INSTRUCTIONS

Using the Key Lock

The SentrySafe CFW20201 utilizes a tubular key lock for security. Follow these steps to open and close your safe:

1. **To Open:** Insert one of the provided tubular keys into the keyhole on the front of the safe. Turn the key clockwise approximately a quarter turn until the lock mechanism disengages. Lift the lid to open the safe.
2. **To Close:** Ensure the lid is properly aligned with the base of the safe. Press down firmly on the lid until it clicks into place. Insert the key and turn it counter-clockwise to lock the safe. Remove the key.



Tubular Key Lock Provides Added Security

Image: Safe highlighting the tubular key lock for added security.

Important: Do not store the keys inside the safe. In case of fire or flood, you would not be able to access them.

MAINTENANCE

- **Cleaning:** Clean the exterior of the safe with a soft, damp cloth. Avoid using abrasive cleaners or solvents, as these can damage the finish.
- **Seal Inspection:** Periodically inspect the waterproof seal around the rim of the safe. Ensure it is free from debris, cracks, or damage. A clean, intact seal is crucial for maintaining waterproof integrity.
- **Key Care:** Keep the keys clean and dry. Do not force the key if it feels stiff; a small amount of graphite lubricant can be applied to the key if necessary.
- **Storage Environment:** Store the safe in a dry environment to prevent moisture buildup, which could affect the contents or the safe's materials over time.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Key does not turn or is stiff.	Debris in keyhole, worn key, or lack of lubrication.	Ensure key is fully inserted. Try the spare key. Apply a small amount of graphite lubricant to the key and insert it into the lock.
Lid does not close completely.	Obstruction in the safe, or seal is misaligned/damaged.	Check for items blocking the lid. Inspect the waterproof seal for any foreign objects or damage. Clean and realign the seal if necessary.

Problem	Possible Cause	Solution
Safe feels damp inside.	High humidity in storage area, or seal issue.	Ensure the safe is stored in a dry environment. Verify the waterproof seal is clean and intact. Consider using a desiccant packet inside the safe if humidity is a persistent issue.

SPECIFICATIONS

Attribute	Value
Brand	SentrySafe
Model Number	CFW20201
Exterior Dimensions (H x W x D)	6.6 in. H x 15.4 in. W x 14.3 in. D (16.8 cm H x 39.1 cm W x 36.3 cm D)
Interior Dimensions (H x W x D)	4.4 in. H x 12.8 in. W x 8.5 in. D (11.2 cm H x 32.5 cm W x 21.6 cm D)
Capacity	0.28 Cubic Feet (7.84 Liters)
Lock Type	Key (Tubular)
Color	Dark Grey
Material	Aluminum
Item Weight	27.4 Pounds (12.4 kg)
Fire Endurance	UL Classified 1 Hour at 1700°F (927°C)
Water Protection	ETL Verified 72 Hours of Submersion



Exterior Size	Interior Size	Capacity	Lock Type
6.6 in H X 15.4 in W X 14.3 in D	4.4 in H X 12.8 in W X 8.5 in D	.28 cu.ft.	Keyed

Image: Safe with detailed dimensions.

WARRANTY AND SUPPORT

Warranty Information

The SentrySafe CFW20201 comes with a **Limited Lifetime Warranty**. For specific details regarding warranty coverage, claims, and terms, please refer to the official warranty documentation included with your purchase or contact SentrySafe customer service.

Additional Support

For further assistance, detailed diagrams, or specific inquiries not covered in this manual, please refer to the comprehensive User Manual PDF available online or contact SentrySafe customer support.

Official User Manual (PDF): [Download Here](#)

© 2025 SentrySafe. All rights reserved.

Related Documents - CFW20201

 <p>SentrySafe Product FAQ and Support</p> <p>Frequently asked questions and support information for SentrySafe products, covering battery replacement, product testing, key and combination recovery, lock operation, warranties, and fire/water protection.</p>

	<p>SentrySafe User Manual: Operating and Securing Your Safe</p> <p>Comprehensive guide for SentrySafe safes, covering operation of mechanical and electronic locks, light features, bolting down instructions, and troubleshooting. Learn how to secure your valuables with SentrySafe.</p>
	<p>SentrySafe Fire-Safe® Owner's Manual - Operation, Warranty, and Support</p> <p>Comprehensive owner's manual for the SentrySafe Fire-Safe® safe, covering operation of mechanical and electronic locks, bolting down, troubleshooting, warranty information, and customer service. Learn how to set up, use, and maintain your SentrySafe safe.</p>
	<p>SentrySafe Security Safe Owner's Manual: Operation, Installation, and Warranty</p> <p>Comprehensive owner's manual for SentrySafe security safes, detailing bolt-down installation, electronic and key lock operation, programming user codes, emergency access, replacement keys, and warranty terms. Includes instructions for various models.</p>
	<p>SentrySafe Alarm Safe Owner's Manual: Setup, Operation, and Troubleshooting</p> <p>Comprehensive owner's manual for SentrySafe Alarm Safes. Learn how to set up, use, program codes, and troubleshoot your water and fire-resistant safe. Includes features, safety warnings, and customer care information.</p>
	<p>SentrySafe Security Safe Owner's Manual</p> <p>This owner's manual provides instructions for using and maintaining SentrySafe security safes, including key lock and digital combination models. It covers opening procedures, battery installation, programming user codes, troubleshooting common issues, and bolt-down instructions for enhanced security.</p>

Documents - SentrySafe – CFW20201



[\[pdf\]](#)

Chest And File Safes Model Code SentrySafe MODEL CODE vs NUMBER Master Lock Some SentrySafe® and are marked with a identifier Each of the various Ccdn masterlock sentrysafe resources
CHEST AND FILE SAFES Locate your Model Code to determine your Model Number. MODEL CODE vs. MODEL NUM ... DE W2 W H2100 H3100 and other H3 models H4100 HD2100 HD4100 **CFW20201** and other CHW2 models CHW30100 and other CHW3 mod lang:en score:29 filesize: 108.61 K page_count: 1 document date: 2016-10-07



[\[pdf\]](#)

Chest And File Safes Model Code SentrySafe Codecdn masterlock sentrysafe resources hstc 8988778 bb4f585f4c73eaea3ca2e0ebe72645b9 1754675158921 1 h 91dc970eaae7e6f13478bd7d488c0508 1753413386081 1753413386082 2065254802cdn |||
CHEST AND FILE SAFES Locate your Model Code to determine your Model Number. MODEL CODE vs. MODEL NUM ... DE W2 W H2100 H3100 and other H3 models H4100 HD2100 HD4100 **CFW20201** and other CHW2 models CHW30100 and other CHW3 mod lang:en score:28 filesize: 108.61 K page_count: 1 document date: 2016-10-07



[\[pdf\]](#) Accessories Catalog

SentrySafe Business Essentials Catalog sentrysafe Content s newCatalogs
JANUARY 2015 BUSINESS ESSENTIALS CATALOG TABLE OF CONTENTS Protection and Performance Standards Fi ... rganizin PERSONAL FIRE CHESTS Model Number **CFW20201** WATERPROOF FIRE CHEST This SentrySafe Water/Fire-Resistant Chest p lang:en score:27 filesize: 7.23 M page_count: 36 document date: 2014-11-05



[pdf]

sentry static webshopapp shops 024272 files 038340676 |


SentrySafe **CFW20201** SentrySafe **CFW20201** De vernieuwde opvolger van de bekende SentrySafe F2300 Niet je typische box, ma SentrySafe box heeft een strak nieuw design. Het ingebouwde front met sleutelslot en handgreep en de nieuwe stoere look bieden d lang:nl score:25 filesize: 65.99 K page_count: 1 document date: 2015-08-28



[Master Lock & SentrySafe Internet Sales and Advertising Policy](#) | [IMAP Standards](#)

Official Internet Sales and Advertising Policy from The Master Lock Company (TMLC) for Master Lock and SentrySafe products. Details reseller guidelines, brand asset usage, and consequences of violations.

lang:en score:24 filesize: 331.82 K page_count: 7 document_date: 2022-04-29



[pdf]

Master Lock and SentrySafe Internet Sales Advertising Policy with IMAP Company LLC INTERNET SALES ADVERTISING POLICY In the event of continual violation, Master Lock and SentrySafe will take one or more of the following actions for as long as deemed necessary to protect its brands business: cease shipping all some cdn masterlock resources documents ||| U.S. RESELLERS INTERNET SALES ADVERTISING POLICY INCLUDES INTERNET MINIMUM ADVERTISED PRICE IMAP ... 12 Lock 0.21 Cubic Feet, Black CB12ENGHRO SentrySafe CFW20201ENG CFW20201 Waterproof Fire-Resistant Medium Tubular Lock lang:en score:23 filesize: 646.8 K page_count: 8 document_date: 2022-06-30

An advertisement for SentrySafe featuring a black safe with a combination lock. A blue and white tag is attached to the handle, reading 'SentrySafe' and '100% MONEY BACK GUARANTEE'. The background shows a bookshelf.

[SentrySafe 2017 Full-Line Catalog: Fire, Water, and Security Safes](#)

Explore the comprehensive range of SentrySafe products, including fireproof safes, waterproof chests, pistol safes, and security solutions. Discover features, specifications, and peace of mind.

lang:en score:20 filesize: 8.33 M page_count: 12 document date: 2024-03-26



SentrySafe

2022 CONFIDENTIAL LIST PRICE GUIDE

EFFECTIVE AUGUST 2, 2022
LISTING EFFECTIVE 2021

[\[pdf\]](#) Confidentiality Request Letter



[pdf]

Master Lock IMAP Sku List Company LLC Listcdn masterlock â® resources listcdn documents |||

IMAP SKU List as of 10/18/2023 Brand Product MAP - Master Lock Master Lock 131Q 1 3/16 Covered ... k SentrySafe 1200HRO S Feet, Black SentrySafe **CFW20201ENG** **CFW20201** Waterproof Fire-Resistant Medium Tubular Lock Chest, .28 cu. ft, 15 1/2 x 14 3/ lang:en score:20 filesize: 177.67 K page_count: 3 document date: 2023-10-18