QAZAKY A1048-PUK-MFN

QAZAKY Universal Motorcycle Handlebar Control Switch

Model: A1048-PUK-MFN

1. Product Overview

The QAZAKY Universal Motorcycle Handlebar Control Switch, Model A1048-PUK-MFN, is designed for 7/8-inch (22mm) diameter handlebars. This multi-function switch integrates controls for turn signals, horn, and high/low beam headlights into a single unit, providing convenient access for riders. Its robust construction ensures durability and reliable performance across various riding conditions.

2. Key Features

- **Integrated Functions:** Combines turn signal, horn, and high/low beam headlight controls.
- **Universal Fit:** Designed for 7/8-inch (22mm) diameter handlebars, compatible with a wide range of motorcycles, ATVs, and scooters.
- **Durable Construction:** Features a heavy-duty aluminum housing for enhanced durability, water resistance, and weather protection.
- **Compact Design:** All-in-one design for easy access and comfortable control without interfering with the clutch.
- **Quality Assurance:** Manufactured to high standards and tested for reliability.



Image: The control switch highlighting its heavy-duty aluminum housing for durability and weather resistance.

3. Product Specifications

Brand	QAZAKY
Model	A1048-PUK-MFN
Operation Mode	ON-OFF
Operating Voltage	12 Volts
Contact Type	Normally Open
Connector Type	Crimp
Switch Type	Multi-function
Material	Acrylonitrile Butadiene Styrene (Housing), Aluminum (Contact)
Item Dimensions (L x W x H)	185.04 inches (cable length)
Circuit Type	1-way
Mounting Type	Handlebar Mount
Actuator Type	Hinge Lever
Number of Positions	2
Control Method	Touch
Color	Black
Item Weight	0.31 Pounds
International Protection Rating	IP67



Image: Detailed product dimensions showing the switch diameter (0.87 inch / 22mm) and height (2.28 inch / 58mm).



Image: Combined view of product dimensions and cable length (18.5 inches / 470cm) for the control switch.

4. Installation Guide

This control switch is designed for easy installation on 7/8-inch (22mm) diameter handlebars. Professional installation is

recommended for electrical components. Ensure the motorcycle's power is off before beginning installation.

1. **Mounting:** Securely attach the switch to the left side of the handlebar, ensuring it does not interfere with other controls or the clutch lever.
2. **Wiring:** Connect the switch's wires to the corresponding electrical system of your motorcycle. It is highly recommended to consult your motorcycle's specific wiring diagram to ensure correct connections for the turn signals, horn, and high/low beam functions. The switch comes with a multi-pin connector for simplified integration.
3. **Testing:** After installation, turn on the motorcycle's power and test all functions (turn signals, horn, high/low beam) to ensure they operate correctly before riding.



Image: The left side control switch designed for 7/8-inch diameter handlebars, shown with its wiring harness.



Image: The QAZAKY control switch with its integrated wiring harness and connector, ready for installation.

5. Operation Instructions

The QAZAKY control switch provides intuitive access to essential motorcycle functions:

- **Turn Signal:** Use the sliding switch to activate the left or right turn signal. Return the switch to the center position to deactivate.
- **Horn:** Press the button located at the bottom of the switch to activate the horn.
- **High/Low Beam:** Use the rocker switch at the top to toggle between high beam and low beam headlight settings.



Image: A close-up view of the control switch, clearly labeling the high/low beam switch, turn signal switch, and horn button.

6. Compatibility

This universal control switch is compatible with most motorcycles, motorbikes, ATVs, quads, scooters, go-karts, mopeds, choppers, pit bikes, dirt bikes, racing bikes, mini bikes, and other vehicles equipped with 7/8-inch (22mm) diameter handlebars.
Known compatible brands include, but are not limited to: Suzuki, Yamaha, Kawasaki, Ducati, Aprilia, Vespa, Kymco, Piaggio, Agusta, Banshee, and Polaris.



Image: Visual representation of the control switch's compatibility with different types of motorcycles and powersports vehicles.

7. Visual Guide

Your browser does not support the video tag.

Video: An official product video from QAZAKY demonstrating the universal control switch. This video provides a visual overview of the product and its features.



Image: Front view of the QAZAKY Universal Motorcycle Handlebar Control Switch, showcasing its design and integrated buttons.



Image: Angled view of the QAZAKY Universal Motorcycle Handlebar Control Switch, providing a different perspective of its form factor.

8. Maintenance

To ensure the longevity and proper functioning of your QAZAKY control switch, follow these general maintenance guidelines:

- **Regular Cleaning:** Periodically clean the exterior of the switch with a soft, damp cloth to remove dirt and grime. Avoid using harsh chemicals or abrasive materials.
- **Inspect Wiring:** Regularly check the wiring connections for any signs of wear, corrosion, or looseness. Ensure all connections are secure.
- **Environmental Protection:** While the switch has an IP67 rating for water and dust resistance, prolonged exposure to extreme weather conditions should be minimized when possible.
- **Functionality Check:** Periodically test all switch functions (turn signals, horn, high/low beam) to confirm they are operating correctly.

9. Troubleshooting

If you encounter issues with your control switch, consider the following troubleshooting steps:

- **No Functionality:** If a specific function (e.g., turn signal, horn, headlight) does not work, first check the wiring connections for that function. Ensure wires are securely connected and not damaged. Verify the motorcycle's fuse box for any blown fuses related to the affected circuit.
- **Intermittent Operation:** Intermittent issues often point to loose or corroded connections. Inspect all wiring and the connector for proper contact.
- **Physical Damage:** If the switch housing or buttons are physically damaged, it may affect internal components. In such cases, replacement may be necessary.
- **Consult a Professional:** For complex electrical issues or if you are unsure about wiring, it is advisable to consult a qualified motorcycle mechanic or electrician.

10. Warranty and Support

The QAZAKY Universal Motorcycle Handlebar Control Switch comes with a **1-Year Warranty**. For warranty claims or technical support, please refer to the contact information provided with your purchase or visit the official QAZAKY store online.
For additional information and products, you can visit the QAZAKY Store.

© 2026 QAZAKY. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question