

ABB B23 112-100

ABB EQ B23 112-100 Energy Meter Instruction Manual

Model: B23 112-100

1. INTRODUCTION AND OVERVIEW

This manual provides instructions for the installation, operation, and maintenance of the ABB EQ B23 112-100 Energy Meter. This electronic meter is designed for accurate measurement of electrical energy in industrial and residential applications, facilitating energy management and cost analysis. It features an infrared (IR) interface for data communication with external systems.

The ABB EQ B23 112-100 is a calibrated electronic meter, suitable for direct execution of energy power measurements. It is built for reliability and precision in various electrical testing environments.

2. SAFETY INFORMATION

Important: Read all safety instructions before installation or operation. Failure to follow these instructions may result in electric shock, fire, or serious injury.

- Installation and maintenance must be performed by qualified personnel only.
- Ensure the power supply is disconnected before performing any wiring or installation procedures.
- Verify all connections are secure and correct according to wiring diagrams.
- Do not operate the device if it appears damaged.
- Observe all local and national electrical codes.

3. PRODUCT FEATURES

- Electronic meter type for precise energy measurement.
- Rated current: 5 A.
- Maximum current (IMAX): 65 A.
- Nominal voltage (N-L): 176 V to 276 V.
- Nominal voltage (L-L): 400 V.
- Infrared (IR) interface for data communication.
- Accuracy class B.

- Designed for DIN rail mounting.

4. SETUP AND INSTALLATION

The ABB EQ B23 112-100 Energy Meter is designed for DIN rail mounting. Ensure the mounting location is dry, well-ventilated, and free from excessive vibration or extreme temperatures.

4.1 Mounting the Meter

1. Ensure the DIN rail is securely installed in the desired location.
2. Align the meter's rear mounting clip with the DIN rail.
3. Press the meter firmly onto the rail until it clicks into place.




Figure 1: Rear view of the meter, illustrating the integrated DIN rail mounting clip. This clip allows for easy and secure attachment to standard DIN rails.

4.2 Wiring Connections

Warning: Disconnect all power before making any electrical connections. Refer to the wiring diagram provided with the product for specific connection details. The meter supports both single-phase and three-phase connections.

- Connect the incoming phase (L1, L2, L3) and neutral (N) wires to the designated terminals.

- Connect the outgoing load wires to the corresponding terminals.
- Ensure all terminal screws are tightened to the specified torque to prevent loose connections.
- The meter also includes terminals for pulse output and an infrared interface for communication.



Figure 2: Bottom view of the meter, showing the main power input/output terminals and auxiliary connections. These terminals are clearly labeled for correct wiring.




Figure 3: Top view of the meter, displaying additional terminals for phase connections (L1, L2, L3) and neutral (N). Proper connection to these terminals is crucial for accurate measurement.

5. OPERATING INSTRUCTIONS

Once installed and powered, the meter will automatically begin measuring energy consumption. The front display provides real-time data and allows for basic interaction.

5.1 Display and Buttons



Figure 4: Front view of the meter, highlighting the digital display and control buttons. The display shows various measurement parameters, and the buttons allow navigation through menus.

- **Display:** Shows energy consumption (kWh), voltage, current, power, and other parameters.
- **Navigation Buttons:** Use the arrow buttons (left/right or up/down, depending on model) to scroll through different display parameters.

- **OK Button:** Typically used to confirm selections or enter sub-menus.

5.2 Infrared (IR) Interface

The meter is equipped with an infrared interface on its left side. This interface allows for communication with external devices, such as communication adapters or energy management systems (e.g., KNX), for data retrieval and configuration. Consult the specific communication adapter's manual for details on connecting and utilizing the IR interface.




Figure 5: Side view of the meter, indicating the location of the infrared (IR) communication interface. This port enables data exchange with compatible external devices.

6. MAINTENANCE

The ABB EQ B23 112-100 Energy Meter is designed for minimal maintenance. Regular checks can help ensure optimal performance.

- **Cleaning:** Use a soft, dry cloth to clean the meter's exterior. Do not use abrasive cleaners or solvents.
- **Inspection:** Periodically inspect wiring connections for tightness and signs of wear or damage.
- **Calibration:** The meter is factory calibrated. Recalibration should only be performed by authorized service personnel if accuracy issues are suspected. The calibration date is visible on the device (e.g., "Calibrated 2023-02-10").

7. TROUBLESHOOTING

If you encounter issues with your energy meter, consider the following common troubleshooting steps:

- **No Display:** Check the power supply connections. Ensure the circuit breaker is on.
- **Incorrect Readings:** Verify all wiring connections are correct according to the installation diagram. Ensure the meter is correctly configured for the electrical system (e.g., single-phase or three-phase).
- **Communication Issues:** Ensure the IR communication adapter is correctly aligned with the meter's IR port and that its drivers/software are properly installed on the connected system.
- For persistent issues, contact ABB technical support.

8. SPECIFICATIONS





Parameter	Value
Meter Type	Electronic
Rated Current	5 A
Maximum Current (IMAX)	65 A
Nominal Voltage (N-L)	176 V - 276 V
Nominal Voltage (L-L)	400 V
Frequency	47.5 - 63 Hz
Accuracy Class	B
Product Dimensions	2.56 x 2.76 x 3.82 inches
Item Weight	12.7 ounces
Manufacturer	Abb-entrelec
Item Model Number	EQ-METERS
GTIN	07392696001649

9. WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the official ABB website or contact your local ABB representative. Keep your purchase receipt and product serial number (visible on the device, e.g., 01774274) for any support inquiries.

You can visit the [ABB Store on Amazon](#) for more product information.

Related Documents - B23 112-100

	ABB B21/B23/B24 Installation Manual This installation manual from ABB provides detailed instructions for the B21, B23, and B24 series energy meters. It covers essential aspects such as mounting procedures, electrical connections for different models, basic settings configuration, and comprehensive technical specifications.
	DELTAplus/DELTAmax Meter User Manual - ABB Comprehensive user manual for ABB's DELTAplus and DELTAmax electronic electricity meters, covering features, installation, technical specifications, and communication protocols.
	ABB Lista de Preços 2024 - Produtos para Eletrificação Lista de preços detalhada de produtos de eletrificação da ABB para 2024, cobrindo interruptores, tomadas, sistemas de automação residencial, KNX, distribuição de energia, proteção elétrica, e média tensão, juntamente com as condições gerais de venda.
	ABB D13/D11 Energy Meter Installation Manual and Technical Specifications Comprehensive guide for installing and configuring ABB D13 and D11 energy meters, including technical specifications, quick setup, safety information, and menu structure.

Products - Low Voltage Products and Systems - Modular DIN Rail Products - Electricity Meters for DIN Rail Electricity Meters	
General Information	
Extended Product Type	B23 112-100
Product ID	2CMA100164R1000
ABB Type Designation	B23 112-100
EAN	7392696001649
Catalog Description	Active energy Cl. B
Long Description	Electricity meter, 3 phase, Active energy Cl. 1 & B, Approved according to: IEC 62053-11, IEC 62053-21, EN 50470-1, EN 50470-3
Ordering	
EAN	7392696001649
Minimum Order Quantity	1 piece
Customs Tariff Number	90258019
Dimensions	
Product Net Width	70 mm
Product Net Height	97 mm
Product Net Depth	65 mm
Product Net Weight	0.32 kg
Container Information	
Packaging Level 1 Units	1 piece
Packaging Level 1 Width	100 mm
Packaging Level 1 Height	88 mm
Packaging Level 1 Length	94 mm
Packaging Level 1 Gross Weight	0.39 kg
Packaging Level 1 EAN	7392696001649
Environmental	
RoHS Status	Following EU Directive 2002/95/EC August 18, 2005 and amendment
Additional Information	
Assembly	Active energy Cl. B
Communication Interface	Public output
Communication	Modbus RTU / RS-485
Connecting Capacity Main Circuit	1 ... 25 mm²

[pdf] Instructions Datasheet Dimension Guide Catalog

B23 112 100 Instructions and Manuals 2CMC485014M0201 RoHS Information 2CMC485006

Classifications E nummer 0900037 ETIM 4 EC001506 Electronic kilowatt hour meter abb231121 Data Sheet 001 media nuovaelva it file store docs AB b b2 b231 |||

B23 112-100 Products Low Voltage Products and Systems Modular DIN Rail

Products Electricity Meters for DIN Rail Electricity Meters General Information

Extended Product Type: Product ID: ABB Type Designation: EAN: Catalog

Description: Long Description: Ordering EAN: Minimum Order Quantity: Customs ...

lang:en **score:40** filesize: 130.1 K page_count: 3 document date: 2018-05-17

MDH

ABB B23 112-100, 70 mm, 65 mm, 97 mm, 320 g

Electricity meter - 3 phase - Active energy Cl. 1 & B

Gruppe

Hersteller

Hersteller Art. Nr.

EAN/UPC

Elektroninstallation

ABB

2CMA100164R1000

7392696001649

Beschreibung

ABB B23 112-100, Breite: 70 mm, Tiefe: 65 mm, Höhe: 97 mm

Hauptmerkmale

Allgemein

Breite

Tiefe

Höhe

70 mm

65 mm

97 mm

© 2022 Mettler-Toledo Messtechnik GmbH & Co. KG, Industriestraße 121, 40225 Düsseldorf | +49 211 31070870 | info@mettler-toledo.com



[pdf]

Datenblatt ABB B23 112 100 Háromfázisú fogyasztásmérő 1 db Conrad adatlap 2319394 abb b23

haromfazisu fogyasztasmero asset conrad media10 add 160267 c1 de 825239930DS00 |||

ABB **B23 112-100**, 70 mm, 65 mm, 97 mm, 320 g Electricity meter - 3 phase - Active energy Cl. 1 B Gruppe Hersteller Hersteller Art. Nr. EAN/UPC Elektroinstallation ABB 2CMA100164R1000 7392696001649 Beschreibung ABB **B23 112-100**. Breite: 70 mm, Tiefe: 65 mm, Hhe: 97 mm Hauptmerkmale Breite Tiefe H...

lang:en **score:28** filesize: 77.35 K page_count: 1 document date: 2022-09-16

Bâtiments et infrastructure

Guide de sélection petit tertiaire



Power and productivity
for a better world™

ABB

[pdf] Guide

eFTzN0tVY library e abb public 9e3458a5e189495389b91276e3397aec 1TXH000208C0302 Guide

Selection petit Tertiaire FR x sign 2fUdIXMiAqtPD4Rh1ylqDyF H FizFO8cal3wyVXWY5bkCvg0zkt2e |||

Btiments et infrastructure Guide de slection petit tertiaire Dfinir un tableau lectrique en 7 tape ... Ttrapolaire 65 Compteur d nergie MID avec communication Modbus Nb. de modules 4 Type B23 111-100 **B23 112-100** Rf. Commerciale 832311 832321 Comptage dparts 3. Slectionnez vos compteurs dpart ...

lang:fr **score:27** filesize: 5.94 M page_count: 24 document date: 2015-03-19



[\[pdf\]](#) Guide

Mise en Service Terra AC Wallbox Clement Delaroche kBSLzZFwl2B7keTPpjz

nCMQZExLJn4agY0BVDLdKkP library e abb public 45f8c0cd26314dd39ec9359ff4dea0c7 ABB Guide
Selection Produit FREVI 04 x sign G2icWJtbZkjYshQ rwd4 |||

-- JANVIER 2023 Guide de slection Produit Terra AC Wallbox Copyright 2023 ABB.
All rights reserved ... r le support ddi pour plus d informations Puissances de charge
Voir les accessoires B21 112-100 **B23 112-100** B24 112-100 Compteur ModBus B21
RTU RS485 2CMA100150R1000 March 30, 2023 Slide 29 C...


lang:fr score:25 filesize: 971.05 K page_count: 31 document date: 2023-03-30



[\[pdf\]](#) Catalog

2CMA100164R1000 B23 112 100 acae2 Active Energy Class $\pm 1\%$ or B for MID meters ACAE Advanced compact DIN rail meter with an easy to read back lighted display The is intended use in the commercial residential buildings etc 2cma100164r1000 b23 acae es catalogos abb fiebdc |||

PRODUCT-DETAILS **B23 112-100** Active Energy Class 1 or B for MID meters .;
Informacin General Extended Product Type Product ID ABB Type Designation EAN
Catalog Description Long Description Clasificacin E-Number Sweden EAN Minimum
Order Quantity Customs Tariff Number Dimensiones **B23 112-100** 2CMA1...
lang:en score:24 filesize: 99.13 K page_count: 3 document date: 2021-02-26



[\[pdf\]](#) Decleration of Conformity Catalog

B23 112 100 Energy meter Steel Modbus RS485 Three phase 5 Aug 8 2023 · Advanced compact DIN rail
with an easy to read back lighted display The is intended for use in the commercial or residential
2CMA100164R1000 files kempstoncontrols bf11c271565c24789a425da2720aed5a |||

PRODUCT-DETAILS **B23 112-100 B23 112-100**, Energy meter Steel , Modbus
RS485, Three-phase, 5 A General Information Extended Product Type Product ID
ABB Type Designation EAN Catalog Description Long Description **B23 112-100**
2CMA100164R1000 **B23 112-100** 7392696001649 **B23 112-100**, Energy meter Steel
, Mo...

lang:en score:24 filesize: 235.17 K page_count: 4 document date: 2023-08-08



[pdf]

B23 112 100 Drehstromzähler Stahl Modbus RS485 Three phase zur Messung eines Dreileiter oder Vierleiter Drehstromnetzes über einen Direktanschluss bis maximal 65 A Folgende Werte werden eine 201067 8110002 Datenblatt DE 1 e ordering minusines lu upload public artikel |||

PRODUCT-DETAILS **B23 112-100 B23 112-100**, Drehstromzähler Stahl , Modbus RS485, Three-phase, 5 A Allgemeine Informationen Typ Bestellnummer ABB Typbezeichner EAN Beschreibung Langbeschreibung Technische Daten Normen Funktion Unterfunktion Bemessungsspannung Ur Spannungsbereich Bemessungsstrom In ...


lang:de score:23 filesize: 123.56 K page_count: 4 document date: 2023-01-19



[pdf] User Manual Troubleshooting Guide

Webinar Modbus RTU KNX TP Gateway MG S 11 100 1 ABB Building Academy Smart Buildings Juergen Schilder 19 mag 2023 — is usually provided in the server manual Take this into account when setting October 31 Slide 88 Page 89 © All rights reserved VuYZJQ XoCnAQciE0ChDRPtv library e abb public 08490b9867744ad68197df219aae1c9a Mai PR EN V1 3 9AKK108468A1548 x sign j 3Rdjsj0SSbih QE783nbxfosyfO6zo5f9tAY |||

-- THORSTEN REIBEL JUERGEN SCHILDER Modbus RTU KNX TP Gateway MG/S 11.100.1.1 Building Academy Sm ... NX Touch 10 Control Status Terra AC Wallbox Address 5 ABB EQ Energy Meter ABB EQ Energy Meter **B23 112-100** B21 112-100 Address 1 Address 2 October 31, 2023 Slide 49 2023 ABB. All rights re... lang:en score:21 filesize: 5.16 M page_count: 90 document date: 2023-10-31



[pdf] Declaration of Conformity

Fiche produit Compteur B23 Triphase Modbus Mesure Directe 65A Steel Mid ABB 15777041 FT ts 1704842052558 fra connect mo cloudinary net PRODUCT DOCUMENT 26 |||

PRODUCT-DETAILS **B23 112-100 B23 112-100**, Energy meter Steel , Modbus RS485, Three-phase, 5 A Informations gnrales Extension du type de produit Code de produit ABB dsignation de type EAN Description courte Description longue Eco Transparence Environmental Product Declaration - EPD **B23 112-100** 2CMA1... lang:en score:17 filesize: 138.1 K page_count: 4 document date: 2023-12-11

[\[pdf\]](#)

Webinar Modbus RTU KNX TP Gateway MG S 11 100 1 Juergen Schilder U

zCRcRG4XWl7odBUhHCHjVPPZlOHzaPqYa rPYfBmMb0p library e abb public

3196fa0f5b55470494df2e6ae3f3401c x sign 5yNR 6DqLdrk5uDc |||

-- -- BUILDING AND HOME AUTOMATION SOLUTIONS Gateway Modbus RTU KNX

TP MG/S 11.100.1.1 Presentazion ... r la conversione necessario considerare il valore

e la risoluzione dei raw data Modbus L EQ Meter **B23 112-100** memorizza il valore di

tensione 230,8 V come 2308 nei registri Modbus. Per ottenere il ...

lang:it score:17 filesize: 6.35 M page_count: 80 document date: 2023-07-11

[\[pdf\]](#) User Manual

ABB EQmatic Energy Analyzer M Bus and Modbus QA Sx yy 1 S KNX Juergen Schilder x 19 apr 2023 —

Refer to the product manual or installation operating The device is a modular for quick 361 pagine QAS

xyy1 PR EN V2 6 9AKK107046A7077 library e abb public 7b40a5a4e5b242019086483b60fd51d4 |||

-- HEIDELBERG, APRIL 2023 ABB EQmatic Energy Analyzer QA/S x.yy.1 KNX, M-

Bus and Modbus Building Academy Smart Buildings Thorsten Reibel Juergen

Schilder Copyright 2023 ABB. All rights reserved. Document ID.: Rev.: -- Agenda

Introduction Basic Planning Installing Commissioning Connecti...

lang:en score:16 filesize: 18.4 M page_count: 361 document date: 2023-04-19




BUILDING AND HOME AUTOMATION SOLUTIONS
Gateway Modbus RTU – KNX TP MG/S 11.100.1.1
Presentazione di prodotto
ITABO – ILSB Front-end Sales
© 2015 ILSB. All rights reserved.

ASB



ABB EQmatic Energy Analyzer QA/S x.yy.1
KNX, M-Bus and Modbus – Building Academy Smart Buildings
Shenzhen Global & 3 years of children

ABE



[\[pdf\]](#) Datasheet

2CMC485001L0201 indd ABB B23 Data Sheet English DIN monterad elmätare Elvaco elvaco Image

GetDocument en 150 abb b23 data sheet english |||

Product leaflet Three phase electricity meters B23/B24 EQ meters in Steel version

from ABB The compact and versatile EQ meters B23 and B24 are three phase meters

with outstanding performance. They can be used in most of the common applications

for reliable and trustworthy metering of energy usage. E...

lang:en score:15 filesize: 1.13 M page_count: 2 document date: 2017-08-15


[pdf] Troubleshooting Guide

Webinar Modbus RTU KNX TP Gateway MG S 11 100 1 Juergen Schilder Integration of typical room devices such as a bedside panel thermostat etc Others Simple data integration to solar EV charging equipment Mai 2023 PR EN V1 9AKK108468A1548 x sign

8x7wyFSPpUTY0DjAa70bDXIyjNlwHzq6C5hBGv2PePdCNcbeEFiAdG library e abb public
cbca3c669ad649479b1ded0dc16744bd

8x7wyFSPpUTY0DjAa70bDXIyjNlwHzq6C5hBGv2PePdCNcbeEFiAdGfV1lBpgjz1 |||

-- THORSTEN REIBEL JUERGEN SCHILDER Modbus RTU KNX TP Gateway MG/S
11.100.1.1 Webinar Building A ... NX Touch 10 Control Status Terra AC Wallbox
Address 5 ABB EQ Energy Meter ABB EQ Energy Meter **B23 112-100** B21 112-100
Address 1 Address 2 May 31, 2023 Slide 48 2023 ABB. All rights reserv...
lang:en score:15 filesize: 5.06 M page_count: 89 document date: 2023-05-31




[pdf] Datasheet

2CMC485001L0201 indd ABB B24 Data Sheet Englishelvaco Image GetDocument en 151 abb b24 data
sheet english EnglishABB DIN mounted electricity meter ElvacoABB sv englishelvaco |||

Product leaflet Three phase electricity meters B23/B24 EQ meters in Steel version
from ABB The compact and versatile EQ meters B23 and B24 are three phase meters
with outstanding performance. They can be used in most of the common applications
for reliable and trustworthy metering of energy usage. E...

lang:en score:15 filesize: 1.13 M page_count: 2 document date: 2017-08-15



[pdf]

FDV MÅLER 3F B23 111 100Jul 2 2025 — Produktinformasjon Elnr 8204067 ABB identnr

2CMA100163R1000 Varenavn 100 Varebetegnelse EAN 73926960016322CMA100163R1000

14efobasen efo no produkt |||

FDV - MLER 3F B23 111-100 MLER 3F B23 111-100 Produktinformasjon Elnr:
8204067 ABB identnr: 2CM ... ng. Standard: IEC og MID Alle B serie mlere er testet
og godkjent ihht MID. B23 111-100 = IR, PULS **B23 112-100** = RS-485 MODBUS og
EQ BUS B23 113-100 = M-BUS Teknisk info Standard: ETIM: Vedlikehol...

lang:no score:15 filesize: 125.6 K page_count: 1 document date: 2024-10-04



[pdf]

SZ16 0129 01 ABB LP Tartosan alacsony termékek indd A4 lowres www02 abb 80 global seip seip202
nsf 0 2419bd50ee2a3a9f85257f88003575ec \$file

Vlasszon az ABB kisfeszültsg sorozattermkeibl A termkek egysz vben kedvez ron
elrhetk partnereinknl A ... lestssel nem rendelkezik C11 110-100 C11 110-300* C13
110-100 C13 110-300* B21 111-100 B23 111-100 **B23 112-100** B23 113-100 B24
111-100 B24 112-100 B24 113-100 B23 212-100 B24 212-100 15 241 12 628 4...
lang: id **score:15** filesize: 1004.56 K page_count: 6 document date: 2016-04-01



[pdf]

1SPC801254D3101 ABB EQ Selectiekaart A4 NL Update012022 LR library e abb public
1c556975657545b5a06c642c3c322b2d ||| ||| -- EQ-energiemeters Selectiekaart 2 EQ-ENERGIEMETERS
-- EQ-energiemeters Voor het meten, registreren, monitoren en online uitlezen van het energieverbruik De
serie EQ-energiemeters
-- EQ-energiemeters Selectiekaart 2 EQ-ENERGIEMETERS -- EQ-energiemeters
Voor het meten, registr ... s Ja C13 110-101 2CMA103574R1000 65 Actief Puls Ja
B23 111-100 2CMA100163R1000 -- Modbus Ja **B23 112-100** 2CMA100164R1000
C13 M-Bus Ja B23 113-100 2CMA100165R1000 Actief/reactief, import/exp...
lang: nl **score:15** filesize: 936.35 K page_count: 6 document date: 2022-01-27



[pdf]

ABB guida Terra AC wallbox EQ Meter library e abb public e216981360594702a5880f552fff3a1d |||
-- Terra AC Wallbox e EQ Meter ABB Guida rapida all integrazione -- Terra AC
Wallbox e EQ Meter ABB Guida rapida all integrazione I N S T A L L A Z I O N E
PRODOTTI COLLEGAMENTO E CONFIGURAZIONE 2 1 2 T E R R A A C W A L L B
O X E E Q M E T E R A B B G U I D A R A P I D A A L L I N T E G R A Z I ...
lang: it **score:15** filesize: 8.51 M page_count: 34 document date: 2021-10-04




[pdf]

aRNGdTFTdMYqa115WmLfLUq53l YKmGW6nvrXss49yeThdQKf6Utl4No4 library e abb public
180647279eff455283f2bfca1c457206 Power management products CN 1SXF470001C2001 Rev C ABB x
sign UBjZAJ |||
-- EQ CMS -- EQ CMS 2 3 -- 004-041 005-011 012-013 014-024 025-033 034-038 ...
13 110-100 EQ B B21 111-100 B21 112-100 B21 113-100 B21 311-100 B21 312-100
B21 313-100 B23 111-100 **B23 112-100** B23 113-100 B23 212-100 B23 311-100 B23
312-100 B23 313-100 B24 111-100 B24 112-100 B24 ...
lang:i-klnglon **score:15** filesize: 36.04 M page_count: 58 document date: 2019-01-10



[pdf]

ABB guida Terra AC wallbox EQ Meter TerraConfig legacy x sign
flcQgw45R2ulAzgCYr6lbcEwvvpWmt9Ndgo3BZo5DahPZ1UUmlPuXOVfvNKDUC library e abb public
f868b4b2d9dc4325bdad594307051c05
flcQgw45R2ulAzgCYr6lbcEwvvpWmt9Ndgo3BZo5DahPZ1UUmlPuXOVfvNKDUCUa |||
-- Terra AC Wallbox e EQ Meter ABB Guida rapida all integrazione APP ABB
TerraConfig legacy 2 T E R R A A C W A L L B O X E E Q M E T E R A B B G U I D A R
A P I D A A L L I N T E G R A Z I O N E -- Terra AC Wallbox e EQ Meter ABB Guida
rapida all integrazione Destinatari del documento Il documen...
lang:it **score:15** filesize: 4.96 M page_count: 27 document date: 2023-06-20



[pdf]

2CMC485001L0201 indd 2cmc485001l0201 www05 abb 80 global scot scot209 nsf veritydisplay
76d7a1a392027b88c1257d1600327c49 \$file
Product leaflet Three phase electricity meters B23/B24 EQ meters in Steel version
from ABB The compact and versatile EQ meters B23 and B24 are three phase meters
with outstanding performance. They can be used in most of the common applications
for reliable and trustworthy metering of energy usage. E...
lang:en **score:15** filesize: 1.12 M page_count: 2 document date: 2014-07-10


[\[pdf\]](#) Declaration of Conformity Label

PRODUCT ENVIRONMENTAL PROFILE Ella Helynranta EPD certificaatElektricitetsmeter C serie
1x230Vac 40A 1xS0 ABB Componenten Dtc107409062pimassetsprdst blob core windows net assets apc
Original 90 62 107409062 certificaatEPD DtcElektricitetsmeter Dtc101701417pimassetsprdst 14 17
101701417pimassetsprdst Dtc101701417102638225pimassetsprdst 82 25 102638225pimassetsprdst
Dtc101701417102638225104419480pimassetsprdst 94 80 104419480pimassetsprdst
Dtc101701417101795026102638225104419480pimassetsprdst 50 26 101795026pimassetsprdst
Dtc101701417101754058101795026102638225104419480pimassetsprdst 40 58
101754058pimassetsprdst 3 fase direct 65A 230 400V klasse B

Dtc10170141710175405810179502610263822510441948011168475pimassetsprdst
107409062pimassetsprdst 84 75 111168475 ||| ||| To nav -- ABB EQ METER Product Environmental
Profile Environmental Product Declaration Replac Document in compliance with ISO 14025: 2010
Environmental labels and declarations. Type III environmental declarations ORGANIZATION ABB S.p.A.
ADD ||| To nav -- ABB EQ METER Product Environmental Profile Environmental Product Declaration
Replac Document in compliance with ISO 14025: 2010 Environmental labels and declarations. Type III
environmental declarations ORGANIZATION ABB S.p.A. ADD ||| To nav -- ABB EQ METER Product
Environmental Profile Environmental Product Declaration Replac Document in compliance with ISO
14025: 2010 Environmental labels and declarations. Type III environmental declarations ORGANIZATION
ABB S.p.A. ADD ||| To nav -- ABB EQ METER Product Environmental Profile Environmental Product
Declaration Replac Document in compliance with ISO 14025: 2010 Environmental labels and
declarations. Type III environmental declarations ORGANIZATION ABB S.p.A. ADD ||| To nav -- ABB EQ
METER Product Environmental Profile Environmental Product Declaration Replac Document in
compliance with ISO 14025: 2010 Environmental labels and declarations. Type III environmental
declarations ORGANIZATION ABB S.p.A. ADD ||| To nav -- ABB EQ METER Product Environmental
Profile Environmental Product Declaration Replac Document in compliance with ISO 14025: 2010
Environmental labels and declarations. Type III environmental declarations ORGANIZATION ABB S.p.A.
ADD

To nav -- ABB EQ METER Product Environmental Profile Environmental Product
Declaration Replac Docum ... de : via HMI, via Modbus or via Mbus Other products
covered ABB EQ METER B21 112-100 ABB EQ METER **B23 112-100** ABB EQ
METER B23 113-100 ABB EQ METER B24 113-100 ABB EQ METER C11 110-301
STATUS SECU...

lang:en score:14 filesize: 445.27 K page_count: 10 document date: 2022-09-23



[\[pdf\]](#)

Natascha Gretsche ABB Terra Wallbox Broschüre 11kW → RFID LAN WLAN SIM BT Eichrechtskonform
AC DE Brochuere 2 wallboxcenter de 2024 09 |||
-- ELEKTROMOBILITT Die Terra AC Wallbox -- Die Terra AC Wallbox Intelligente und
vernetzte Ladelsung fr jede Anwendung -- Kompaktes Gesamtpaket Ob zu Hause,
bei der Arbeit, im Einzelhandel, in Tiefgaragen oder im Gastgewerbe: Die Terra AC
Wallbox ist eine sichere und zuverlässige Ladelsung, die sic...

lang:de score:14 filesize: 435.43 K page_count: 8 document date: 2023-04-20



[pdf]

untitled ABB ElektromeryABC katalogSK17 x sign H wqJ

vDvwoBuMaXMcEYXyz8xRZumx3dYcp42EYwIDMEcXp374FsTWqHkQltioZp library e abb public

bbacb88de9b54e8bac58e59a0db9ff5b |||

Katalg Elektromery na DIN-listu vod Elektromery na DIN-listu Modulrne prstroje ponkaj sirok spektrum funkcij, ktor mzu by integrovan do elektrickch instalci so znacnm prnosom pre pouzivatea. Elektromery na DIN-listu s vyvinut pre splnenie vysokch poziadaviek na funkcnos, bezpecnos a rchlos montze. ...

lang:hr score:14 filesize: 3.94 M page_count: 40 document date: 2017-03-21



[pdf]

EnVYC5V2PrfewYQwb2yOsy4kpxkLHPmq TPwgN9rm8vCOJ library e abb public

398e7d60d1714966add1d56cd54f4b9a Power management products PRO CN 1SXF470001C2001 RevB

x sign v0ZA9wVSQW2Jjd3e |||


-- EQ CMS <http://new.abb.com/low-voltage/zh> www.abb.com.cn ABB pdf Book ... 13

110-100 EQ B B21 111-100 B21 112-100 B21 113-100 B21 311-100 B21 312-100

B21 313-100 B23 111-100 **B23 112-100** B23 113-100 B23 212-100 B23 311-100 B23

312-100 B23 313-100 B24 111-100 B24 112-100 B24 ...

lang:i-klngon score:14 filesize: 34.91 M page_count: 56 document date: 2018-08-29



[pdf]

Hans Sorholt 1EJSoBGKB6zj35t library e abb public e9bbd2bd833f43d6ba3ea27734514040 Montoerark

DIN modulaet Sikringer ABB 1223v3 9AKK108468A5688 x sign xl8n9dHY

5s8Fqm0epJQZjkoUfsvxLNARZSAizh7gXRvHzc5 |||

DIN-modulrt Jordfeilautomater 2 polt Jordfeilautomater C kar 2 polt 1629833

JORDFEILAUTOMAT DS202CR ... oblet 3 fas/3 N 8204093 MLER 3F C13 110-300 3

FAS 3 N 8204067 MLER 3F B23 111-100 8204068 MLER 3F **B23 112-100** MODBUS

EQ BUS 8204069 MLER 3F B23 113-100 M-BUS B-serie trafokoblet 3 fas/3 N Byg...

lang:no score:14 filesize: 259.89 K page_count: 2 document date: 2023-12-01




[pdf]

GI510mWy 2Ua library e abb public b1e4ae4aa0124f23bd7fc8b1cb4cb0e7 Power management products 1SXF470001C2001 RevD 20220606 x sign 7reSmgzoa5 51rMU zmzep4VQzBz4nSy1 c05j4u8K40en4TMVg |||

-- EQ CMS 2 -- ABB * * 3 -- 004-041 005-011 012-013 014-024 02 ... 13 110-401 EQ B B21 111-100 B21 112-100 B21 113-100 B21 311-100 B21 312-100 B21 313-100 B23 111-100 **B23 112-100** B23 113-100 B23 212-100 B23 311-100 B23 312-100 B23 313-100 B24 111-100 B24 112-100 B24 ...

lang:i-klingon score:14 filesize: 21.01 M page_count: 58 document date: 2022-06-06



[pdf]

sKyvUFpPBz3FvsyCG library e abb public be9cb97e997b404f8ad96c13c3aeb62c ABB Terra AC broschyr 2023 LR x sign 0JvjL7KKng7v72g0r82b LWp0bCWjpKfkQb10Z8yFe6qd2 |||

-- ABB E-MOBILITY Terra AC laddbox Enkel att montera, ltt att anvnda En smart och sker laddbox. Vi ... 1-fas 3-fas 3-fas 1-fas Typbeteckning SER-abbRFIDtags SER-blankRFIDtags Typbeteckning B21 112-100 **B23 112-100** B24 112-100 A42 112-100 - - 01 Reservkabel fr fast installation 02 Extra laddkabel -- ...

lang:no score:14 filesize: 1.32 M page_count: 20 document date: 2023-06-09




[pdf]

2CKA000001A1804 Rev D Basissortiment DE F 042023 72dpi x sign VP7GiGZssJIYtb6y11XR6xOyu5rp9VloaDRdqkycYhC meCX arLmCQWFq2FuU library e abb public 9d51bdb291b64993855f1ceb6d193895 arLmCQWFq2FuUSi |||

-- Basissortiment Energieverteilung und Installationsgerete Highlights fr die moderne Elektroinstall ... gung fr iMSys. ZARA ComfortLine Solutions Ausrstsatz, 1.500 mm x 1.500 mm ZARA 2CPX054316R9999 **B23 112-100** QA/S4.16.1 Ausrstsatz fr OVR ZP , Spannungsversorgung fr iMSys. ZARA06 ComfortLine Sol...

lang:de score:13 filesize: 1.42 M page_count: 8 document date: 2023-04-24



HhlqySdAG2rKm4ursFeb5oNYPO2ggPuFphM6jKqHM3lDk8t5 |||

lang:en score:13 filesize: 8.87 M page_count: 54 document date: 2025-07-25



0900766b814a9997 docs rs online 38c0 |||

lang:de score:13 filesize: 50.01 K page count: 2 document date: 2016-01-11



Brief admin 00LGSolar FNN REGEL Anschluss und Betrieb von Speichern am NS Netz Ig de business
solar bereich datenblaetter ESS Zertifikate Home 5 |||

KONFORMITÄTSGEGENSTÄNDE UND ANSCHLUSS UND BETRIEB VON
SPEICHERN AM NIEDERSPANNUNGSNETZ Herst ... öffentliche Netz. Dies wird
durch einen vorqualifizierten bidirektionalen Smart Meter ABB Modelle **B23 112-100**,
B23 212-100, B23 312100 sichergestellt. Abschnitt 4.11: Nachweise der technischen
Anfo...

lang:de score:13 filesize: 122.83 K page count: 1 document date: 2020-09-16




[pdf]

Brief admin LG ESS Home8 10 FNN REGEL ANSCHLUSS UND BETRIEB VON SPEICHERN AM NIEDERSpannungsNETZ cdn1 site media eu images document 8931857 |||

KONFORMITÄTSERKLÄRUNG FUNKTIONELLES „ANSCHLUSS UND BETRIEB VON SPEICHERN AM NIEDERSpannungsNETZ“ Herst ... s ffentliche Netz. Dies wird durch einen vorqualifizierten bidirektionalen Smart Meter ABB Modelle **B23 112-100**, B23 212-100, B23 312100 sichergestellt. Abschnitt 4.11: Nachweise der technischen Anfo...

lang:de score:13 filesize: 121.04 K page_count: 1 document date: 2019-12-13



[pdf]

Katalog Niederspannungsprodukte Teil 2 2015 2017 Stand 03 2016 2CDC001003C0113 Multimeter und Netzanalysegeräte Serieller Konverter CUS Energiezähler Analoge digitale Instrumente

Betriebsstundenzähler E 233 HMT Temperaturregelung TMD Messstromwandler CT Shunts für DC Anwendungen SNT Spannungswandler TV Strom Messsystem CMS ABB STOTZ KONTAKT GmbH DB Speichersystem LGE ESS Drehstromzähler Restmenge BayWa r e Solar Shop 05 000123 Energiezhler fr solar distribution baywa re de out media |||

Energiezhler B23 Drehstromzhler, 65 A Drehstromzhler, dreiphasig 3 N Direktanschluss bis 65 A. Mit Messwerten und Alarmfunktion. Fr 3- und 4-Leiteranschluss. Kommunikation: Infrarotschnittstelle. Optionale Schnittstellen: M-Bus, RS-485 Modbus oder EQ-Bus einstellbar . Breite: 4 DIN-Module. Gep... lang:de score:13 filesize: 313.56 K page_count: 1 document date: 2016-09-07



[pdf]

34830857 pimassetsprdst blob core windows net assets apc Original 08 57 ||| Elektricitätsmeter System pro M compact Energiemeter 3 fase direct 65A, 230/400V Klasse B, pulsuitgang, MID Modbus RS485 **B23 112-100** 2CMA100164R1000 Generated on 22-1-2024 Algemene informatie Assortiment Bestelnummer ETIM Productklasse Mercknaam Serie/programma Type Omschrijving Status Indicatieve... lang:nl score:13 filesize: 148.69 K page_count: 3 document date: 0000-00-00



[pdf]

ySkJX OoucZKWT6Y6I3Ycpv4L0kdsyQbyzfmBJ9HyJwwXYvuPQ6zafvcx library e abb public

0417c65b0e31424c9bebdddab5566f9d Elmatore 1SFC481001C3401 x sign bzjSPP

-- HUVUDK ATALOG Elmtare Fr kapslingar och DIN-skena 2 -- Normsortimentet omfattar ett brett utbud av funktioner fr integrering i elinstallationer med betydande frdelar fr anvndaren. Elmtare fr montage p DIN-skena r konstruerade fr hg prestanda och installeras snabbt och skert. Normanpassade elmta...

lang:no score:13 filesize: 6.91 M page_count: 40 document date: 2019-07-02



[pdf] Catalog

Energiamittarit Modulaarirakenteisille koteloille ja DIN kiskoille 2CMC481003C0201 Catalog FI web library

e abb public b33e393674c5e20dc1257c7d002c90b5 |||

Pienjnnitetuotteet, EQ-energiamittarit, 1FI, 13_12 Energiamittarit

Modulaarirakenteisille koteloille ja DIN-kiskoille Johdanto DIN-kiskoon kiinnitetyt energiamittarit Moduulikojeissa on useita shkasennuksiin integroitavia ja kytjlle etuja tuovia toimintoja. DIN-kiskoon kiinnitettyjen shkmittarei...

lang:fi score:13 filesize: 16.82 M page_count: 34 document date: 2014-02-12



[pdf] Borchure

— The home of charging Terra AC Wallbox Jun 9 2021 Infrastructures de recharge ABB pour véhicules électriques Cela fait plus d un siècle que offre à ses clients des solutions fiables et énergétiquement

1TXH000639B0302 wallbox Brochure FR library e abb public 14466a5374e94cfbbf3bd05f3d1862f4 |||

-- BORNES DE RECHARGE POUR VHCULES LECTRIQUES The home of charging Terra AC Wallbox Haute qualitt ... pteur monophas Compteur triphas B21 MONO MOD 65A STEEL MID B21 112-100 B23 TRI MOD 65A STEEL MID **B23 112-100** 2CMA100150R1000 832121 2CMA100164R1000 832321 0.20 0.32 TERRA AC WALLBOX 11 -- App...

lang:fr score:13 filesize: 3.47 M page_count: 12 document date: 2021-06-25



[\[pdf\]](#) Borchure

The home of charging Terra AC Wallbox Andrzej Firlet 1TXH000639B0303 wallbox Brochure x sign
nyRcolFm4o7hIQEKYreJEImvSWrpNxBNqiZGO3dba0iess azifq3AAYHn4SS8H library e abb public
067d9b77c1e744b4b80b49ce54bdfd16 |||

-- BORNES DE RECHARGE POUR VEHICULES ELECTRIQUES Votre solution de
recharge intelligente du quotidien ... pteur monophas Compteur triphas B21 MONO
MOD 65A STEEL MID B21 112-100 B23 TRI MOD 65A STEEL MID **B23 112-100**
2CMA100150R1000 832121 2CMA100164R1000 832321 0.20 0.32 TERRA AC
WALLBOX 11 -- App...

lang:fr **score:13** filesize: 7.98 M page_count: 12 document date: 2022-07-28