

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [DIMPLEX](#) /

› [Dimplex Featherston Electric Fireplace Mantel Package GDS28L8-1152LR User Manual](#)

DIMPLEX GDS28L8-1152LR

Dimplex Featherston Electric Fireplace Mantel Package User Manual

Model: GDS28L8-1152LR

IMPORTANT SAFETY INFORMATION

Please read and understand all instructions before assembling, operating, or installing this electric fireplace. Failure to follow these instructions may result in electric shock, fire, property damage, or personal injury.

- Always disconnect power before cleaning or performing maintenance.
- Do not block air vents. Ensure proper clearance around the unit.
- Keep combustible materials at least 3 feet (0.9 m) from the front of the fireplace.
- This appliance is hot when in use. To avoid burns, do not let bare skin touch hot surfaces.
- Close supervision is necessary when any appliance is used by or near children or invalids.
- This electric fireplace does not require venting or gas lines.

PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning assembly.

- 28" Electric Fireplace Insert
- Mantel Surround (Pine with Gray Stone-Look)
- Remote Control
- Assembly Hardware

SETUP INSTRUCTIONS

1. Unpacking

Carefully remove all components from the packaging. Retain packaging materials for future transport or

storage. Inspect all parts for damage. If any parts are missing or damaged, do not proceed with assembly; contact customer support.

2. Placement Considerations

Choose a flat, level surface for your fireplace. Ensure the location is near a standard 120V electrical outlet. The unit measures 16"D x 61"W x 44"H and is suitable for placement in bedrooms, living rooms, or offices. Avoid placing the unit in direct sunlight or near other heat sources.



Image: The Dimplex Featherston Electric Fireplace Mantel Package with its dimensions clearly indicated: 61 inches wide, 15-5/8 inches deep, and 44 inches high.

3. Assembly Steps

Assembly of the mantel surround is required. While specific steps are detailed in the included assembly guide, the process generally involves attaching the side panels to the base and top, then securing the electric firebox insert. It is recommended to have two people for assembly due to the unit's weight (316 pounds).



Image: The assembled Dimplex Featherston Electric Fireplace Mantel Package, showcasing its pine with gray stone-look finish and the electric firebox insert.

OPERATING INSTRUCTIONS

1. Powering On/Off

The fireplace can be powered on and off using the controls located on the unit itself or via the included multi-function remote control. Ensure the unit is plugged into a grounded 120V outlet.

2. Flame Effects

The 28" firebox features patented inner-glow logs and luminous embers to create a realistic flame effect. You can adjust the flame brightness levels and ember bed lighting options to customize your viewing experience. The unit can operate with or without the heating feature.



Image: A close-up view of the electric firebox displaying the realistic LED flames and glowing ember bed with faux logs.

3. Heating Function

The integrated 5,118 BTU heater provides supplemental heat for rooms up to 1,000 square feet. The thermostat can be adjusted to maintain your desired room temperature. The heating function can be activated independently of the flame effects.

4. Remote Control

The multi-function remote control allows for convenient adjustment of flame effects, heater settings, thermostat, flame color themes, and activation of the on/off timer from anywhere in the room.

MAINTENANCE

1. Cleaning

- Always disconnect power before cleaning.
- Wipe the exterior surfaces with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Clean the air intake and exhaust vents regularly with a vacuum cleaner to prevent dust buildup.
- The glass panel can be cleaned with a soft cloth and glass cleaner.

2. Storage

If storing the fireplace for an extended period, ensure it is clean and dry. Store in a cool, dry place, preferably in its original packaging to protect it from dust and damage.

TROUBLESHOOTING

- **No Power:** Check if the power cord is securely plugged into a working 120V outlet. Verify the circuit breaker has not tripped.
- **No Heat:** Ensure the heater function is activated via the unit's controls or remote. Check the thermostat setting; it may be set lower than the ambient room temperature.
- **Flames Not Visible:** Confirm the flame effect is turned on. Adjust flame brightness settings.
- **Remote Control Not Working:** Replace the remote control batteries. Ensure there are no obstructions between the remote and the fireplace sensor.

For issues not listed here, please contact customer support.

SPECIFICATIONS

Brand	DIMPLEX
Model Name	Featherston
Item Model Number	GDS28L8-1152LR
Product Dimensions	16"D x 61"W x 44"H
Item Weight	316 Pounds
Material	Stone
Finish Type	Stone-Look
Power Source	Corded Electric
Heat Output	5118 British Thermal Units
Heating Coverage	Up to 1000 square feet
Ventilation Type	Vent Free
Room Type	Bedroom, Living Room, Office

UPC	078152067585, 781052067585
-----	----------------------------

WARRANTY INFORMATION

This Dimplex Featherston Electric Fireplace Mantel Package comes with a Limited Warranty. Please refer to the warranty documentation included with your product for specific terms, conditions, and duration of coverage. Keep your proof of purchase for warranty claims.

CUSTOMER SUPPORT

For technical assistance, replacement parts, or warranty inquiries, please contact Dimplex customer support. Visit the official Dimplex website or refer to the contact information provided in your product packaging. You can also visit the [Dimplex Store on Amazon](#) for additional product information and support resources.