

Manuals.plus /

› SteamOne /

› SteamOne H3S Garment Steamer User Manual

SteamOne H3S

SteamOne H3S Garment Steamer User Manual

Model: H3S

1. IMPORTANT SAFETY INSTRUCTIONS

Please read all instructions carefully before using the SteamOne H3S Garment Steamer. Retain this manual for future reference.

- Always ensure the steamer is placed on a stable, level surface during operation.
- Do not immerse the steamer in water or other liquids.
- Keep the steam nozzle away from your body, other people, and pets during operation to prevent burns.
- Use only regular tap water in the water tank. Do not add perfumes, vinegar, or other chemicals, as this may damage the unit.
- Unplug the steamer from the electrical outlet when not in use and before cleaning or filling.
- Do not operate the steamer with a damaged cord or plug, or if the appliance malfunctions or has been damaged in any manner.
- Close supervision is necessary when any appliance is used by or near children.

2. PRODUCT OVERVIEW

The SteamOne H3S Garment Steamer is designed for efficient wrinkle removal and fabric sanitization. It features adjustable power settings and a quick heat-up time.







Image 1: Front view of the SteamOne H3S Garment Steamer. This image displays the main unit with its control panel, including the power indicator light and the rotary dial for power adjustment. The top attachment point for the steam hose is also visible.

Key Features:

- Adjustable power settings from 800W to 1575W.
- 1.3 quart water tank capacity.
- 6.6-foot power cord for extended reach.
- High-quality stainless aluminum boiler heats water to 300°F in approximately one minute.
- Aluminum sole plate for consistent heat.
- Anti-calcification system for easy maintenance.
- No pumping system, preventing dripping or sputtering.

Included Accessories:

- Brush/Creasing Tool
- Pant Clamp
- Rod Hook
- Trouser Adjuster
- Folding Hanger

3. SETUP

The SteamOne H3S Garment Steamer requires some assembly before first use.

1. **Unpack Components:** Carefully remove all parts from the packaging. Ensure all accessories listed in Section 2 are present.
2. **Assemble the Stand (if applicable):** If your model includes a telescopic pole or stand, assemble it according to the diagrams provided in the separate assembly guide.
3. **Attach Steam Hose:** Securely attach the steam hose to the designated port on the main unit. Ensure it clicks into place or is firmly screwed on.
4. **Fill Water Tank:** Remove the water tank from the unit. Fill it with clean, regular tap water up to the maximum fill line. Do not overfill. Reinsert the water tank securely into the unit.
5. **Place Accessories:** Attach desired accessories (e.g., folding hanger, rod hook) to the stand or steam nozzle as needed for your garment.
6. **Position Steamer:** Place the steamer on a firm, flat, and heat-resistant surface. Ensure the power cord is not obstructed and is within reach of an electrical outlet.

4. OPERATING INSTRUCTIONS

Follow these steps for effective and safe garment steaming.

1. **Connect Power:** Plug the 6.6-foot power cord into a standard electrical outlet.
2. **Select Power Setting:** Turn the rotary dial on the unit to select your desired power setting. Options include 800W for delicate fabrics or 1575W for heavier materials and faster steaming. The power indicator light will illuminate.
3. **Heat Up:** Allow approximately one minute for the steamer to heat up. Steam will begin to emit from the nozzle once ready.
4. **Prepare Garment:** Hang the garment on a hanger or use the included folding hanger. For best results, gently pull the fabric taut with one hand while steaming with the other.
5. **Begin Steaming:** Hold the steam nozzle a few inches from the fabric. Move the nozzle in a downward motion, allowing the steam to penetrate the fibers. The steam flow is approximately 1.41 oz./minute.
6. **Fabric Compatibility:** The H3S is suitable for a wide range of fabrics, including silk, muslin, cotton, linen, embroidery, wool, and heavy denim.
7. **Additional Applications:** The 300°F steam can also be used to sterilize and eliminate some allergens from household items such as overstuffed furniture, bedding, table linens, curtains, rugs & carpets, pet beds, and stuffed animals.
8. **Finish Steaming:** Once wrinkles are removed, turn the rotary dial to the 'OFF' position. Unplug the unit and allow it to cool completely before storing.

5. MAINTENANCE

Regular maintenance ensures optimal performance and extends the life of your steamer.

- **Empty Water Tank:** After each use, always empty any remaining water from the tank.
- **Anti-Calcification System:** The H3S features an easy-to-use anti-calcification system. Refer to the specific instructions in your separate anti-calcification guide for detailed steps on how to perform this maintenance. Regular descaling prevents mineral buildup and maintains steam performance.
- **Clean Exterior:** Wipe the exterior of the steamer with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- **Store Properly:** Store the steamer in a cool, dry place, away from direct sunlight and moisture. Ensure the hose is not kinked during storage.

6. TROUBLESHOOTING

If you encounter issues with your SteamOne H3S Garment Steamer, refer to the following common problems and solutions.

Problem	Possible Cause	Solution
No steam or very little steam	Water tank empty; Steamer not heated sufficiently; Mineral buildup.	Refill water tank; Allow 1-2 minutes for heating; Perform anti-calcification procedure.
Water leaking from nozzle	Overfilled water tank; Steamer not fully heated; Mineral buildup.	Do not overfill tank; Wait for full heat-up; Perform anti-calcification procedure.
Steamer not turning on	Not plugged in; Power outlet issue; Unit malfunction.	Ensure plug is fully inserted; Test outlet with another appliance; Contact customer support if issue persists.
Steam is not hot enough	Low power setting; Insufficient heat-up time.	Select 1575W setting; Allow full heat-up time (approx. 1 minute).

7. SPECIFICATIONS

Technical details for the SteamOne H3S Garment Steamer.

- **Brand:** SteamOne
- **Model:** H3S
- **Color:** Black/Stainless
- **Item Weight:** 9.7 Pounds
- **Product Dimensions:** 13 x 9 x 12 inches
- **Wattage:** 800W - 1575W (Adjustable)
- **Water Tank Capacity:** 1.3 Quarts
- **Steam Flow:** 1.41 oz./minute
- **Heat-up Time:** Approximately 1 minute
- **Power Cord Length:** 6.6 feet
- **Manufacturer:** SteamOne

8. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the warranty card included with your product or visit the official SteamOne website. You may also contact SteamOne customer service directly for assistance with your H3S Garment Steamer.