



[Manuals.plus](#) /

> [Mounting Dream](#) /

> Mounting Dream UL Listed TV Mount for Most 37-75 Inch TV, Universal Tilt TV Wall Mount Fit 16", 18", 24" Stud with Loading Capacity 132lbs, Max Vesa 600 x 400mm, Low Profile Flat Wall Mount Bracket

Mounting Dream MD2268-LK

Mounting Dream UL Listed TV Wall Mount Instruction Manual

Model: MD2268-LK

1. INTRODUCTION

Thank you for choosing the Mounting Dream UL Listed TV Wall Mount. This manual provides detailed instructions for safe installation and proper use of your new TV mount. This universal tilt TV wall mount is designed for most 37-75 inch TVs, supporting a maximum weight of 132 lbs and VESA patterns up to 600x400mm. Its low-profile design saves space, and the tilt feature helps reduce glare for an optimal viewing experience.

2. SAFETY INFORMATION

Please read all instructions carefully before installation. If you have any questions, contact customer service. Improper installation may result in serious injury or damage.

- **Weight Capacity:** Do not exceed the maximum weight capacity of 132 lbs (60 kg).
- **TV Size:** Compatible with TVs from 37 to 75 inches.
- **VESA Compatibility:** Ensure your TV's VESA pattern is within the range of 200x100mm to 600x400mm.
- **Wall Type:** This mount is designed for installation on wood studs (16", 18", 24" spacing), concrete walls, and brick walls. Do not install on drywall only.
- **Professional Assistance:** If you are unsure about the installation process, consult a qualified professional.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before beginning installation.

Component	Quantity
TV Wall Mount Assembly	1

Component	Quantity
Mounting Hardware Kit (various screws, washers, spacers)	1 set
Bubble Level	1
Instruction Manual	1

Note: Additional concrete anchors (10x50mm) may be required for concrete/brick wall installations and can be obtained from Mounting Dream.


4. SETUP AND INSTALLATION

Follow these steps for a secure and successful installation. It is recommended to have at least two people for installation.

4.1 Check Compatibility

- **TV VESA Pattern:** Verify your TV's VESA pattern (horizontal x vertical distance between mounting holes) is between 200x100mm and 600x400mm.
- **TV Weight:** Confirm your TV's weight (without stand) does not exceed 132 lbs.
- **Blocked Inputs:** Check the location of your TV's inputs to ensure the mount will not block them.
- **Wall Type and Stud Spacing:** Identify your wall type (wood stud, concrete, or brick) and measure wood stud spacing (16", 18", or 24").

Universal VESA Pattern



200x100mm | 200x200mm | 200x300mm | 300x200mm | 300x300mm
400x200mm | 400x300mm | 400x400mm | 500x300mm | 600x400mm

Image: Universal VESA Pattern compatibility ranging from 200x100mm to 600x400mm, indicating various supported configurations for TV mounting.

More Stable




Image: Illustration showing wide compatibility for TVs between 37 and 75 inches, supporting a maximum weight of 132 lbs.

4.2 Installation Steps (3-Step Process)

1. Attach Brackets to TV:

Carefully place your TV face down on a soft, clean surface. Attach the vertical TV brackets to the back of your TV using the appropriate screws, washers, and spacers from the hardware kit. Ensure the brackets are centered and securely fastened. The straps should hang freely at the bottom.

Improve Viewing Experience



Image: Diagram illustrating the first step of attaching the mounting brackets to the back of the TV using a screwdriver.

2. Mount Wall Plate to Wall:


Locate the desired mounting position on your wall. Use the provided bubble level to ensure the wall plate is perfectly horizontal. Mark the drilling points. For wood studs, drill pilot holes and secure the wall plate using lag bolts. For concrete or brick walls, drill holes, insert concrete anchors, and then secure the wall plate with lag bolts. Ensure the wall plate is firmly attached to the wall.

Easy Installation

Do not install on the drywall only.



Concrete Wall
(Anchor Required)



Brick Wall
(Anchor Required)



Wood Stud
(16" / 18" / 24")



Image: Diagram showing the second step of mounting the wall plate to the wall, indicating compatibility with concrete, brick, and wood stud walls.

3. Hang TV on Wall Plate:

With assistance, carefully lift the TV and hook the attached brackets onto the top edge of the wall plate. Gently lower the TV until the brackets fully engage with the wall plate. Pull down the release straps to lock the TV securely in place. Ensure the TV is level and stable.

Easy 3-Step Installation

1

Attach Brackets to TV



2

Mount Wall Plate to Wall



3

Hang TV on to Wall Plate



Image: Diagram illustrating the third step of hanging the TV onto the mounted wall plate and securing it with the pull straps.

5. OPERATING INSTRUCTIONS

5.1 Tilting the TV

This TV mount allows you to tilt your TV forward up to 8 degrees. This feature is useful for reducing glare from lights or windows and optimizing your viewing angle.

- To tilt the TV, gently push the bottom of the TV forward or pull it back to achieve the desired angle. The tilt mechanism is designed for smooth adjustment.
- No tools are required for tilting once the TV is mounted.

Tilt for Anti-Glare



Image: Illustration demonstrating the 8-degree tilt capability of the TV mount, designed to reduce glare and improve viewing angles.

Wide Compatibility




Image: View of the TV mounted with a low profile, showing how it saves space by being only 1.5 inches from the wall.

6. MAINTENANCE

Regular maintenance ensures the longevity and safety of your TV mount.

- **Cleaning:** Use a soft, dry cloth to wipe down the mount. Avoid abrasive cleaners or solvents.
- **Periodic Checks:** Annually, check all screws and bolts to ensure they are securely tightened. Over time, vibrations or minor shifts can cause fasteners to loosen.
- **Inspect for Damage:** Periodically inspect the mount for any signs of wear, corrosion, or damage. If any issues are found, contact customer service for assistance.

7. TROUBLESHOOTING

This section addresses common issues you might encounter.

Problem	Possible Cause	Solution
---------	----------------	----------

Problem	Possible Cause	Solution
TV is not level after installation.	Wall plate not level; TV not properly seated on brackets.	Re-check wall plate level with the provided bubble level and adjust if necessary. Ensure TV brackets are fully engaged with the wall plate.
TV feels unstable or wobbly.	Loose mounting screws; incorrect wall anchors; TV weight exceeds capacity.	Tighten all screws securely. Verify correct wall anchors were used for your wall type. Confirm TV weight is within the 132 lbs limit.
Cannot tilt the TV.	Tilt mechanism is stiff or obstructed.	Ensure no cables or objects are obstructing the tilt mechanism. Apply gentle, even pressure to adjust.
TV inputs are blocked by the mount.	TV VESA pattern or input location not checked prior to installation.	This issue is typically identified during compatibility checks. If already mounted, consider using angled adapters for cables or, if necessary, re-evaluate mount placement or TV compatibility.

For more detailed troubleshooting, refer to the [Troubleshooting Guide \(PDF\)](#) or contact customer support.

8. SPECIFICATIONS

Model Number	MD2268-LK
Compatible TV Sizes	37 - 75 Inches
Maximum Weight Capacity	132 lbs (60 kg)
VESA Compatibility	Min 200x100mm, Max 600x400mm
Tilt Angle	Up to 8 Degrees (forward)
Profile from Wall	1.5 inches (38mm)
Material	Metal
Color	Black
Product Dimensions	17.6 x 9.2 x 3 inches
Item Weight	5.7 pounds
Country of Origin	Vietnam

9. WARRANTY AND CUSTOMER SUPPORT

Mounting Dream is committed to providing high-quality products and excellent customer service.

- **Warranty:** Mounting Dream offers a 10-year warranty on its products, ensuring peace of mind regarding manufacturing defects and material quality.
- **Customer Service:** For any questions, concerns, or assistance with installation, please contact our US-based customer service team. They are available seven days a week to help resolve your queries.
- **Contact Information:** Please refer to the official Mounting Dream website or the product packaging for the most current contact details.

