Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

EZ-FIT FIREPLACE DOORS 38-inch Models

EZ-FIT FIREPLACE DOORS Superior-Lennox Prefab Fireplace Door Instruction Manual for 38-inch Models

Model: 38-inch Models

1. Introduction

This manual provides essential information for the installation, operation, and maintenance of your EZ-FIT FIREPLACE DOORS Superior-Lennox Prefab Fireplace Door. Designed for specific 38-inch prefab/zero-clearance fireplace models, this door enhances safety and efficiency while offering a sleek aesthetic. Please read all instructions carefully before proceeding with installation or use.



Figure 1: EZ-FIT FIREPLACE DOORS Superior-Lennox Prefab Fireplace Door (38-inch model).

2. Important Information

2.1 Model Compatibility

IMPORTANT: This fireplace door is specifically designed for the following "Superior" model numbers ONLY:

- BCF3885, BRF3875, B938, B1038, B1238, CF3860, CHD38, CST38, FC3880, FR3870, HC3820, HC3820A, HCE4050A, KC38, KC38-2, KC38-3, KR38, KR38-2, KR38-3, RD3800, RD3800A, SHC38, ST3840, 1030.

The metal tag displaying your fireplace's make and model is typically located inside the firebox. This door is for **Inside Fit Only** and will not fit any other fireplace models.



Figure 2: Critical reminder to order by make and model.



Figure 3: Product designed for specific model numbers.

2.2 Safety Notice

Fireplace doors must be fully opened while a fire is burning to prevent heat damage to the glass.




Figure 4: Important buying tips and safety reminder.

3. Package Contents

Your EZ-FIT Fireplace Door package includes the following components:

- Pre-assembled fireplace door frame with tempered glass bi-fold doors.
- Integrated mesh screens.
- Installation hardware (screws, brackets, etc.).
- Handles for the bi-fold doors.




Figure 5: Key components of the EZ-FIT fireplace door.

4. Setup and Installation

Installation is designed to be straightforward, requiring only a screwdriver and a drill. It is recommended to have two people for easier installation.

4.1 Pre-Installation Checks

- Verify your fireplace model number matches the compatible list.
- Measure the inside top-to-bottom and side-to-side dimensions of your fireplace opening. The listed dimensions (38" x 21") refer to the fireplace opening size. The actual product dimensions may be slightly smaller (up to 1/4") to allow for installation adjustments and optimal functionality.
- Ensure no fascia material interferes with mounting.
- Remove any existing tracks or obstructions.
- Check for a damper handle or any other internal obstructions.

4.2 Installation Steps

1. Carefully unbox the fireplace door and all components.
2. Position the fireplace door frame within your fireplace opening.
3. Secure the frame using the provided hardware (screws and brackets). Adjust as necessary to ensure a snug and level fit.
4. Tighten all screws to firmly hold the door in place.

4.3 Installation Resources

Video: How to Measure Your Fireplace

This video demonstrates the correct method for measuring your fireplace opening to ensure proper fit for your new doors.

Video: How to Install Prefab Fireplace Doors

A step-by-step guide on installing your prefab fireplace doors.

Video: How to Adjust a Prefab Fireplace Door (Door Alignment)

Instructions for fine-tuning the alignment of your fireplace doors after installation.

5. Operating Instructions

5.1 Opening and Closing Doors

- The bi-fold glass doors open a full 90 degrees. Use the integrated handles to smoothly open and close them along their tracks.
- The mesh screens are designed to contain sparks and embers. They can be opened independently of the glass doors.



Figure 6: Fireplace doors in open position with fire burning.

5.2 Preventing Cold Drafts

The EZ-FIT Fireplace Door is designed to reduce heat loss and prevent cold drafts from entering your living space when the fireplace is not in use. Ensure both the glass doors and mesh screens are fully closed for optimal draft prevention.



Figure 7: Fireplace door preventing cold drafts.

6. Maintenance

6.1 Cleaning the Glass

To clean the tempered glass, use a non-abrasive glass cleaner specifically designed for fireplace glass. Avoid harsh chemicals or abrasive materials that could scratch the surface. Ensure the fireplace is completely cool before cleaning.

6.2 Frame and Mesh Care

Wipe the matte black anodized-aluminum frame and mesh screens with a soft, damp cloth to remove dust and debris. Do not use abrasive cleaners or pads, as these can damage the finish.

7. Troubleshooting

7.1 Doors Not Closing Properly

- Check for any obstructions in the tracks.
- Ensure the frame is level and securely installed. Refer to the door alignment video in Section 4.3 for adjustment guidance.

7.2 Excessive Drafts

- Confirm that both glass doors and mesh screens are fully closed.
- Inspect the sealing around the frame for any gaps.

8. Specifications

Feature	Detail
Brand	EZ-FIT FIREPLACE DOORS
Model Compatibility	Superior-Lennox 38-inch models (see Section 2.1 for full list)
Material	Aluminum frame, Tempered 3/16" clear glass
Color	Matte Black
Finish Type	Powder Coated
Product Dimensions (Fireplace Opening)	38"L x 21"W
Door Type	Tracked Bi-fold doors, opens 90 degrees
Features	Integrated mesh screens, safe finished glass edges



Figure 8: Sleek matte black finish detail.

9. Warranty and Support

9.1 Warranty Information

The EZ Fireplace Door comes with a **2-year warranty** against defects in materials, workmanship, and glass. This product is proudly made in the USA.

9.2 Customer Support

For any questions, measurement assistance, or warranty claims, please contact EZ-FIT FIREPLACE DOORS customer support.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B00NMF04BU

More documents and user manuals: **https://manuals.plus/**