

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Powell](#) /

> [Powell Twin Over Full Pewter Bunk Bed Instruction Manual](#)

Powell 941-192

Powell Twin Over Full Pewter Bunk Bed Instruction Manual

Model: 941-192

Brand: Powell

[Safety Warnings](#)

[Parts List](#)

[Assembly](#)

[Operation](#)

[Maintenance](#)

[Specifications](#)

SAFETY WARNINGS

WARNING: To help prevent serious or fatal injuries from entrapment or falls:

- Never allow a child under 6 years old on the upper bunk.
- Always use the recommended size mattress or mattress support, or both, to help prevent the likelihood of entrapment or falls.
- Use only a mattress which is 74"-75" long and 37-1/2"-38-1/2" wide on the upper bunk, 74"-75" long and 53-1/2"-54-1/2" wide on the lower bunk.
- Ensure thickness of mattress does not exceed 8" and surface of mattress is at least 5" below upper edge of guardrails.
- Always use guardrails on both long sides of the upper bunk.
- If bunk bed will be placed next to a wall, the guardrail that runs the full length of the bed should be placed against the wall to prevent entrapment between the bed and the wall.
- Prohibit horseplay on or under bed(s) and prohibit jumping on the bed.
- Prohibit more than one person on upper bunk.
- Use ladder for entering and leaving upper bunk.
- Maximum total weight is not to exceed 300 lbs. on the upper bunk.
- Periodically check and ensure that the guardrail, ladder, and other components are in their proper position, free from damage, and that all connectors are tight.
- Do not use substitute parts. Replacement parts, including additional guardrails, may be obtained from our customer service department.
- Use of water or sleep flotation mattresses is prohibited.

- Use of a night light may provide added safety precaution for a child using the upper bunk.
- Follow the information on the warnings appearing on the upper bunk end structure and on the carton.
- Keep these instructions for future reference.

STRANGULATION HAZARD: Never attach or hang items to any part of the bunk bed that are not designed for use with the bed; for example, but not limited to, hooks, belts and jump ropes.

Safety Overview Video

Your browser does not support the video tag.

This video provides a visual overview of the bunk bed and highlights key safety considerations. It demonstrates the bed's structure and features from various angles, reinforcing the importance of proper setup and adherence to safety guidelines.

PARTS LIST

Before assembly, ensure all parts are present and undamaged. Refer to the diagram below for identification.



Image showing the side profile of the Powell Twin Over Full Pewter Bunk Bed, illustrating the upper and lower bunk frames and the integrated ladder. This view helps in identifying the main structural components.

For a detailed visual breakdown of parts, please refer to the assembly video below, specifically the segment from 0:13 to 0:19.

1. Left End Frame
2. Right End Frame
3. Upper Guardrail (Long)
4. Upper Guardrail (Short)
5. Upper Bed Base
6. Lower Bed Base
7. Ladder
8. Support Legs (for lower bed base)

Hardware List:

Item	Description	Quantity
------	-------------	----------

Item	Description	Quantity
C	Bolt (M8x30mm)	16
G	Spring Washer (M8)	18
E	Flat Washer (M8)	18
B	Bolt (M6x35mm)	4
H	Spring Washer (M6)	11
F	Flat Washer (M6)	11
A	Bolt (M8x50mm)	2
D	Bolt (M6x15mm)	7
I	Allen Key (M6)	1

ASSEMBLY INSTRUCTIONS

Follow these steps carefully for proper assembly. It is recommended to have two adults for assembly.

Assembly Video Guide

Your browser does not support the video tag.

This video provides a step-by-step visual guide for assembling the Powell Twin Over Full Pewter Bunk Bed, demonstrating each connection and hardware usage.

Step 1: Attach Bed Bases to End Frames

Connect the upper bed base (5) and lower bed base (6) to the left end frame (1) and right end frame (2). Use 16 sets of Bolt (C), Spring Washer (G), and Flat Washer (E) for these connections. Ensure all connections are finger-tight at this stage.




Diagram illustrating the attachment of the upper and lower bed bases to the main end frames using specified bolts and washers. This forms the primary structure of the bunk bed.

Step 2: Install Support Legs for Lower Bed Base

Attach the two support legs (8) to the center of the lower bed base (6). Secure these with 2 sets of Bolt (B), Spring Washer (H), and Flat Washer (F).



Image showing the installation of the central support legs for the lower bunk, providing additional stability to the bed base.

Step 3: Attach Ladder

Secure the ladder (7) to the lower bed base (6) using 2 sets of Bolt (A), Spring Washer (G), and Flat Washer (E). Attach the top of the ladder to the upper bed base (5) using 2 sets of Bolt (B), Spring Washer (H), and Flat Washer (F).




Illustration detailing how to securely attach the ladder to both the upper and lower bunk frames, ensuring safe access to the top bunk.

Step 4: Install Guardrails

Attach the long upper guardrail (3) and short upper guardrail (4) to the upper end frames (1 and 2) and upper bed base (5). Use 7 sets of Bolt (D), Spring Washer (H), and Flat Washer (F) for these connections. Use the Allen Key (I) to tighten all bolts securely from all previous steps.



Diagram showing the final step of attaching the safety guardrails to the upper bunk, emphasizing the importance of secure fastening for user safety.

OPERATING INSTRUCTIONS

- **Mattress Placement:** Place a Twin size mattress (74"-75" L x 37-1/2"-38-1/2" W) on the upper bunk and a Full size mattress (74"-75" L x 53-1/2"-54-1/2" W) on the lower bunk.
- **Mattress Thickness:** The thickness of the upper bunk mattress should not exceed 8 inches. The surface of the upper mattress must be at least 5 inches below the top edge of the guardrails.
- **Weight Capacity:** The upper bunk has a maximum static weight capacity of 300 lbs. The lower bunk also supports up to 400 lbs. Do not exceed these limits.
- **Ladder Use:** Always use the integrated ladder for safe entry and exit from the upper bunk.
- **Guardrails:** Ensure guardrails are always in place on both long sides of the upper bunk.



A lifestyle image of the bunk bed fully assembled with mattresses and bedding, demonstrating its intended use in a bedroom setting.

MAINTENANCE

- **Regular Inspection:** Periodically check all bolts, screws, and connectors to ensure they are tight. Retighten as necessary to maintain structural integrity.
- **Component Check:** Inspect guardrails, the ladder, and all other components for any signs of

damage, wear, or loose connections. Replace any damaged parts immediately.

- **Cleaning:** Clean the metal frame with a soft, damp cloth. Avoid abrasive cleaners or harsh chemicals that could damage the pewter finish.
- **Part Replacement:** Do not use substitute parts. For replacement parts, including additional guardrails, contact the manufacturer's customer service department.

TROUBLESHOOTING

- **Wobbling or Instability:** If the bunk bed feels unstable, re-check all assembly bolts and ensure they are fully tightened. Ensure the bed is placed on a flat, level surface.
- **Missing Parts:** If any parts are missing upon unboxing, refer to the parts list and contact customer service for replacements.
- **Difficulty with Assembly:** Review the assembly video and step-by-step instructions. Ensure correct hardware is used for each step. Do not force parts together.

SPECIFICATIONS

Model Number	941-192
Size	Twin over Full
Product Dimensions	79.25"L x 57.1"W x 65.25"H
Material	Metal
Finish Type	Pewter
Upper Bunk Weight Limit	300 lbs
Lower Bunk Weight Limit	400 lbs
Assembly Required	Yes
Item Weight	122 pounds

WARRANTY & SUPPORT

For warranty information or customer support, please refer to the documentation included with your purchase or contact Powell customer service directly. Keep your proof of purchase for any warranty claims.

