

Fellowes 5736601

Fellowes Saturn 125 Thermal Laminator Machine User Manual

Model: 5736601

INTRODUCTION

The Fellowes Saturn 125 Thermal Laminator is designed for efficient and reliable lamination of documents up to 12.5 inches wide. Featuring InstaHeat technology for rapid warm-up and a jam-free design, this machine is suitable for home, office, or classroom use. This manual provides essential information for safe operation, setup, maintenance, and troubleshooting.

SAFETY INFORMATION

- **Electrical Safety:** Always plug the laminator into a grounded outlet. Do not operate with a damaged power cord or plug. Keep the power cord away from heated surfaces.
- **Heat Warning:** The laminator's rollers and surrounding areas become hot during operation. Avoid touching these surfaces to prevent burns. Allow the machine to cool completely before storing.
- **Proper Pouch Use:** Use only laminating pouches designed for thermal laminators. Do not attempt to laminate items thicker than the maximum recommended pouch thickness (5-mil).
- **Ventilation:** Ensure adequate ventilation around the laminator during use. Do not block air vents.
- **Children and Pets:** Keep the laminator out of reach of children and pets. Adult supervision is required if children are operating the device.
- **Liquid Contact:** Do not expose the laminator to water or other liquids. If liquid spills on the device, unplug it immediately and contact customer support.

PACKAGE CONTENTS

Verify that all items are present in the package:

- Fellowes Saturn 3i 125 Laminator
- Pouch Starter Kit (quantity may vary)

SETUP

1. **Unpack:** Carefully remove the laminator and all accessories from the packaging.
2. **Placement:** Place the laminator on a stable, flat surface with adequate space around it for proper ventilation and document feeding/exiting. Ensure it is away from heat sources and direct sunlight.
3. **Power Connection:** Plug the power cord into a standard electrical outlet.
4. **Power On:** Locate the power switch on the back of the unit and turn it to the 'ON' position. The laminator will begin its warm-up cycle.
5. **Warm-up:** The InstaHeat technology allows for a rapid warm-up time of approximately 60 seconds. The indicator light will change from red to green when the machine is ready for use.



Image: Fellowes Saturn 125 Thermal Laminator ready for use.

QUICK 60 SECOND WARM UP



Image: The laminator features a quick 60-second warm-up time, indicated by a green light.

OPERATING INSTRUCTIONS

1. **Select Pouch Thickness:** Choose the appropriate pouch thickness (3-mil, 4-mil, or 5-mil) using the control panel buttons. For self-adhesive pouches, select the 'COLD' setting (snowflake icon).
2. **Prepare Document:** Place your document neatly inside the laminating pouch, ensuring it is centered and there is a small border around the edges.
3. **Insert Pouch:** Feed the sealed edge of the pouch into the laminator's entry slot. The machine will automatically draw the pouch through.
4. **Lamination Process:** The Saturn 125 laminates at a speed of 19 inches per minute. Allow the machine to complete the process without pulling or pushing the pouch.
5. **Retrieve Laminated Document:** Once the pouch exits the rear of the machine, carefully remove it. The document will be warm; allow it to cool for a few moments before handling extensively.

RAPID PRECISION ≡

LAMINATES FAST – 19" PER MINUTE



Image: The laminator processes documents quickly at 19 inches per minute.

SELECT YOUR SHEET SETTING

3-MIL, 4-MIL, 5-MIL OR COLD




Image: Choose from 3-mil, 4-mil, 5-mil, or cold settings for various pouch types.

Video: A quick demonstration of the Fellowes Saturn 3i 125 laminator in action, showing the ease of use and efficient lamination process.

Video: This video demonstrates how simple it is to laminate documents using the Fellowes Saturn 125, highlighting its user-friendly operation.

MAINTENANCE

- **Cleaning:** The laminator features a CleanAlert reminder system. When activated, run a cleaning sheet through the machine to remove adhesive residue and maintain optimal performance.
- **Exterior Cleaning:** Wipe the exterior of the laminator with a soft, dry cloth. Do not use abrasive cleaners or solvents.

Image: The CleanAlert system provides reminders for cleaning to ensure longevity.

TROUBLESHOOTING

- **Document Jam:** The Saturn 125 includes jam detection technology. If a jam occurs, use the quick release lever to free the pouch. Re-center or remove the pouch and attempt lamination again.
- **Bubbles or Uneven Lamination:** Ensure the correct pouch thickness setting is selected. For optimal

results, use high-quality laminating pouches.

- **Overheating:** The laminator is equipped with an automatic shut-off feature that activates after 30 minutes of non-use to prevent overheating and conserve energy. If the machine feels excessively hot, unplug it and allow it to cool.

JAM-FREE PRODUCTIVITY

JAM DETECTION TECH WITH POUCH RELEASE LEVER



Image: The jam release lever helps clear jammed pouches for continuous productivity.

SPECIFICATIONS

Feature	Detail
Brand	Fellowes
Model Number	5736601
Item Weight	5.1 pounds
Product Dimensions	5.75 x 20.94 x 4.13 inches

Material Type	Plastic
Max Document Width	12.5 inches
Sheet Size	Letter
Warm-up Time	60 seconds (InstaHeat)
Lamination Speed	19 inches per minute
Pouch Thickness Settings	3-mil, 4-mil, 5-mil, Cold
Auto Shut-off	Yes (after 30 minutes of non-use)

WARRANTY AND SUPPORT

For warranty information and customer support, please refer to the official Fellowes website or contact their customer service department. Keep your purchase receipt as proof of purchase for any warranty claims.

Manufacturer: Fellowes