Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Snap-on 922261

Snap-on 922261 LED Work Light User Manual

Model: 922261

Introduction

This manual provides instructions for the safe and effective use of your Snap-on 922261 LED Work Light. Please read this manual thoroughly before operation and retain it for future reference.
The Snap-on 922261 is a durable, high-output LED work light designed for various applications. It features 2000 lumens of bright, cool-to-the-touch illumination, integrated LED bulbs, and a robust design for indoor and outdoor dry location use.

Safety Information

Always observe basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and personal injury.

- Read all instructions before operating the work light.
- Ensure the power source matches the voltage requirements (120 Volts AC).
- Always plug the work light into a properly grounded 3-prong outlet.
- Do not use the work light in wet conditions or immerse it in water. This product is rated for dry locations only.
- Inspect the power cord for any damage before each use. Do not use if the cord is frayed or damaged.
- Keep the work light away from children and pets.
- Do not stare directly into the LED light source, as it can cause eye strain or damage.
- Although the LED light stays cool to the touch, handle the unit with care.

Package Contents

- Snap-on 922261 LED Work Light Unit
- Adjustable Stand
- 6 ft (1.8m) Grounded 3-Prong Power Cord (attached)

Setup

1. Carefully unpack all components from the packaging.

2. Attach the LED light unit to the adjustable stand using the provided angle knobs. Ensure these knobs are tightened securely to hold the light in position.
3. Place the assembled work light on a stable, flat surface in your desired work area.
4. Adjust the angle of the light by loosening the angle knobs, tilting the light to the desired position, and then re-tightening the knobs.



This image displays the Snap-on 922261 LED Work Light in its assembled state, featuring the red housing, white LED panel, black handle, and adjustable stand.

Operating Instructions

1. Ensure the work light is properly set up and positioned.
2. Connect the attached 6 ft (1.8m) grounded 3-prong power cord to a standard 120V AC grounded electrical outlet.
3. Locate the sealed on/off switch, typically found on the unit's housing.
4. Press the switch to turn the light **ON**. The LED panel will illuminate instantly.
5. To turn the light **OFF**, press the switch again.
6. The LED lighting system is designed to remain cool to the touch during operation, enhancing safety.



A closer view of the Snap-on 922261 LED Work Light, highlighting the central LED array and the Snap-on branding on the lower front panel.

Maintenance

- Always disconnect the work light from the power source before cleaning or performing any maintenance.
- Wipe the exterior of the light with a soft, damp cloth. Do not use abrasive cleaners, solvents, or harsh chemicals, as these can damage the finish or electrical components.
- Regularly inspect the power cord for any signs of wear, cuts, or damage. If damage is found, discontinue use immediately and contact customer service.
- Store the work light in a dry, cool location when not in use.

Troubleshooting

Problem	Possible Cause	Solution
Light does not turn on	No power to the unit; faulty switch; damaged cord	Check if the power cord is securely plugged into a working grounded outlet. Test the outlet with another device. Ensure the on/off switch is fully engaged. Inspect the power cord for damage.
Light flickers or is dim	Unstable power supply; dirty lens	Ensure the power supply is stable. Clean the LED lens with a soft, dry cloth to remove any dust or debris.
Light unit is loose on stand	Angle knobs are not tightened	Tighten the adjustable angle knobs on both sides of the light unit until it is secure.

Specifications

Feature	Specification
Model Number	922261
Voltage	120 Volts

Feature	Specification
Brightness	2000 Lumens
Light Source Type	Light Emitting Diode (LED)
Number of LEDs	46
Color Temperature	5000K
Wattage	25 Watts
Cord Length	6 ft (1.8m)
Plug Type	Grounded, 3-Prong
Usage Environment	Dry Location
Product Dimensions (L x W x H)	10" x 10" x 4"
Item Weight	4 Pounds
Finish Type	Powder Coated
Color	Red



This image illustrates the physical dimensions of the Snap-on 922261 LED Work Light, showing its approximate length, width, and height.

Warranty and Support

For warranty information or technical support regarding your Snap-on 922261 LED Work Light, please contact Snap-on customer service directly or refer to the official Snap-on website. It is recommended to retain your proof of purchase for any warranty claims.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B00OJOCDJO

More documents and user manuals: **https://manuals.plus/**