Brady 133290

Brady 133290 Keyed Padlock, Alike Key, Aluminum (Pack of 6) Instruction Manual

Model: 133290

INTRODUCTION

This manual provides essential instructions for the proper setup, operation, and maintenance of your Brady 133290 Keyed Padlock set. These aluminum padlocks are designed for security applications, featuring a lightweight yet durable construction and a "keyed alike" system for convenience. Please read this manual thoroughly before using the product.

PRODUCT FEATURES

- Bright, anodized aluminum finish provides greater visibility and fade-resistance in various environments.
- Reserved, paracentric keyway offers enhanced security, preventing unauthorized key duplication.
- Aluminum shackle provides superior spark and corrosion resistance, suitable for diverse conditions.
- Compact lock body measures 1-1/4 in. H x 1-1/4 in. W.
- Lightweight design, made from recycled aluminum material.

PACKAGE CONTENTS

Upon unpacking, please verify that all items listed below are present and undamaged:

- Six (6) Brady 133290 Aluminum Keyed Padlocks
- Twelve (12) Keys (all keys are alike and will open all six padlocks)

Image 1: Contents of the Brady 133290 padlock package, showing six green aluminum padlocks and twelve identical keys. All keys are designed to operate all padlocks in the set.

SETUP

1. **Inspect Padlocks:** Before initial use, visually inspect each padlock and key for any signs of damage or manufacturing defects. Ensure the shackle moves freely and the key turns smoothly in the cylinder.

2. **Test Keys:** Due to the "keyed alike" feature, any of the provided keys will open any of the six padlocks. Test each key with a padlock to confirm proper operation.

3. **Key Management:** Store spare keys in a secure, accessible location. Consider labeling keys if they are part of a larger keying system, though for this "alike key" set, all keys are interchangeable.

OPERATING INSTRUCTIONS

1. **To Unlock:**
   - Insert one of the provided keys into the keyway at the bottom of the padlock.
   - Turn the key clockwise approximately 90 degrees.
   - The shackle will spring open. Remove the key.

2. **To Lock:**
   - Close the shackle by pushing it down firmly into the padlock body until it clicks.
   - To ensure it is locked, gently pull on the shackle without the key inserted. If it does not open, it is securely locked.
   - The padlock can be locked without the key.

MAINTENANCE

- **Lubrication:** Periodically (e.g., every 6-12 months, or more frequently in harsh environments), apply a small amount of graphite powder or a silicone-based lubricant into the keyway and around the shackle mechanism. Avoid oil-based lubricants as they can attract dirt.
- **Cleaning:** Wipe the padlock body with a clean, dry cloth to remove dirt and grime. For stubborn dirt, a mild soap solution can be used, followed by thorough drying.
- **Inspection:** Regularly check the padlock for any signs of wear, corrosion, or damage. Ensure the shackle operates smoothly and the key turns without excessive force.
- **Storage:** When not in use, store padlocks in a dry environment to prevent moisture accumulation.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Key is difficult to insert or turn.	Dirt or debris in keyway; lack of lubrication; bent key.	Clean keyway with compressed air. Apply graphite lubricant. Do not force a bent key; use a new key.
Shackle is stiff or stuck.	Corrosion or dirt in shackle mechanism; lack of lubrication.	Apply lubricant to shackle openings. Work the shackle back and forth gently. Clean any visible debris.
Padlock does not lock securely.	Obstruction preventing shackle from fully engaging; internal mechanism damage.	Ensure no debris is blocking the shackle. If the issue persists, the padlock may be damaged and require replacement.

SPECIFICATIONS

	Compact Padlocks	1 in. Shackle Padlocks	1.5 in. Shackle Padlocks	3.0 in. Shackle Padlocks
A: Body (H x W)	1.25 x 1.25 in. (31.8 x 31.8 mm)	1.60 x 1.50 in. (40.6 x 38.1 mm)	1.60 x 1.50 in. (40.6 x 38.1 mm)	1.60 x 1.50 in. (40.6 x 38.1 mm)
B: Shackle Clearance	1.00 in. (25.4 mm)	1.00 in. (25.4 mm)	1.50 in. (38.1mm)	3.00 in. (76.2 mm)
C: Shackle Diameter	0.25 in. (6.4 mm)	0.25 in. (6.4 mm)	0.25 in. (6.4 mm)	0.25 in. (6.4 mm)

Image 2: Dimensional diagram illustrating key measurements for different padlock sizes. The Brady 133290 corresponds to the "Compact Padlocks" dimensions.

Attribute	Detail
Model Number	133290
Brand	Brady
Material	Aluminum
Lock Type	Key Lock (Keyed Alike)
Body Dimensions (H x W)	1.25 in. x 1.25 in. (31.8 mm x 31.8 mm)
Shackle Clearance (Vertical)	1.00 in. (25.4 mm)
Shackle Diameter	0.25 in. (6.4 mm)
Product Dimensions (Overall)	4.7 x 3.1 x 2 inches (per pack of 6); 1 Pound (per pack of 6)

Safety Information

- Do not use padlocks for climbing or as a safety device where failure could result in injury or death.
- Ensure the padlock is properly secured before relying on it for security.
- Keep keys out of reach of children to prevent accidental locking or ingestion.
- This product contains chemicals known to the State of California to cause cancer and birth defects or other reproductive harm (Proposition 65 warning). Handle with care and wash hands after use.

Warranty and Support

Brady products are manufactured to high standards. For information regarding warranty coverage, technical support, or replacement parts, please contact Brady customer service directly. Refer to the official Brady website or product packaging for the most current contact details.

Manufacturer: Brady

Website: www.bradycorp.com

Related Documents - 133290

Brady M211 Label Printer Quick Start Guide
Get started quickly with the Brady M211 Label Printer. This guide covers charging, label insertion, app download, power on, and Bluetooth connection.

Brady M611 Label Printer User Manual - Features, Setup, and Support
Explore the Brady M611 Label Printer with this comprehensive user manual. Learn about its rugged design, wireless connectivity (Bluetooth, Wi-Fi), touchscreen interface, and software integration for creating professional labels. Find setup guides, maintenance tips, and technical support resources.

Brady M410 Label Printer: Frequently Asked Questions
Comprehensive FAQ for the Brady M410 Label Printer, covering its features, connectivity, label compatibility, software integration with Brady Workstation, and support information.

	[Manuale Utente Stampante Etichette Brady M410](#) Guida completa al Manuale Utente della stampante etichette Brady M410, che copre configurazione, funzionamento, manutenzione e risoluzione dei problemi per un uso efficiente.
	[Brady BMP®21-PLUS Label Printer Quick Start Guide](#) This guide provides essential information for setting up and operating the Brady BMP®21-PLUS handheld label printer. Learn how to install batteries, connect AC power, change label cartridges, use the keypad, create, save, open, and print labels.
	[Brady M511 Label Printer Quick Start Guide - Setup and Operation](#) Get started quickly with the Brady M511 Label Printer. This guide covers charging, media loading, app download, and Bluetooth connectivity for easy label printing.