

## DELTA RP64859

# Delta Faucet RP64859 Single-Spray Touch-Clean Shower Head Instruction Manual

Model: RP64859 | Brand: DELTA

## INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your new Delta Faucet RP64859 Single-Spray Touch-Clean Shower Head. Designed for ease of use and durability, this shower head offers a full-body spray experience while conserving water. Please read these instructions thoroughly before installation and retain them for future reference.

## KEY FEATURES

- **Single-Spray Functionality:** Provides a consistent, powerful full-body spray for a drenching shower experience.
- **Touch-Clean Spray Holes:** Soft rubber nozzles allow for easy wiping away of mineral residue, preventing build-up without chemical cleaners.
- **WaterSense Rated:** Engineered to use at least 20% less water than the industry standard, contributing to water conservation without compromising performance.
- **Durable Construction:** Made from plastic and rubber with a chrome finish, ensuring longevity and resistance to corrosion.
- **Easy Installation:** Designed for quick installation, typically in under 20 minutes, requiring no specialized tools.



Image: The Delta Faucet RP64859 Single-Spray Touch-Clean Shower Head, showcasing its chrome finish and rubber spray holes.

## INSTALLATION INSTRUCTIONS

The Delta Faucet RP64859 shower head is designed for straightforward installation. No special tools are typically required, and the process can be completed in minutes.

1. **Prepare the Area:** Ensure the water supply to your shower is turned off. Remove your existing shower head by unscrewing it counter-clockwise from the shower arm.
2. **Clean the Shower Arm Threads:** Use a cloth to clean any debris or old sealant from the threads of the shower arm extending from your wall.
3. **Apply Plumber's Tape:** Wrap plumber's tape (Teflon tape) clockwise around the threads of the shower arm 3-4 times. This helps create a watertight seal.
4. **Attach New Shower Head:** Screw the Delta Faucet RP64859 shower head onto the shower arm threads clockwise. Hand-tighten firmly. Avoid over-tightening, which can damage the threads.
5. **Test for Leaks:** Turn the water supply back on and check for any leaks around the connection. If leaks occur, tighten slightly more or reapply plumber's tape.

## OPERATING YOUR SHOWER HEAD

Your Delta Faucet RP64859 shower head features a single, full-body spray setting designed to provide a consistent and powerful water flow for a satisfying shower experience. To operate:

1. **Turn on Water:** Use your shower's existing handle or valve to turn on the water and adjust to your desired temperature.
2. **Enjoy the Spray:** The shower head will immediately deliver its full-body spray. There are no adjustable spray settings on this model.

## MAINTENANCE AND CLEANING

The Delta Faucet RP64859 is equipped with Touch-Clean soft rubber spray holes, making maintenance simple and efficient.

- **Prevent Mineral Build-up:** To remove mineral residue (such as calcium or lime) from the spray holes, simply wipe them with your finger or a soft cloth. This should be done regularly to maintain optimal spray performance.
- **General Cleaning:** For general cleaning of the shower head's exterior, use a soft, damp cloth and mild soap. Avoid abrasive cleaners, harsh chemicals, or scouring pads, as these can damage the chrome finish.
- **WaterSense Efficiency:** Regular cleaning of the spray holes ensures the shower head continues to operate at its WaterSense-rated efficiency, saving water without reducing performance.

## TROUBLESHOOTING

Problem	Possible Cause	Solution
Reduced Water Flow	Mineral build-up in spray holes.	Wipe the rubber spray holes with your finger or a soft cloth to dislodge mineral deposits.
Leaking at Connection Point	Loose connection or insufficient plumber's tape.	Ensure the shower head is securely hand-tightened. If leaking persists, remove, reapply plumber's tape, and re-install.
Water Temperature Issues	Not related to shower head; issue with shower valve or water heater.	Consult your shower valve or water heater manual, or contact a qualified plumber.

## SPECIFICATIONS

**Brand:** DELTA  
**Model Number:** RP64859  
**Color:** Chrome  
**Material:** Plastic, Rubber

**Finish Type:** Chrome

**Style:** Modern

**Installation Type:** Ceiling Mounted (Note: Typically connects to standard wall-mounted shower arms)

**Flow Rate:** 1.75 Gallons Per Minute (GPM)

**Number of Settings:** 1 (Single-Spray)

**Special Features:** WaterSense technology, Touch-Clean soft rubber spray holes

**Item Weight:** 9.6 ounces

**Product Dimensions:** 5.25"L x 2.75"W

**UPC:** 034449759403

OFFICIAL PRODUCT VIDEO

Your browser does not support the video tag.




Video: Delta RP64859 Ashlyn Showerhead - An official overview of the product's features and design.




WARRANTY AND SUPPORT

This Delta Faucet product is backed by a **Lifetime Faucet and Finish Lifetime Limited Warranty**. For detailed warranty information, product support, or to contact customer service, please visit the official Delta Faucet website or refer to the warranty card included with your purchase.

**Official Delta Faucet Website:** [www.deltafaucet.com](http://www.deltafaucet.com)

Related Documents - RP64859

	<p><a href="#">Delta Shower System Installation Instructions</a></p> <p>A guide detailing the installation process for Delta shower systems, including steps for removing existing shower heads, installing the new shower mount, and connecting the hose to the hand shower. This document also provides warranty information and important safety warnings.</p>
	<p><a href="#">Delta 980T-SS-DST Single Lever Pilar Touch Pull Down Kitchen Faucet Installation Manual &amp; Guide</a></p> <p>Comprehensive installation guide and troubleshooting manual for the Delta 980T-SS-DST and 980T-SSSD-DST single lever Pilar Touch pull down kitchen faucet. Includes parts list, warranty, and maintenance tips.</p>
	<p><a href="#">Delta HYDRORAIN® Shower Head with Hand Shower - Installation and Warranty Guide</a></p> <p>Comprehensive guide for installing the Delta HYDRORAIN® Shower Head with Hand Shower (Model 104192). Includes step-by-step instructions, important safety information, and a summary of the limited warranty terms and conditions.</p>

	<p><a href="#">Delta Body Spray Installation and Warranty Guide (Models T50001, T50050)</a></p> <p>Comprehensive guide for Delta body spray models T50001 and T50050, covering installation, troubleshooting, cleaning, and limited warranty information from Delta Faucet Company.</p>
	<p><a href="#">Delta Saylor Series Monitor 17 Series Tub and Shower Faucet Trim - Model T17035, T17235, T17435 Specifications</a></p> <p>Explore detailed specifications, features, warranty, and compliance information for the Delta Saylor Series Monitor 17 Series Tub and Shower Faucet Trim. Includes models T17035, T17235, T17435, and related accessories.</p>
	<p><a href="#">Delta Touch2O Technology Lavatory Faucets - Installation, Warranty, and Maintenance Guide</a></p> <p>Comprehensive guide for Delta Touch2O Technology Lavatory Faucets, including installation, cleaning, care, limited warranty, maintenance, and troubleshooting. Covers models like COMPEL, LAHARA, DRYDEN, ADDISON, TESLA, and TALBOTT with Touch2O technology.</p>