

Kidde PI2010

Kidde PI2010 Hardwired Dual Photoelectric and Ionization Sensor Smoke Alarm User Manual

Model: PI2010

1. INTRODUCTION

This manual provides detailed instructions for the installation, operation, and maintenance of your Kidde PI2010 Hardwired Dual Photoelectric and Ionization Sensor Smoke Alarm with Battery Backup. This device is designed to provide early warning of fire by detecting smoke particles. For optimal protection, it combines both photoelectric and ionization sensing technologies.

Please read this manual thoroughly before installation and retain it for future reference. Proper installation and regular maintenance are crucial for the effective operation of this smoke alarm.

2. IMPORTANT SAFETY INFORMATION

- **DO NOT PAINT** the smoke alarm. Paint can clog the sensing chambers and prevent the alarm from operating correctly.
- Refer to the complete owner's manual for all operating instructions and safety guidelines.
- This smoke alarm requires a continuous 120V AC power supply and a 9V battery for backup.
- Test the alarm weekly to ensure proper function.
- Never disconnect the alarm or remove batteries unless performing maintenance or replacement.

3. PRODUCT FEATURES

The Kidde PI2010 smoke alarm incorporates advanced features for enhanced fire detection and user convenience:

- **Dual Sensor Technology:** Combines both photoelectric and ionization sensors to detect a broad range of fire types, including fast-flaming and slow-smoldering fires.
- **Hush Feature:** Temporarily silences nuisance alarms for approximately seven minutes, useful during non-emergency situations like cooking smoke.
- **Hardwired with Battery Backup:** Operates on 120V AC household current with a 9V battery backup, ensuring continuous protection during power outages.

- **Interconnectable:** Can be interconnected with compatible alarms, so when one alarm sounds, all interconnected alarms will sound.
- **LED Indicator:** A red LED flashes every 30-40 seconds to confirm the alarm is operating properly.
- **Test/Reset Button:** Allows for easy testing of the unit's electronic circuitry and horn, and resets the alarm after activation.
- **Low Battery Warning:** Provides an audible chirp every 30-40 seconds for at least seven days when the 9V battery needs replacement.

4. INSTALLATION

Proper installation is critical for the effective operation of your smoke alarm. Always follow local electrical codes and consult a qualified electrician if you are unsure about any steps.

4.1 Mounting Location

- Install smoke alarms on every level of your home, inside each bedroom, and outside sleeping areas.
- Mount on the ceiling or high on a wall (at least 4 inches from the ceiling).
- Avoid installing near windows, doors, or forced-air vents where drafts could interfere with smoke detection.
- Keep away from cooking appliances, fireplaces, and high-humidity areas like bathrooms.

4.2 Wiring Instructions

1. **Turn off power** at the main fuse box or circuit breaker before wiring.
2. Connect the alarm's wiring harness to the household wiring:
 - Black wire to the hot (live) wire.
 - White wire to the neutral wire.
 - Red wire to the interconnect wire (if interconnecting multiple alarms). Cap the red wire if not used.
3. Ensure all connections are secure.

4.3 Battery Installation

1. Open the battery compartment on the back of the alarm.
2. Insert a fresh 9V battery, matching the polarity (+ and -).
3. Close the battery compartment securely.

4.4 Mounting the Alarm

1. Attach the mounting bracket to the electrical box using the provided screws.
2. Align the alarm with the mounting bracket and twist clockwise until it locks into place.
3. Restore power at the main fuse box or circuit breaker.



Figure 1: Front view of the Kidde PI2010 Dual Sensor Smoke Alarm. Visible features include the 'HUSH' button, the 'PUSH AND HOLD TO TEST WEEKLY' button, the 'KIDDE' brand name, and ventilation grilles. The bottom left shows the hardwiring leads (black, white, red).

5. OPERATING INSTRUCTIONS

5.1 Normal Operation

Once installed and powered, the red LED indicator will flash approximately every 30-40 seconds, indicating that the alarm is functioning correctly and monitoring for smoke.

5.2 Testing the Alarm

Test the smoke alarm weekly to ensure its proper operation:

1. Press and hold the 'PUSH AND HOLD TO TEST WEEKLY' button (refer to Figure 1).
2. The alarm will sound a loud, pulsating horn.
3. Release the button. The alarm should stop sounding.
4. If the alarm does not sound, refer to the Troubleshooting section.

5.3 Hush Feature

The Hush feature temporarily silences the alarm for approximately seven minutes:

1. If a nuisance alarm occurs (e.g., from cooking smoke), press the 'HUSH' button (refer to Figure 1).
2. The alarm will enter a temporary silence mode. The red LED will flash every 30-40 seconds, indicating it is in Hush mode.
3. After approximately seven minutes, the alarm will automatically reset to normal operation. If smoke is still present, the alarm will sound again.
4. If smoke is too dense, the Hush feature will be overridden, and the alarm will continue to sound.

6. MAINTENANCE

Regular maintenance ensures the continued reliability of your smoke alarm.

6.1 Battery Replacement

The 9V battery should be replaced annually, or immediately when the alarm emits a low battery chirp (a brief chirp every 30-40 seconds).

1. Turn off the AC power to the alarm at the circuit breaker.
2. Twist the alarm counter-clockwise to remove it from the mounting bracket.
3. Disconnect the power connector.
4. Open the battery compartment and replace the old 9V battery with a new one.
5. Reconnect the power connector and reattach the alarm to the mounting bracket by twisting clockwise.
6. Restore AC power and test the alarm.

6.2 Cleaning Your Smoke Alarm

Clean your smoke alarm at least once a month to remove dust and debris.

1. Turn off the AC power to the alarm.
2. Remove the alarm from its mounting bracket.
3. Use a soft brush attachment on your vacuum cleaner to remove dust from the alarm's cover and vents.
4. Do not use cleaning solvents or spray directly into the alarm.
5. Reinstall the alarm, restore power, and test.

7. TROUBLESHOOTING

If your smoke alarm is not functioning as expected, consult the following table:

Problem	Possible Cause	Solution
Alarm sounds without smoke (false alarm)	Cooking fumes, steam, high humidity, dust, insects, strong air currents.	Use the Hush feature. Ventilate the area. Clean the alarm. Relocate if consistently triggered by non-fire sources.
Alarm chirps every 30-40 seconds	Low battery.	Replace the 9V battery immediately.
Alarm does not sound during test	No power, dead battery, faulty unit.	Check AC power. Replace 9V battery. Ensure alarm is correctly mounted. If problem persists, replace the unit.

Problem	Possible Cause	Solution
Interconnected alarms do not all sound	Wiring issue, incompatible alarms.	Check interconnect wiring. Ensure all interconnected alarms are compatible models.

8. SPECIFICATIONS

- **Model:** PI2010
- **Power Source:** 120V AC, 60Hz with 9V Battery Backup
- **Sensor Type:** Dual Sensor (Photoelectric and Ionization)
- **Alarm Loudness:** 85dB at 10 feet
- **Dimensions:** Approximately 2.8"D x 7.8"W x 7.3"H
- **Weight:** Approximately 12.3 ounces
- **Operating Temperature:** 40°F (4.4°C) to 100°F (37.8°C)
- **Operating Humidity:** 10% to 95% relative humidity, non-condensing
- **Certifications:** UL Listed

9. WARRANTY AND SUPPORT

The Kidde PI2010 Hardwired Dual Photoelectric and Ionization Sensor Smoke Alarm is backed by a **10-year limited warranty**. This warranty covers defects in materials and workmanship under normal use and service.

For detailed warranty information, technical support, or to access the full user guide, please refer to the official Kidde website or the PDF document provided with your product.


Official User Guide (PDF): [Download PDF](#)

Related Documents - PI2010

	Kidde PI2010 Dual Sensor Smoke Alarm: Features, Specs & Installation Detailed information on the Kidde PI2010 Dual Sensor 120V AC Smoke Alarm with Battery Backup. Learn about its ionization and photoelectric sensors, Hush feature, interconnect capabilities, technical specifications, and installation guidelines.
	Kidde PI2010 Smoke Alarm User's Guide: Installation, Operation, and Safety Comprehensive user's guide for the Kidde PI2010 AC Wire-in Single and/or Multiple Station Smoke Alarm. Covers installation, operation, testing, maintenance, safety recommendations, and warranty information.

	Kidde P4010LACS-WCA 120V AC Wireless Smoke Alarm with LED Safety Light and 10-Year Battery Detailed information on the Kidde P4010LACS-WCA, a 120V AC hardwired wireless smoke alarm featuring an LED safety light, 10-year sealed battery backup, voice notifications, and photoelectric sensor for enhanced home safety.
	Kidde PI2010 Smoke Alarm User Guide: Installation, Operation, and Safety Comprehensive user guide for the Kidde PI2010 AC Wire-in Smoke Alarm. Covers installation, operation, maintenance, troubleshooting, and safety recommendations for photoelectric/ionization smoke detection.
	FireX CUACFEX-V Hardwired Smoke + CO Alarm with Voice Alerts Detailed specifications and installation guide for the FireX CUACFEX-V hardwired smoke and carbon monoxide alarm, featuring voice alerts, AA battery backup, and interconnected alarm capabilities. This document provides technical data, safety features, and ordering information for the FireX smoke and CO detector.
	FireX SMACFEX Hardwired Smoke Alarm with AA Backup Battery - Features & Specifications Detailed information on the FireX SMACFEX hardwired smoke alarm, including its features like interconnected alarms, photoelectric sensing, AA battery backup, self-testing capabilities, installation guide, technical specifications, and ordering details.

Documents - Kidde – PI2010




[\[pdf\]](#) Instructions Guide

IntellIgent Wire Free Smoke and Carbon Monoxide Alarm User guide Combination Photoelectric unit will prompt the user to follow Quickstart instructions kidde 8c9e575ae72a8317b4553445d580f0c2
powerequipmentdirect manuals |||

Intelligent Wire-Free Smoke and Carbon Monoxide Alarm User Guide Combination Photoelectric Smoke C ... 60, i12060A, i12080, i12080A, i4618, i4618A, i4618AC, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, KN-COSM-I, KN-COSM-IB, KN-COSM-IBA, KN-COPE-I, KN-COPE-IC, KN-COB-IC, KN-COP-IC, SL177i, SLE...

lang:en score:48 filesize: 1.14 M page_count: 34 document date: 2018-10-11




[\[pdf\]](#) User Manual Instructions Guide Accessories

Provided by ManualsAndMore Download User Manual Kidde PI2010 manualsandmore |||

PI2010 For model: **PI2010** Smoke Alarm User s Guide AC Wire-in Single and/or Multiple Station up to 24 Devices Photoelectric/Ionization Smoke Alarm with 9 Volt Battery Back Up and HUSH Control to temporarily silence nuisance alarms. Thank you for purchasing this smoke alarm. It is an important p...

lang:en **score:43** filesize: 751.03 K page_count: 16 document date: 2019-07-23




[\[pdf\]](#) Guide

User Guide for Kidde Model PI2010 Spanish P12010 1475 7 SP shareddocs hvac docs 2001 Public 07 |||

1475-7205-01 820-0905-SP .qxd:_ 2015.12.12 11:58 AM Pa **PI2010** Para el modelo:

PI2010 Gua del usuario de alarmas contra humo Alarma contra humo de ionizacin/fotoelctrica de estacin nica y/o mltiples estaciones hasta 24 dispositivos con cableado de CA, con batera de emergencia de 9 voltios y cont...


lang:es **score:42** filesize: 396.09 K page_count: 13 document date: 2015-12-12



[Kidde PI2010 Smoke Alarm User Guide: Installation, Operation, and Safety](#)

Comprehensive user guide for the Kidde PI2010 AC Wire-in Smoke Alarm. Covers installation, operation, maintenance, troubleshooting, and safety recommendations for photoelectric/ionization smoke detection.

lang:en **score:41** filesize: 869.64 K page_count: 17 document date: 2015-12-16




[pdf] Guide

User Guide ESDual Sensor AC Hardwired Interconnect Smoke Alarm Pi2010 KiddeUG P12010 SPbrand kidde m 127f1b2a5102a972 original UG SP |||

1475-7205-01 820-0905-SP .qxd:_ 2015.12.12 11:58 AM Pa **PI2010** Para el modelo: **PI2010** Gua del usuario de alarmas contra humo Alarma contra humo de ionizacin/fotoelctrica de estacin nica y/o mltiples estaciones hasta 24 dispositivos con cableado de CA, con batera de emergencia de 9 voltios y cont...


lang:es score:41 filesize: 396.09 K page_count: 13 document date: 2015-12-12



[Firex i4618AC, i4718AC, i5000AC Series Smoke Alarm User Guide and Safety Instructions](#)

This comprehensive user guide for Firex i4618AC, i4718AC, and i5000AC Series smoke alarms provides detailed instructions on installation, operation, testing, maintenance, and troubleshooting. It includes essential safety information, recommended locations, wiring guidelines, battery replacement procedures, and warranty details from Kidde.

lang:en score:40 filesize: 752.28 K page_count: 19 document date: 2021-01-30




[pdf] Instructions Guide Accessories

PI2010 Kidde alarms and accessories CAN ONLY BE interconnected with other as well specified brands models of interconnect User Guide P12010 1475 7 shareddocs hvac docs 2001 Public 02 |||

PI2010 For model: **PI2010** Smoke Alarm User Guide AC Wire-in Single and/or Multiple Station up to 24 Devices Photoelectric/Ionization Smoke Alarm with 9 Volt Battery Back Up and HUSH Control to temporarily silence nuisance alarms. Thank you for purchasing this smoke alarm. It is an important par...

lang:en score:40 filesize: 869.64 K page_count: 17 document date: 2015-12-16



[\[pdf\]](#) User Manual Instructions Guide Accessories

1475 7205 00 820 0905 EN R1 indd chenyan installation and keep this manual near the alarm for future


reference contents of 1 recommended locations smoke alarms 2 to avoid 3 instructions 4 operation

testing 5 nuisance 6 maintenance 7 limitations 8 good safety habits 9 nrc information KID PI2010

Instructions munroelectric silverereclipse images drill

PI2010 For model: **PI2010** Smoke Alarm User s Guide AC Wire-in Single and/or Multiple Station up to 24 Devices Photoelectric/Ionization Smoke Alarm with 9 Volt Battery Back Up and HUSH Control to temporarily silence nuisance alarms. Thank you for purchasing this smoke alarm. It is an important p...

lang:en **score:40** filesize: 482.94 K page_count: 16 document date: 2010-03-17



[\[pdf\]](#) Instructions Guide Accessories

1475 7205 00 820 0905 EN indd chenyan PI2010 content interlinebrands User Guide for Kidde Model

devices in the interconnect system Refer to s supplied with each product compatible models brands and


wiring instructions section 3 NFPA initi ating device limits Smoke Alarm REV D 06 09 For model Thank

you purchasing this smoke alarm It is an important part of your family home safety plan You can trust

provide 604010 UseCare document 10131

PI2010 For model: **PI2010** Smoke Alarm User s Guide AC Wire-in Single and/or Multiple Station up to 24 Devices Photoelectric/Ionization Smoke Alarm with 9 Volt Battery Back Up and HUSH Control to temporarily silence nuisance alarms. Thank you for purchasing this smoke alarm. It is an important p...

lang:en **score:39** filesize: 481.46 K page_count: 16 document date: 2009-11-27



[\[pdf\]](#) User Manual Instructions Guide Accessories

1475 7205 00 820 0905 EN R1 indd chenyan Kidde PI2010 manual english electricbargainstores v

vspfiles spec |||

PI2010 For model: **PI2010** Smoke Alarm User s Guide AC Wire-in Single and/or Multiple Station up to 24 Devices Photoelectric/Ionization Smoke Alarm with 9 Volt Battery Back Up and HUSH Control to temporarily silence nuisance alarms. Thank you for purchasing this smoke alarm. It is an important p...


lang:en **score:38** filesize: 473.31 K page_count: 16 document date: 2011-02-28



[\[pdf\]](#) User Manual Instructions Guide Accessories Catalog


1000 7211 01 820 0917 EN D V2 qxd alexchen HD135F IMPORTANT! READ ALL INSTRUCTIONS BEFORE INSTALLATION AND KEEP THIS MANUAL NEAR THE ALARM FOR FUTURE REFERENCE WARNING! Users Manual lightbulbs catalog product s kidde

HD135F For model: HD135F Heat Alarm User s Guide AC Wire-in Single and/or Multiple Station up to ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A, i4618, i4618A, PE120, P12040, Pi2000, **Pi2010**, KN-COPE-i, KN-SM-FM-i, KN-COSM-IB, HD135F, KN-COB-IC, KN-COP-IC with models without battery... lang:en **score:37** filesize: 363.13 K page_count: 16 document date: 2014-05-05



[\[pdf\]](#) User Manual Owner's Manual Installation Guide Instructions Guide


alexchen2 owners manual for kidde smoke alarms filetype Google Search Kidde User Guide I12010S ENG shareddocs hvac docs 2001 Public 02 ved 2ahUKEwizsa6iP 5AhW4SkEAHdqzD6EQFnoECBcQAQ usg AOvVaw3hInpzZLR7WU39SVaIQmA2 ||| User Guide for Model i12010S Ionization Smoke Alarm 120V AC Sealed 3V Lithium Battery Backup 2-LE ... , i12060, i12060A, i12010SCO, i12010S, i4618, i4618A, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, i12080, i12080A, KN-COSM-I, KN-COSM-IB, KN-COSM-IBA Heat alarm: HD135F CO alarms: KN-COB-I... lang:en **score:37** filesize: 702.75 K page_count: 27 document date: 2022-03-17



[Firex i4618A, i4718A, i5000A Series Smoke Alarm User Guide](#)

Comprehensive user guide for Firex i4618A, i4718A, and i5000A Series smoke alarms. Covers installation, operation, testing, maintenance, safety tips, and troubleshooting for reliable home fire detection.


lang:en **score:37** filesize: 766.32 K page_count: 19 document date: 2015-08-20



[\[pdf\]](#) User Manual Guide Catalog

1102 7201 00 Rev A EN V8 alexchen Strobe Light User Guide ATTENTION! The model SLED177i strobe light is designed to notify hearing impaired individuals of impending danger has no detection means Users Manual lightbulbs catalog product s kidde


Strobe Light For model: SLED177i Strobe Light User Guide ATTENTION The model SLED177i strobe ligh ... 18A, KN-SMFM-I, RF-SM-ACDC Photo Smoke Alarms: PE120, P12040, Photo / Ion Smoke Alarms: Pi2000, **Pi2010**, Heat Alarm Models: HD135F, CO / Ion Smoke Alarm Models: KN-COSM-I,KN-COSM-IB, KN-COPE-I,K... lang:en **score:36** filesize: 434.5 K page_count: 14 document date: 2014-05-05



[Firex Smoke Alarm User Guide: i4618AC, i4718AC, i5000AC Series](#)

This user guide provides essential information for the Firex i4618AC, i4718AC, and i5000AC Series smoke alarms, covering installation, operation, maintenance, and safety guidelines for effective home fire detection.


lang:en **score:36** filesize: 752.47 K page_count: 19 document date: 2017-03-30



[\[pdf\]](#) User Manual Instructions Guide Accessories

1375 7213 00 21008164 EN A indd chenyan P12040 For model Smoke Alarm User s Guide facturer into an existing Kidde system could result in nuisance alarming failure to alarm or damage one all of the devices interconnect Refer supplied with each product for compatible models brands and wiring instructions section 3 NFPA initiating device limits Rev SIGNALING LISTED UL CONTENTS OF THIS MANUAL 1 RECOMMENDED LOCATIONS FOR SMOKE ALARMS 2 TO AVOID INSTALLATION INSTRUCTIONS 7 290568 UseCare shareddocs hvac docs 2001 Public 09 content interlinebrands document 10148

P12040 For model: P12040 Smoke Alarm User s Guide AC Wire-in Single and/or Multiple Station up t ... 0, i12060A, i12080, i12080A, i12090A, i4618, i1418A, 1275, 1276, 1285, 1296, PE120, P12040, Pi2000, **Pi2010**, KN-COSMIB, RF-SM-ACDC, KN-COPE-I, KN-SMFM-I, HD135F, KN-COB-IC, KN-COP-IC with models witho... lang:en **score:36** filesize: 419.47 K page_count: 16 document date: 2010-10-07




[\[pdf\]](#) User Manual Installation Guide Instructions Guide

Download Manual Kidde 120V AC DC Smoke and Carbon Monoxide Alarm Voice Alert Sunco Lighting
User Guide KN COSM IBA v 1667853457 cdn shopify s files 1 0011 5517 0351 |||

User Guide for Model KN-COSM-IBA Combination Smoke and Carbon Monoxide Alarm 120V AC 2 - AA Batte ... 20A, i12040, i12040A, i12060, i12060A, i4618, i4618A, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, KN-COSM-I, KN-COSM-IB, Kidde/Firex: i4618, i4618A Heat alarm: HD135F CO alarms: KN-COB-IC,...

lang:en **score:34** filesize: 618.84 K page_count: 33 document date: 2022-03-17



[\[pdf\]](#) User Manual Guide

KIDDE SLED177I 01 MANUAL Manual Hub drive google file d

1GtsumU5SrMZ6w4Ql8muArOSkQQ9QkpuS preview |||


Strobe Light For model: SLED177i Strobe Light User Guide ATTENTION The model SLED177i strobe ligh ... 18A, KN-SMFM-I, RF-SM-ACDC Photo Smoke Alarms: PE120, P12040, Photo / Ion Smoke Alarms: Pi2000, **Pi2010**, Heat Alarm Models: HD135F, CO / Ion Smoke Alarm Models: KN-COSM-I,KN-COSM-IB, KN-COPE-I,K...
lang:en **score:33** filesize: 1.01 M page_count: 14 document date: 2023-10-09



[\[pdf\]](#) Datasheet

Data Sheet Kidde PI2010 ENG shareddocs hvac docs 2001 Public 05 |||

Dual Sensor, 120V AC with Battery Backup Smoke Alarm Model**Pi2010** Dual Sensor Contains both a photoelectric and ionization sensor, providing the best protection for your home. Hush Feature Temporarily silences nuisance alarms. Battery Backup Provides protection even during a power outage. LEDs Flas...
lang:en **score:33** filesize: 340.45 K page_count: 2 document date: 2019-01-30




[pdf] Instructions Guide Accessories

User Guide Heat Alarm HD135 ENG media distributordatasolutions web kidde 2020q4 documents

6ac6889afb4fc000f7c28a907d06c9498a9db8cd |||

HD135F For model: HD135F Heat Alarm User Guide AC Wire-in Single and/or Multiple Station up to 24 ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A, i4618, i4618A, PE120, P12040, PI2000, **PI2010**, KN-COPE-i, KN-SM-FM-i, KN-COSM-IB, KN-COSM-IBA, HD135F, KN-COB-IC, KN-COP-IC, i12010S, i1201... lang:en score:33 filesize: 370.93 K page_count: 16 document date: 2015-08-20




[pdf] Guide

User Guide Kidde Heat Alarm HD135F SPA media distributordatasolutions web kidde 2020q4 documents

90cb8573e361f886df75df091cc89847d2cf36e0 |||

HD135F Para el modelo: HD135F Gua del usuario de alarmas de calor Alarma de calor de estacin nica y/ ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A, i4618, i4618A, PE120, P12040, PI2000, **PI2010**, KN-COPE-i, KN-SM-FM-i, KN-COSM-IB, KN-COSM-IBA, HD135F, KN-COB-IC, KN-COP-IC, i12010S, i1201... lang:es score:33 filesize: 481.61 K page_count: 14 document date: 2015-08-20



Firex i4618AC, i4718AC, i5000AC Series Smoke Alarm User Guide | Installation, Operation, and Safety

Comprehensive user guide for Firex i4618AC, i4718AC, and i5000AC Series AC wire-in smoke alarms. Covers installation, operation, testing, maintenance, troubleshooting, safety tips, and warranty information.

lang:en score:32 filesize: 752.47 K page_count: 19 document date: 2017-03-30




[pdf] Guide

User Guide AC Hardwired Photoelectric Smoke Alarm P4010ACS Kidde UG EN brand kidde m
5d5bcd73118dd7c original |||

Intelligent SMOKE Smoke Alarm User Guide Photoelectric Smoke with Voice and
Hardwire Interconnect Mo ... 60, i12060A, i12080, i12080A, i4618, i4618A, i4618AC,
KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, KN-COSM-I, KN-
COSM-IB, KN-COSM-IBA, KN-COPE-I, KN-COPE-IC, KN-COB-IC, KN-COP-IC,
SL177i, SLE...

lang:en score:32 filesize: 939.55 K page_count: 24 document date: 2022-02-18



[pdf] Guide Accessories

User Guide for Kidde Models i12040A i12080A English 12040A 12080A shareddocs hvac docs 2001
Public 06 |||


i12040A i12080A For models: i12040A, i12080A Smoke Alarm User Guide AC Wire-in
Single and/or Multi ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A,
i4618, i4618A, PE120, P12040, Pi2000, **Pi2010**, KN-COPE-i, KN-SM-FM-i, KN-
COSM-IB, KN-COSM-IBA, HD135F, KN-COB-IC, KN-COP-IC, i12010S, i1201...
lang:en score:32 filesize: 362.34 K page_count: 17 document date: 2022-03-17

[pdf] Instructions Guide

User Guide for Wiring Adapter Connecting to Old Existing Kidde Wire Harnesses 20 9003 900 7203 CN
00 RevA US 412x145mm B V9 shareddocs hvac docs 2001 Public 0D |||

20-9003 WIRING ADAPTER FOR CONNECTING TO OLD/EXISTING KIDDE WIRE
HARNESSES. User Guide IMPORTANT R ... 060, i12060A, i12080, i12080A, i4618,
i4618A, i4618AC, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, KN-
COSM-I, KNCOSM-IB, KN-COSM-IBA, KN-COPE-I, KN-COPE-IC, KN-COB-IC, KN-
COP-IC, SL177i, SLED1...


lang:en score:32 filesize: 785.67 K page_count: 1 document date: 2023-01-23



Kidde P4010ACSCOAQ-WF Compatibility Guide: Interconnecting Smoke and CO Alarms

This guide details the compatibility of various Kidde smoke alarms, combination CO/smoke alarms, and auxiliary devices with the P4010ACSCOAQ-WF model, focusing on AC wiring interconnectivity.

lang:en score:31 filesize: 415.34 K page_count: 2 document date: 2022-05-18




[pdf] Datasheet

Product Data SheetDual Sensor AC Hardwired Interconnect Smoke Alarm Pi2010 KiddeProduct PDS

0318brand kidde m 25514d756623bccb original |||

Dual Sensor, 120V AC with Battery Backup Smoke Alarm Model**Pi2010** Dual Sensor Contains both a photoelectric and ionization sensor, providing the best protection for your home. Hush Feature Temporarily silences nuisance alarms. Battery Backup Provides protection even during a power outage. LEDs Flas...

lang:en **score:31** filesize: 340.45 K page_count: 2 document date: 2019-01-30




[pdf] Installation Guide Instructions Guide Catalog

alexchen Installation Instructions Smoke Alarm through poorly insulated walls and roof This may cause a electronic noise nuisance alarms Do not place in Go to site please contact out Product Support Line at 1 800 880 6788 or write us Kidde Products 1016 Corporate Park Dr Mebane NC 27302 Our internet address is kidde 1210 53cf4548 daff 451c b96b 9909599956cc Guide images homedepot static catalog Images 53 cesco resources 0915E

1210-7201-00 i12010S_V6a.qxd: 2013.11.28 9:55 AM Page User Guide for Model i12010S Ionization Smok ... 20A, i12040, i12040A, i12060, i12060A, i4618, i4618A, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, i12080, i12080A, KN-COSM-I, KN-COSM-IB, KN-COSM-IBA Kidde/Firex: i4618, i4618A Heat alarm...


lang:en **score:31** filesize: 620.56 K page_count: 27 document date: 2013-11-28



Kidde KN-COPE-IC Combination Photoelectric Smoke and Carbon Monoxide Alarm User Guide

Comprehensive user guide for the Kidde KN-COPE-IC Combination Photoelectric Smoke and Carbon Monoxide Alarm, covering installation, operation, features, maintenance, safety information, and warranty.

lang:en **score:31** filesize: 678.44 K page_count: 36 document date: 2015-08-20




[pdf] Guide

User Guide Kidde TruSense Hardwired Smoke 2070 VASR shareddocs hvac docs 2001 Public 06 |||

TRUSENSE SMOKE User Guide Multi-Criteria Optical Sensor Smoke Alarm with Voice and Hardwire Intercon ... 60, i12060A, i12080, i12080A, i4618, i4618A, i4618AC, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, KN-COSM-I, KN-COSM-IB, KN-COSM-IBA, KN-COPE-I, KN-COPE-IC, KN-COB-IC, KN-COP-IC, SL177i, SLE...

lang:en score:31 filesize: 1.43 M page_count: 26 document date: 2020-07-22



[pdf] User Manual Guide


Untitled Instruction Manual Kidde 21027536 P4010 Series Smoke Alarm White Photoelectric 120V Ac

60 Hz 53 MA Max Lithium Ion 5 59 In Dia X 1 91 D Graybar Store

33e37012b645a1f4dd3213e6f1818f2946c08543 images salsify image upload s K3lnIDFo |||

IntellIgent COMBO Smoke and Carbon Monoxide Alarm User guide Combination Photoelectric Smoke Carbo ... 60, i12060A, i12080, i12080A, i4618, i4618A, i4618AC, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, KN-COSM-I, KN-COSM-IB, KN-COSM-IBA, KN-COPE-I, KN-COPE-IC, KN-COB-IC, KN-COP-IC, SL177i, SLE...

lang:en score:31 filesize: 753.13 K page_count: 28 document date: 2020-05-06




[pdf] Instructions Guide Accessories

Kidde Hardwire with Front Load Battery Backup Smoke Detector Alarm Model i12060I12060 User Guide

Kidde Safety i12060911872GmoQLm media amazon images I 911872GmoQL |||

i12060A For model: i12060A Smoke Alarm User Guide A.C. Wire-in Single and/or Multiple Station up ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A, i4618, i4618A, PE120, P12040, PI2000, **Pi2010**, KN-COPE-i, KN-SM-FM-i, KN-COSM-IB, KN-COSM-IBA, HD135F, KN-COB-IC, KN-COP-IC, i12010S, i1201...

lang:en score:31 filesize: 515.49 K page_count: 18 document date: 2018-05-02




[Kidde PI2010 Smoke Alarm User's Guide: Installation, Operation, and Safety](#)

Comprehensive user's guide for the Kidde PI2010 AC Wire-in Single and/or Multiple Station Smoke Alarm. Covers installation, operation, testing, maintenance, safety recommendations, and warranty information.

lang:en score:31 filesize: 481.48 K page_count: 16 document date: 2018-02-23


Detector de humo User Guide Kidde i12010S SPA shareddocs hvac docs 2001 Public 09 |||
 MMAannuuaal Iddeel luussuaarirooppaararaeel IMMooddeeloloi1i122001100SS
 Ionizacin Detector de humo ... 20A, i12040, i12040A, i12060, i12060A, i4618, i4618A,
 KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **Pi2010**, i12080, i12080A, KN-
 COSM-I, KN-COSM-IB, KN-COSM-IBA Kidde/Firex: i4618, i4618A - Alarmas de ...
 lang:es score:31 filesize: 682.32 K page_count: 27 document date: 2015-08-20



[pdf] Borchure

Kidde Pi2010 21007915 Dual Photoelectric Ionization Sensor AC Hardwired Interconnect Smoke Alarm 85dB 9V Battery Backup NorthEast Electrical9b2fbe28d89d0253a34d765b850002dd703a0b6dmedia distributordatasolutions kidde 2016q4 9b2fbe28d89d0253a34d765b850002dd703a0b6d did 278 pid 1389980 Product BrochureKidde ElectricalKidde Electricalmedia 1389980media |||

Dual Sensor, 120V AC with Battery Backup Smoke Alarm Model**PI2010** Replaces Model PI2000 Dual Sensor Contains both a photoelectric and ionization sensor providing dual sensor protection in your home. Hush Feature Temporarily silences nuisance alarms. Battery Backup Provides protection even during ...
lang:en **score:30** filesize: 1.4 M page_count: 2 document date: 2010-09-16




[pdf] Guide

alexchen2 User Guide Kidde i12060A SPA shareddocs hvac docs 2001 Public 09 |||
i12060A Para el modelo: i12060A Alarma de humo Gua del Usuario Alarma de humo por ionizacin para cor ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A, i4618, i4618A, PE120, P12040, PI2000, **PI2010**, KN-COPE-i, KN-SM-FM-i, KN-COSM-IB, KN-COSM-IBA, HD135F, KN-COB-IC, KN-COP-IC, i12010S, i1201...
lang:es **score:30** filesize: 468.02 K page_count: 14 document date: 2021-07-14



[pdf] Guide

User Guide Kidde TruSense AC DC Powered Smoke Alarm 2060 ASR shareddocs hvac docs 2001 Public 0A |||
TRUSENSE SMOKE User Guide Multi-Criteria Optical Sensor Smoke Alarm with Hardwire Interconnect Mode ... 60, i12060A, i12080, i12080A, i4618, i4618A, i4618AC, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **PI2010**, KN-COSM-I, KN-COSM-IB, KN-COSM-IBA, KN-COPE-I, KN-COPE-IC, KN-COB-IC, KN-COP-IC, SL177i, SLE...
lang:en **score:30** filesize: 1.61 M page_count: 27 document date: 2020-07-08



[pdf] Quick Start Guide Installation Guide Guide

Kidde Smoke Alarm with Indoor Air Quality Monitor User Guide UG P4010ACSAQ WF tcm126 195695 kidde home safety en us media |||
Kidde Smoke Alarm with Indoor Air Quality Monitor User Guide Photoelectric Smoke Alarm with Voice, H ... 60, i12060A, i12080, i12080A, i4618, i4618A, i4618AC, KN-SMFM-I, RF-SM-ACDC, PE120, P12040, Pi2000, **PI2010**, KN-COSM-I, KN-COSM-IB, KN-COSM-IBA, KN-COPE-I, KN-COPE-IC, KN-COB-IC, KN-COP-IC, SL177i, SLE...
lang:en **score:30** filesize: 1.21 M page_count: 31 document date: 2022-11-04



[Guía del Usuario de la Alarma de Humo Firex Serie i4618A, i4718A, i5000A](#)

Manual de usuario detallado para las alarmas de humo Firex modelos i4618A, i4718A, y i5000A. Incluye instrucciones de instalación, funcionamiento, mantenimiento y solución de problemas.

lang:es score:30 filesize: 738.01 K page_count: 18 document date: 2015-08-20



[Kidde i12020A, i12040A, i12080A Smoke Alarm User's Guide](#)

Comprehensive user's guide for Kidde i12020A, i12040A, and i12080A AC wire-in ionization smoke alarms. Covers installation, operation, maintenance, safety features, and troubleshooting for enhanced home fire safety.

lang:en score:30 filesize: 1.09 M page_count: 17 document date: 2023-10-09



[Kidde 20-9003 Smoke and Carbon Monoxide Alarm Adapter](#)

The Kidde 20-9003 is a Quick Connect wiring adapter designed to connect new Kidde smoke and carbon monoxide alarms to existing Kidde/Firex hardwired systems without re-wiring. Features a 10-year limited warranty. Compatible with a wide range of Kidde models. Visit Kidde.com for full compatibility.

lang:en score:30 filesize: 347.33 K page_count: 1 document date: 2023-02-16




[\[pdf\] Instructions Guide Accessories](#)

User Guide i12060 jacksonsystems 2023 08 |||

i12060A For model: i12060A Smoke Alarm User Guide A.C. Wire-in Single and/or Multiple Station up ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A, i4618, i4618A, PE120, P12040, PI2000, **PI2010**, KN-COPE-i, KN-SM-FM-i, KN-COSM-IB, KN-COSM-IBA, HD135F, KN-COB-IC, KN-COP-IC, i12010S, i1201...


lang:en score:29 filesize: 196.56 K page_count: 18 document date: 2024-06-03



[\[pdf\]](#) Guide Accessories

User GuideAC Hardwired Interconnect Smoke Alarm with Safety Light i12080 KiddeProduct UG i12040A i12080A Guide Enbrand kidde m 79d343435488dfc original Product En |||


1220-7208-02_EN_V2a.qxd: 2015.12.4 10:19 AM Page 1 i12040A i12080A For models: i12040A, i12080A ... 285, 1296, i12040, i12040A, i12060, i12060A, i12080, i12080A, i4618, i4618A, PE120, P12040, PI2000, **PI2010**, KN-COPE-i, KN-SM-FM-i, KN-COSM-IB, KN-COSM-IBA, HD135F, KN-COB-IC, KN-COP-IC, i12010S, i1201... lang:en score:29 filesize: 351.69 K page_count: 17 document date: 2015-12-04



[\[pdf\]](#)

Pi2000 Sheet indd kurt Cut Kidde Fire 21007915 120V AC DC Photo Ion Dual Sensor wire i Rexel USA pi2010 3E44A2B8 78B2 4F9A 8578 E45CC65245B7 rexel cdn products |||

Dual Sensor, 120V AC with Battery Backup Smoke Alarm Model **PI2010** Formerly Model PI2000 Dual Sensor Contains both a photoelectric and ionization sensor providing dual sensor protection in your home. Hush Feature Temporarily silences nuisance alarms. Battery Backup Provides protection even during ... lang:en score:29 filesize: 144.71 K page_count: 2 document date: 2010-01-26



[\[pdf\]](#) User Manual Guide

820 1685B 10Y V2 alexchen Carbon Monoxide Alarm User s Guide Manual P N 1685 Rev B 10 12 2512 7213 00 ATTENTION Please take a few minutes to thoroughly read this user guide which should be saved for future reference and passed on any subsequent owner Models KN COB IC COP with Digital Display † 120V AC Wire In 9V 91f9xRgALsL images na ssl amazon I

Carbon Monoxide Alarm User s Guide Models: KN-COB-IC and KN-COP-IC KN-COB-IC KN-COP-IC with Digital ... 12020CA, i12040CA, i12060CA Photo smoke alarm models: PE120, PE120CA, Photo Ion combination alarms: **PI2010**, **PI2010CA** Heat alarm models: HD135F, HD135FCA Carbon monoxide/ion smoke alarm models: KN-COSM...

lang:en score:29 filesize: 580.65 K page_count: 23 document date: 2013-12-13