

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

[manuals.plus](#) /

› [Winix](#) /

› [Winix AW600 Triple Action Humidifier with Plasmawave Instruction Manual](#)

Winix AW600

Winix AW600 Triple Action Humidifier with Plasmawave Instruction Manual

1. INTRODUCTION

The Winix AW600 Triple Action Humidifier with Plasmawave is designed to simultaneously humidify and purify the air in your home. It features a 3.17 Gallon per day humidification capacity and a 3-stage air purification system. Winix's patented PlasmaWave technology provides an additional layer of air treatment, monitoring room air quality and effectively eliminating a wide range of air pollutants and odors. The HumidiPür is designed for ease of operation, featuring a convenient slide-out water tank and CleanCel anti-bacterial protection throughout the air treatment process.



Front view of the Winix AW600 Triple Action Humidifier with Plasmawave. This image shows the sleek white design of the unit, with the Winix logo and PlasmaWave branding visible on the upper section, and a water level indicator on the lower section.

2. SETUP

2.1 Unpacking

Carefully remove all packaging materials from the unit. Ensure all components, including the water tank, cleaning discs, and HEPA/Carbon filter, are present and undamaged.

2.2 Placement

Place the humidifier on a firm, level surface. Ensure there is adequate space around the unit for proper airflow, ideally at least 6 inches (15 cm) from walls or furniture.

2.3 Filling the Water Tank

1. Pull out the water tank from the bottom front of the unit.
2. Fill the tank with clean tap water. Distilled water is recommended to prevent mineral buildup.
3. Slide the water tank back into the unit until it clicks securely into place.



The Winix AW600 Humidifier with its slide-out water tank partially removed. This feature allows for easy refilling and cleaning of the water reservoir.

2.4 Filter Installation

The HEPA/Carbon combination filter should be installed before first use. Refer to the unit's side panel for filter compartment access. Ensure the filter is correctly oriented as indicated by markings on the filter or unit.

3. OPERATING INSTRUCTIONS

3.1 Control Panel Overview

The intuitive control panel located on the top of the unit allows for easy management of all functions.



Top view of the Winix AW600 control panel. The panel features touch controls for power, auto mode, fan speed, timer, and PlasmaWave function, along with LED indicators for humidity levels.

3.2 Power On/Off

Press the power button () to turn the unit on or off.

3.3 Auto Mode

Select Auto Mode for automatic adjustment of fan speed and humidification based on detected room air quality and humidity levels. The unit aims to maintain a comfortable humidity range (typically 35%-60%).

3.4 Fan Speed Adjustment

Manually adjust the fan speed to your preference using the fan speed button. Higher speeds provide faster humidification and air purification.

3.5 PlasmaWave Technology

Activate or deactivate the PlasmaWave function using its dedicated button. PlasmaWave creates positive and negative ions to break apart airborne pollutants at a molecular level.

3.6 Timer Settings

Set the operational timer for specific durations (e.g., 2, 4, 8 hours) after which the unit will automatically turn off.

3.7 Humidity Indicators

LED indicators on the control panel display current humidity levels, typically in increments (e.g., 10%, 20%, 30%, 40%, 50%, 60%).

Your browser does not support the video tag.

Official product video demonstrating the features and operation of the Winix AW600 Triple Action Humidifier with Plasmawave. The video illustrates how the unit humidifies and purifies air, highlighting the HEPA/Carbon filter, CleanCel antimicrobial discs, and PlasmaWave technology. It also shows the control panel and ease of water tank refilling.

4. MAINTENANCE

4.1 Cleaning Discs and Water Tank

The CleanCel anti-bacterial discs and water tank should be cleaned regularly to prevent mineral buildup and maintain optimal performance. The discs are dishwasher safe for convenient cleaning. If using tap water, regular cleaning with a descaling solution may be necessary to remove calcium buildup.



Close-up view of the blue CleanCel antimicrobial discs used in the Winix AW600 humidifier. These discs are crucial for collecting airborne particulate matter and facilitating humidification.

4.2 Filter Replacement

The HEPA/Carbon combination filter should be replaced approximately once a year, depending on usage and air quality. Refer to the product manual for specific filter replacement instructions and compatible filter models.



Side view of the Winix AW600 humidifier, illustrating the removable panel for accessing and replacing the HEPA/Carbon combination filter. This filter captures large particles and reduces household odors.

4.3 General Cleaning

Wipe the exterior of the unit with a soft, damp cloth as needed. Do not use abrasive cleaners or solvents.

5. TROUBLESHOOTING

- **Unit not humidifying or low humidity output:**

Check the water level in the tank. Ensure the water tank is properly seated. Verify that the cleaning discs are spinning correctly and are free from excessive mineral buildup. Clean the discs and tank if necessary. Ensure the unit is not placed in an overly large room or near a strong draft.

- **Unusual odors:**

Replace the HEPA/Carbon combination filter if it has been in use for an extended period (over a year). Clean the water tank and discs thoroughly. Ensure fresh water is used daily.

- **Unit making unusual noise:**

Check for any obstructions in the fan or around the cleaning discs. Ensure the unit is on a stable, level surface. Clean the discs and water tank to remove any debris that might be causing noise.

- **Mineral buildup on components:**

This is common with tap water. Use distilled water to minimize buildup. Regularly clean the water tank and cleaning discs with a descaling solution or a mixture of white vinegar and water.

6. SPECIFICATIONS

Brand	Winix
Model Number	AW600
Color	White
Operation Mode	Impeller
Item Weight	15.4 Pounds
Wattage	16 watts
Control Method	Touch
Product Dimensions	13.4 x 13.4 x 17.7 inches
Water Capacity	3.17 Gallons (per day humidification capacity)
Manufacturer	Winix America

7. WARRANTY INFORMATION

This product is covered by a **2-year limited warranty**. For detailed terms and conditions, please refer to the warranty card included with your product or contact Winix customer support.

8. CUSTOMER SUPPORT

For further assistance, technical support, or warranty claims, please contact Winix customer service. Contact information can typically be found on the official Winix website or in the packaging materials.

