

TUSK 125184-0011

Tusk UTV Fabric Roof Instruction Manual

Brand: TUSK | Model: 125184-0011

1. PRODUCT OVERVIEW

The Tusk UTV Fabric Roof is designed to provide shade and protection from the elements for side-by-side vehicles. Constructed from durable, weather-resistant materials, it integrates seamlessly with the vehicle's existing structure.



Image: Tusk UTV Fabric Roof providing overhead protection on a utility vehicle.

2. KEY FEATURES

- **Easy Installation:** Designed for straightforward setup, providing shade and protection efficiently.
- **Durable Material:** Made from heavy-duty, 1680 denier nylon, offering water and UV resistance.
- **Integrated Design:** Engineered to work with the vehicle's stock roll cage.
- **Versatile Compatibility:** Can be used independently or in conjunction with the Tusk UTV rear window.

This Product Fits The Following Vehicle Models:

Compatible with	Make	Model	Year Range
Compatible with	Polaris	RZR 570	2012-2021
Compatible with	Polaris	RZR 570 EPS	2013-2021
Compatible with	Polaris	RZR 570 Trail	2022
Compatible with	Polaris	RZR 800	2007-2014
Compatible with	Polaris	RZR 800 EPS	2011-2014
Compatible with	Polaris	RZR 800 XC	2014
Compatible with	Polaris	RZR S 570 EPS	2017
Compatible with	Polaris	RZR S 800	2009-2014
Compatible with	Polaris	RZR S 800 EPS	2013-2014
Compatible with	Polaris	RZR S 800 LE	2011-2012
Compatible with	Polaris	RZR XP 900	2011-2014
Compatible with	Polaris	RZR XP 900 Limited Edition	2012

Image: Detailed view of the fabric roof's construction, highlighting its robust material.

3. VEHICLE COMPATIBILITY

This Tusk UTV Fabric Roof (Model 125184-0011) is compatible with the following Polaris RZR models:



Image: A table detailing compatible Polaris RZR models and their respective year ranges for the Tusk UTV Fabric Roof.

- Polaris RZR 570: 2012-2021
- Polaris RZR 570 EPS: 2013-2021
- Polaris RZR 800: 2007-2014
- Polaris RZR 800 EPS: 2011-2014
- Polaris RZR 800 XC: 2014
- Polaris RZR S 570 EPS: 2017
- Polaris RZR S 800: 2009-2014
- Polaris RZR S 800 EPS: 2013-2014
- Polaris RZR S 800 LE: 2011-2012
- Polaris RZR XP 900: 2011-2014
- Polaris RZR XP 900 Limited Edition: 2012

4. INSTALLATION GUIDE

4.1. Before You Begin

- Ensure your vehicle is parked on a level surface and the engine is off.
- Gather necessary tools: typically a wrench set or socket set for roll cage bolts.
- Inspect all components of the fabric roof for any damage prior to installation.

4.2. Installation Steps

1. Carefully unroll the fabric roof and identify the front and rear sections.
2. Position the fabric roof over the UTV's roll cage. Ensure it is centered and aligned with the vehicle's frame.
3. Secure the front section of the roof to the roll cage using the integrated straps or attachment points. Some installations may require temporary removal of existing bolts on the front side of the roll cage for proper fitment.
4. Work your way to the rear, attaching the roof securely to the roll cage. Ensure all straps are tightened evenly to achieve a snug fit.
5. Double-check all attachment points to ensure the roof is firmly secured and will not flap during operation.

Note: Initial fit may appear loose. The fabric material can tighten over time and with exposure to elements, resulting in a

more secure fit.

5. USAGE GUIDELINES

The Tusk UTV Fabric Roof is designed for off-road use to provide protection from sun and light weather conditions. While durable, it is not intended to withstand extreme impacts or heavy loads. Always ensure the roof is properly secured before operating the vehicle.

6. CARE AND MAINTENANCE

- **Cleaning:** Clean the fabric roof with mild soap and water. Avoid harsh chemicals or abrasive cleaners, as these can damage the material's water and UV resistant properties. Rinse thoroughly and allow to air dry completely before storage or prolonged use.
- **Inspection:** Regularly inspect the fabric for tears, fraying, or signs of wear. Check all straps and attachment points for security and integrity. Replace any damaged components promptly.
- **Storage:** If removing the roof for storage, ensure it is clean and dry to prevent mold or mildew growth. Store in a cool, dry place away from direct sunlight.

7. TROUBLESHOOTING COMMON ISSUES

- **Loose Fit:** If the roof appears loose after initial installation, ensure all straps are pulled taut and evenly distributed. The fabric may naturally tighten after some exposure to weather. Re-adjust straps as needed.
- **Flapping at Speed:** Verify all attachment points are secure. Excessive flapping may indicate loose straps or improper installation. Ensure the roof is centered and tensioned correctly.
- **Water Leaks:** While the fabric is water-resistant, prolonged exposure to heavy rain may result in some moisture penetration. Ensure the roof is properly tensioned and covers the entire area. Check for any tears or damage in the fabric.

8. PRODUCT SPECIFICATIONS

Specification	Detail
Brand	TUSK
Model Number	125184-0011
Material	1680 Denier Nylon
Color	Black
Features	Water and UV Resistant
Vehicle Service Type	Utility Vehicles (UTV)
UPC	051716486893

9. SAFETY INFORMATION

- Always wear appropriate safety gear when operating a UTV.
- Ensure the fabric roof does not obstruct your view or interfere with any vehicle controls.

- Do not modify the fabric roof or its attachment points, as this may compromise its integrity and safety.
- Regularly check the roof's security, especially before and after off-road excursions.

10. WARRANTY AND CUSTOMER SUPPORT

For warranty information or customer support regarding your Tusk UTV Fabric Roof, please refer to the official Tusk Powersports website or contact their customer service department directly. Keep your purchase receipt for any warranty claims.

Contact Information: Please visit the [TUSK Store on Amazon](#) or the official Tusk Powersports website for the most current support options.

© 2024 TUSK Powersports. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question