

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [Dell](#) /

> [Dell UltraSharp U3415W 34-Inch QHD Ultra Wide 1440p Curved LED-Lit Monitor User Manual](#)

Dell U3415W

Dell UltraSharp U3415W 34-Inch QHD Ultra Wide 1440p Curved LED-Lit Monitor User Manual

Model: U3415W | Brand: Dell

1. INTRODUCTION

The Dell UltraSharp U3415W is a 34-inch ultra-wide curved monitor designed to provide an immersive visual and audio experience. Featuring a cinematic WQHD resolution (3440x1440 pixels) and a curved screen, it offers an expansive display area for enhanced viewing comfort and multitasking. This monitor is equipped with various input connectors and usability features to support diverse computing needs.

2. PACKAGE CONTENTS

Ensure all items are present in the box:

- Ultrasharp 34" IPS LED Curved HD 21:9 Ultrawide Monitor
- Power Cord
- HDMI Cable
- DisplayPort Cable
- USB 3.0 Cable
- Owner's Manual

3. SETUP

3.1 Physical Setup

Carefully unpack the monitor and its components. Attach the stand to the monitor panel according to the instructions in the included owner's manual. Ensure the stand is securely fastened to provide stable support for the monitor.



The Dell UltraSharp U3415W monitor positioned on a desk, showcasing its curved display and sleek design.

The monitor's dimensions with the stand are approximately 32.47 x 8.5 x 20.62 inches (LxWxH). Without the stand, it measures 32.47 x 3.00 x 14.65 inches (LxWxH).



An image illustrating the dimensions of the Dell UltraSharp U3415W monitor with its stand.

3.2 Connecting Cables

Connect the power cord to the monitor and a power outlet. Use the provided DisplayPort or HDMI cables to connect the

monitor to your computer's video output. For USB functionality, connect the included USB 3.0 upstream cable from the monitor to your computer. The monitor features multiple input and output ports:

- 1 x DisplayPort 1.2 (HDCP 1.4)
- 1 x mini DisplayPort 1.2 (HDCP 1.4)
- 1 x DisplayPort 1.2 (out) with MST (HDCP 1.4)
- 1 x HDMI 1.4 (MHL 2.0)
- 1 x HDMI 2.0 (HDCP 1.4)
- 4 x USB 3.0 downstream ports (1 with BC1.2 charging capability at 2A max)
- 2 x USB 3.0 upstream ports



The rear panel of the Dell UltraSharp U3415W monitor, highlighting its various input and USB ports.

4. OPERATING THE MONITOR

4.1 On-Screen Display (OSD) Controls

The monitor features intuitive on-screen display controls for adjusting various settings. These controls allow you to manage brightness, contrast, input source selection, color modes, and other display parameters. The OSD is navigated using physical buttons or a joystick located on the monitor.

4.2 Display Features

- **Resolution:** QHD Ultra Wide 1440p (3440 x 1440 pixels) for a panoramic view.
- **Aspect Ratio:** 21:9, ideal for multitasking and cinematic content.
- **Brightness:** 300 cd/m² for clear visuals.
- **Response Time:** 5 ms (gray-to-gray) for smooth motion.
- **Screen Coating:** Anti-glare with a 3H hard coating to reduce reflections.
- **Picture-by-Picture (PBP) & Picture-in-Picture (PIP):** Navigate across multiple applications and video inputs simultaneously.

- **Integrated Speakers:** 9W x 2 (18W total) for rich audio.

4.3 USB 3.0 Hub

The integrated USB 3.0 hub allows you to connect peripherals directly to the monitor. With two upstream ports, you can connect two computers and switch USB device control between them based on the active video input. Four downstream ports provide ample connectivity for accessories, with one offering BC1.2 charging up to 2A.

5. MAINTENANCE

To maintain optimal performance and appearance, regularly clean the monitor screen and casing. Use a soft, lint-free cloth slightly dampened with water or a non-abrasive screen cleaner. Avoid using harsh chemicals or abrasive materials that could damage the display or finish.

6. TROUBLESHOOTING

If you encounter issues such as no display, flickering, or incorrect color representation, first check all cable connections to ensure they are secure. Verify that the correct input source is selected via the OSD. For minor display anomalies like slight backlight bleed, especially noticeable on dark screens in low-light environments, this can be a characteristic of IPS panels and may not indicate a defect. Consult the detailed owner's manual for specific troubleshooting steps or contact Dell support.

7. SPECIFICATIONS

Feature	Value
Standing Screen Display Size	34 Inches
Screen Resolution	3440x1440 Pixels
Max Screen Resolution	3440 x 1440 Pixels
Series	U3415W
Item Model Number	U3415W
Item Weight	18.6 pounds
Product Dimensions	8.5 x 32.47 x 20.62 inches
Color	Black
Voltage	240 Volts
Screen Surface Description	Anti-glare, Hard coating (3H)

8. WARRANTY AND SUPPORT

The Dell UltraSharp U3415W monitor comes with a 3-year limited hardware warranty and a 3-year advanced exchange service. For further assistance, technical support, or warranty claims, please refer to the official Dell support channels.

Your browser does not support the video tag.

Official Dell Social Media Support video, providing information on how to connect with Dell for assistance.

