

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [AdvPro](#) /
- › [ADVPRO Motorcycle Bike Sales Services LED Sign i642-b\(c\) User Manual](#)

AdvPro i642-b(c)

ADVPRO Motorcycle Bike Sales Services LED Sign User Manual

Model: i642-b(c)

1. INTRODUCTION

This manual provides instructions for the safe and efficient use of your ADVPRO Motorcycle Bike Sales Services LED Sign, model i642-b(c). This LED sign is designed for display purposes, featuring an engraved motorcycle design and energy-efficient LED lighting. Please read this manual thoroughly before installation and operation.

2. SAFETY INFORMATION

- Ensure the power outlet matches the voltage requirements of the sign's power adapter.
- Do not expose the sign to water or excessive moisture. This product is for indoor use only.
- Avoid placing the sign in direct sunlight or near heat sources to prevent damage.
- The sign operates at low temperatures and does not contain noxious gases or mercury, making it safe to touch.
- Keep out of reach of children.
- Do not attempt to open or modify the sign's housing. Refer servicing to qualified personnel.

3. PACKAGE CONTENTS

Verify that all items are present in the package:

- ADVPRO Motorcycle Bike Sales Services LED Sign (Model: i642-b(c))
- Power Adapter with ON/OFF Switch (5 ft / 1.5m wire)
- Hanging Chain

4. SETUP INSTRUCTIONS

1. **Unpacking:** Carefully remove the LED sign and all accessories from the packaging. Inspect for any signs of damage.

2. Mounting:

- Attach the provided hanging chain to the designated loops on the top bar of the sign.
- Securely hang the sign in your desired location using appropriate wall mounts or hooks (not included). Ensure the mounting surface can support the weight of the sign.

3. Power Connection:

- Connect the power adapter cable to the sign's power input port.
- Plug the power adapter into a suitable electrical outlet. The sign is compatible with various plug types (US, UK, AU, EU).



The ADVPRO Motorcycle LED Sign, showing the engraved motorcycle design, hanging chain, and power cord with an in-line ON/OFF switch.



Detail of the sign's aluminum top bar, showing the hanging points for the chain and the ADVPRO branding.




Various power plug types (US, UK, EU, JP) demonstrating the versatility of the power adapter provided with the sign.

5. OPERATING INSTRUCTIONS

The ADVPRO LED sign is designed for simple operation:


- Once the sign is securely mounted and connected to power, locate the ON/OFF switch on the power cord.
- Flip the switch to the 'ON' position to illuminate the sign.
- Flip the switch to the 'OFF' position to turn off the sign.
- The sign consumes approximately 3 watts of power during operation.



Example of ADVPRO LED signs used in a studio environment, demonstrating their visual impact.

6. MAINTENANCE

- **Cleaning:** To clean the sign, gently wipe the surface with a soft, dry, or slightly damp cloth. Avoid abrasive cleaners or solvents.
- **Lifespan:** The LED components are designed for a long operational life, typically 50,000 hours (5-10 years) under normal use.
- **No Refills:** Unlike traditional neon signs, this LED sign does not require gas refills or periodic maintenance.



An illustration showing the ADVPRO LED sign available in multiple colors, including Orange, White, Blue, Yellow, Purple, Green, and Red.

7. TROUBLESHOOTING

Problem	Possible Cause	Solution
Sign does not light up.	No power supply or switch is off.	Ensure the power adapter is securely plugged into a working outlet. Check that the ON/OFF switch on the power cord is in the 'ON' position.
Sign is dim or flickers.	Unstable power supply or faulty connection.	Try plugging the sign into a different power outlet. Ensure all connections are secure. If the issue persists, contact customer support.

8. SPECIFICATIONS

- **Model:** i642-b(c)
- **Brand:** AdvPro

- **Dimensions:** 16 inches (Width) x 12 inches (Length)
- **Color:** Blue
- **Material:** Plastic
- **Light Type:** LED, Neon effect
- **Mounting Type:** Wall Mount (Hanging Chain included)
- **Power Consumption:** Approximately 3 Watts
- **Lifespan:** Up to 50,000 hours

9. WARRANTY AND SUPPORT

This product is covered by a return policy allowing for refund or replacement within 30 days of purchase. For further assistance, technical support, or warranty claims, please contact AdvPro customer service through the official AdvPro Store or your point of purchase.

For more information, please visit the [AdvPro Store](#).