

[Manuals.plus](#) /

› [HTTMT](#) /

› HTTMT Chrome ABS Plastic Bolt Topper Caps User Manual

HTTMT USMT247-004-CD

HTTMT Chrome ABS Plastic Bolt Topper Caps User Manual

Model: USMT247-004-CD

1. INTRODUCTION

1.1 Product Overview

The HTTMT Chrome ABS Plastic Bolt Topper Caps are designed to enhance the aesthetic appearance of your motorcycle by covering exposed bolts on the engine, transmission, and other primary components. This kit provides a complete set of 87 chrome-finished caps, offering a clean and uniform look for compatible 2000-2006 Harley Davidson Softail Twin Cam models.

1.2 Package Contents

- One (1) set of 87 HTTMT Chrome ABS Plastic Bolt Topper Caps



The HTTMT bolt topper caps displayed in their clear retail packaging.

2. SAFETY INFORMATION

This product is an aftermarket custom item and is not an Original Equipment Manufacturer (OEM) part. While designed for compatibility with specified models, modifications may be required for proper fitment. Professional installation is recommended. Verify compatibility before purchase to ensure safe and correct application.

3. INSTALLATION

Installation of the HTTMT Bolt Topper Caps is straightforward but requires careful attention to ensure proper fit and longevity. No detailed installation guide is included with the product, but the general procedure involves securing the caps over existing bolts.

3.1 Preparation

Ensure the surfaces of the bolts are clean and free from dirt, grease, or debris. This will promote better adhesion of the caps.

3.2 Application

Apply a few drops of silicone adhesive (not included) to the inner stem of each bolt topper cap before placing it onto the corresponding bolt. The silicone acts as an adhesive and can also provide a protective barrier against heat for caps installed on engine components.



A selection of chrome bolt topper caps, with some inverted to show their hollow underside, indicating where silicone adhesive would be applied.

3.3 Placement

Gently press the cap onto the bolt. For smaller caps, apply even pressure. Some users have found success by using a small, soft-faced hammer with a protective cloth or tape to gently tap the caps into place, ensuring not to crack them.

3.4 Curing

Allow adequate time for the silicone adhesive to cure as per the adhesive manufacturer's instructions before operating the motorcycle.



An assortment of chrome ABS plastic bolt topper caps of various sizes.

4. MAINTENANCE

To maintain the chrome finish and appearance of your bolt topper caps, regularly clean them with a soft cloth and a mild, non-abrasive cleaner. Avoid harsh chemicals or abrasive materials that could scratch or damage the chrome plating. Periodically inspect the caps for any signs of loosening or damage and re-secure or replace as necessary.

5. TROUBLESHOOTING

- **Caps not fitting or cracking during installation:** Ensure you are using the correct size cap for each bolt. Applying even pressure and using a small amount of silicone can aid in fitment and prevent cracking. For smaller caps, a gentle tapping method with a protected tool may be necessary. If caps are cracking, consider applying silicone to the inside to act as a cushion and insulator.
- **Caps loosening or falling off:** Ensure sufficient silicone adhesive was used during installation and allowed to cure completely. Reapply silicone if necessary.
- **Discoloration or melting due to heat:** While the caps are made of ABS plastic, prolonged exposure to extreme engine heat can affect them. Applying silicone adhesive to the inside of caps on high-heat areas can provide an insulating layer. Consider using high-temperature silicone for these specific locations.

6. SPECIFICATIONS

Attribute	Detail
-----------	--------

Brand	HTTMT
Model	USMT247-004-CD
Item Weight	3.2 ounces
Package Dimensions	7.24 x 4.25 x 0.91 inches
Material	ABS Plastic
Color	Chrome
Compatibility	2000-2006 Harley Davidson Softail Twin Cam
Number of Pieces	87

7. WARRANTY & SUPPORT

For product support or inquiries regarding the HTTMT Chrome ABS Plastic Bolt Topper Caps, please contact HTTMT customer service through their official channels. Specific warranty information may vary; please refer to your purchase documentation or contact the seller directly for details.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

