

## AUNA Areal 525

# AUNA Areal 525 5.1 Multimedia Surround Home Cinema System

## User Manual

### 1. INTRODUCTION

The AUNA Areal 525 is a 5.1 multimedia surround sound system designed to enhance your home cinema or computer audio experience. It features a powerful subwoofer and five elegant satellite speakers, delivering a broad sound spectrum with adjustable audio settings. This manual provides essential information for safe installation, operation, and maintenance of your system.

### 2. SAFETY INSTRUCTIONS

- Read all instructions carefully before operating the device.
- Keep this manual for future reference.
- Do not expose the unit to rain or moisture to prevent fire or electric shock.
- Ensure proper ventilation. Do not block ventilation openings.
- Place the unit on a stable, flat surface.
- Disconnect the power plug from the wall outlet if the unit is not used for a long period.
- Do not open the casing. Refer all servicing to qualified personnel.
- Avoid placing the unit near heat sources or in direct sunlight.
- Do not place heavy objects on the unit.

### 3. PACKAGE CONTENTS

Carefully unpack your AUNA Areal 525 system and ensure all items are present and in good condition. If any items are

missing or damaged, contact your retailer.

- 1 x Subwoofer
- 5 x Satellite Speakers
- 1 x Remote Control
- 3 x RCA Cables
- 1 x AUX Cable

## 4. PRODUCT OVERVIEW

The AUNA Areal 525 system consists of a central subwoofer and five satellite speakers, designed for a comprehensive surround sound experience. The system also includes a remote control for convenient operation.



Image: Overview of the AUNA Areal 525 system, showing the subwoofer and five satellite speakers.

### 4.1 Subwoofer (Main Unit)

The subwoofer houses the main amplifier and control panel. It features a side-firing bass reflex design for deep bass. The front panel includes input selection, volume controls, and status indicators.



## SUPERIOR SOUND

Subwoofer with  
low-vibration  
bass-reflex enclosure




Image: Close-up of the subwoofer's front panel, displaying the standby, AUX, DVD, NOR, PRO, input, Pro-Logic, and volume controls.

### 4.2 Satellite Speakers

The system includes five compact satellite speakers: one center speaker, two front speakers (left and right), and two rear speakers (left and right). These speakers deliver clear mid-range and high-frequency audio.

### 4.3 Remote Control

The included remote control allows for convenient adjustment of volume, input selection, and sound modes from a distance.



## COMFORTABLE

Easy handling via  
remote control



Image: The remote control for the AUNA Areal 525 system, showing buttons for input, Pro-Logic, reset, individual speaker volume, and master volume.

## 5. SETUP

### 5.1 Speaker Placement

- **Subwoofer:** Place the subwoofer on the floor, preferably in a corner or near a wall for optimal bass response.
- **Center Speaker:** Position the center speaker directly above or below your TV/monitor, facing the listening area.
- **Front Speakers (FL/FR):** Place the front left and right speakers equidistant from your TV/monitor, forming an equilateral triangle with your primary listening position.
- **Rear Speakers (SL/SR):** Position the rear left and right speakers behind your listening position, slightly to the sides, for effective surround sound.

### 5.2 Connecting the Speakers

Connect the satellite speakers to the corresponding outputs on the rear of the subwoofer. The cables are integrated into the satellite speakers.

- Connect the **Front Left (FL)** satellite speaker to the FL output.
- Connect the **Front Right (FR)** satellite speaker to the FR output.
- Connect the **Center (CEN)** satellite speaker to the CEN output.
- Connect the **Surround Left (SL)** satellite speaker to the SL output.
- Connect the **Surround Right (SR)** satellite speaker to the SR output.

## 5.1 COMPLETE SYSTEM

Cable set included



Image: Rear panel of the AUNA Areal 525 subwoofer, showing RCA audio input (AUX, DVD/5.1) and RCA audio outputs for satellite speakers (FL, FR, CEN, SL, SR).

### 5.3 Connecting Audio Sources

The Areal 525 offers two main input options:

- **5.1 Surround Input (DVD):** Use the provided RCA cables to connect your DVD player, Blu-ray player, or other 5.1-channel source to the "DVD" input section (FL, FR, CEN, SW, SL, SR) on the subwoofer's rear panel. Ensure each channel is connected to its corresponding input.

- **Stereo Input (AUX):** Use the provided AUX cable or RCA stereo cable to connect stereo audio sources (e.g., CD player, MP3 player, TV, laptop) to the "AUX" input section (L, R) on the subwoofer's rear panel.

## 5.4 Power Connection

After all audio and speaker connections are made, connect the power cable to the subwoofer and then to a suitable wall outlet (230V, 50Hz). Ensure the power switch on the rear of the subwoofer is in the OFF position before connecting to power.

## 6. OPERATING INSTRUCTIONS

---

### 6.1 Powering On/Off

- Flip the **Power Switch** on the rear of the subwoofer to the ON position.
- Press the **ON/STANDBY** button on the remote control or the **ST.BY** button on the subwoofer's front panel to switch the system between standby and active mode.
- To fully power off the system, switch the **Power Switch** on the rear of the subwoofer to OFF.

### 6.2 Input Selection

Press the **INPUT** button on the remote control or the subwoofer's front panel to cycle through available audio inputs (AUX, DVD).

### 6.3 Volume Control

- **Master Volume:** Use the **MASTER VOL+** and **MASTER VOL-** buttons on the remote control, or the **VOL+** and **VOL-** buttons on the subwoofer, to adjust the overall system volume.
- **Individual Speaker Volume:** On the remote control, you can adjust the volume for individual channels (FR, FL, SW, CEN, SR, SL) using their respective **VOL+** and **VOL-** buttons.

### 6.4 Sound Modes

- **5.1 Mode:** Automatically activated when a 5.1 source is connected to the DVD input.
- **2.1 Mode:** When using the AUX stereo input, the system operates in 2.1 mode (front left, front right, and subwoofer).
- **Pro Logic:** Press the **PRO-LOGIC** button on the remote or subwoofer to engage Pro Logic mode, which can simulate surround sound from a stereo source. Press again to return to normal (NOR) stereo mode.

### 6.5 Mute Function

Press the **MUTE** button on the remote control to temporarily silence the audio. Press again to restore the sound.

## 7. MAINTENANCE

---

- **Cleaning:** Use a soft, dry cloth to clean the surfaces of the speakers and subwoofer. Do not use liquid cleaners or abrasive materials.
- **Ventilation:** Ensure that the ventilation openings on the subwoofer are not blocked to prevent overheating.
- **Storage:** If storing the system for an extended period, disconnect it from power and store it in a cool, dry place.

## 8. TROUBLESHOOTING

| Problem                          | Possible Cause                                                                                             | Solution                                                                                                                                                        |
|----------------------------------|------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| No power                         | Power cable not connected; Power switch OFF; Wall outlet not active.                                       | Check power cable connection; Ensure power switch is ON; Test wall outlet with another device.                                                                  |
| No sound                         | Incorrect input selected; Volume too low; Mute function active; Audio cables not connected properly.       | Select correct input (AUX/DVD); Increase master volume; Deactivate mute; Check all audio cable connections.                                                     |
| Distorted sound                  | Volume too high; Poor audio source quality; Loose cable connections.                                       | Reduce volume; Test with a different audio source; Secure all cable connections.                                                                                |
| Remote control not working       | Batteries depleted or incorrectly inserted; Obstruction between remote and subwoofer; Remote out of range. | Replace batteries; Ensure clear line of sight to subwoofer's IR receiver; Operate remote within effective range.                                                |
| Only some speakers produce sound | Incorrect speaker connections; Individual speaker volume too low; Source material is stereo, not 5.1.      | Verify all satellite speaker connections; Adjust individual speaker volumes; Use Pro Logic mode for stereo sources or ensure 5.1 source is used with DVD input. |

## 9. SPECIFICATIONS

| Feature                             | Detail                                                                                             |
|-------------------------------------|----------------------------------------------------------------------------------------------------|
| Model Name                          | Areal 525                                                                                          |
| Model Number                        | 10022257                                                                                           |
| Brand                               | AUNA                                                                                               |
| Speaker Type                        | 5.1 Multimedia Surround System (1 Subwoofer, 5 Satellite Speakers)                                 |
| Total RMS Power                     | 95W                                                                                                |
| Frequency Response                  | 40Hz - 20kHz                                                                                       |
| Signal-to-Noise Ratio               | > 70dB                                                                                             |
| Channel Separation                  | > 45dB                                                                                             |
| Connections                         | Stereo RCA Audio Input (AUX), 5.1 Surround RCA Input (DVD), 5 x RCA Outputs for Satellite Speakers |
| Power Supply                        | 230V, 50Hz                                                                                         |
| Subwoofer Dimensions (WxHxD)        | 16.5 x 32 x 34 cm                                                                                  |
| Center Speaker Dimensions (WxHxD)   | 25 x 10 x 12 cm                                                                                    |
| Surround Speaker Dimensions (WxHxD) | 10 x 15 x 12 cm                                                                                    |
| Subwoofer Weight                    | Approx. 5.5 kg                                                                                     |

| Feature                 | Detail                                                                 |
|-------------------------|------------------------------------------------------------------------|
| Center Speaker Weight   | Approx. 900g                                                           |
| Surround Speaker Weight | Approx. 700g                                                           |
| Compatible Devices      | Desktop Computer, Laptop, Television, DVD/Blu-ray Players, MP3 Players |

## 10. WARRANTY AND SUPPORT

This product comes with a standard manufacturer's warranty. Please refer to the warranty card included in your package for specific terms and conditions. For technical support, service, or warranty claims, please contact your retailer or the manufacturer directly. Keep your proof of purchase for warranty validation.

For further assistance, you may visit the AUNA official website or contact their customer service department.

### ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

**Name**

Anonymous

**Email**

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

**Question**

Example: How do I reset this device or fix this error?

**Details**

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question