

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [IFB](#) /

› [IFB 5.5 kg Fully-automatic Dryer \(TURBO DRY EX, Silver, Wall Mountable, Anti crease\) - User Manual](#)


IFB Maxi Dry EX

IFB 5.5 kg Fully-automatic Dryer User Manual

Model: Maxi Dry EX | Brand: IFB

1. INTRODUCTION

Thank you for choosing the IFB 5.5 kg Fully-automatic Dryer. This appliance is designed to provide efficient and convenient drying for your clothes, featuring advanced technologies like TURBO DRY EX and Anti-crease functions. This manual provides essential information for the safe and effective use, installation, maintenance, and troubleshooting of your dryer. Please read it thoroughly before operating the appliance and keep it for future reference.



Front view of the IFB 5.5 kg Fully-automatic Dryer, showcasing its sleek silver design and control panel.

2. SAFETY INFORMATION

Always adhere to the following safety precautions to prevent injury or damage to the appliance:

- Ensure the dryer is connected to a properly grounded electrical outlet.
- Do not overload the dryer beyond its 5.5 kg capacity.
- Clean the lint filter after every drying cycle to maintain efficiency and prevent fire hazards.
- Never dry items that have been soiled with flammable substances (e.g., cooking oil, gasoline).
- The dryer is equipped with an overheat protection system to prevent damage to laundry and the machine.
- Do not allow children to play on or in the dryer.
- Ensure proper ventilation for the dryer, especially if it is a vent dryer.

3. SETUP AND INSTALLATION

The IFB Maxi Dry EX dryer offers flexible installation options, including freestanding and wall-mountable configurations. Proper installation is crucial for optimal performance and safety.

3.1 Unpacking and Inspection

Carefully remove the dryer from its packaging. Inspect for any transit damage. The package includes 1 Clothes Dryer, a Vent Kit, and this User Manual.

3.2 Placement and Dimensions

Choose a location with adequate space and ventilation. The dryer's dimensions are approximately 53 cm (Length) x 60 cm (Width) x 72 cm (Height). Ensure the area allows for proper air circulation and access to the rear for the vent kit.



Diagram illustrating the dimensions of the IFB Dryer: 72 cm height, 60 cm depth, and 53 cm width.

3.3 Electrical Connection

The dryer operates on 220 Volts and has a wattage of 2.9 KW. Ensure your electrical supply meets these requirements and that the outlet is properly grounded.

3.4 Venting

As a vent dryer, it requires proper exhaust. Connect the included vent kit according to the instructions to direct moist air outside. This prevents humidity buildup and ensures efficient drying.

3.5 Wall Mounting (Optional)

For wall mounting, ensure the wall structure can support the dryer's weight (25 kg 400 g). Follow the detailed instructions provided in the separate installation guide for secure mounting.

5.5 kg capacity suitable for bachelors and couples



Stainless
Steel Built



55 Rpm
Motor



Wall
Mountable



Vent
Dryer

The IFB Dryer is designed to be wall mountable, offering flexibility in placement for various laundry room setups.

4. OPERATING INSTRUCTIONS

Operating your IFB dryer is straightforward with its button control and small LED display. The mechanical timer allows for precise cycle selection.

4.1 Loading the Dryer

Load clothes into the stainless steel drum, ensuring not to exceed the 5.5 kg capacity. Overloading can lead to inefficient drying and potential damage to clothes or the machine. The door has a right orientation for opening.

4.2 Selecting a Drying Program

Turn the electromechanical control knob to select the desired drying program. The dryer offers various settings for different fabric types and dryness levels:

- **Mixed Load:** For a combination of fabric types.
- **Cotton:** Ideal for cotton garments.
- **Synthetics:** For synthetic and delicate items.
- **TURBO DRY EX:** Provides 100% dryness for various fabric types without damage.
- **60 Minutes Quick Dry:** For fast drying when time is limited.
- **Refresh Cycle:** To air out clothes and remove odors without heat.
- **Anti Crease:** Helps reduce wrinkles, making clothes ready to wear or easier to iron.




Electromechanical control



60 Minutes Quick Dry



Single Polo Micro Door Switch



Close-up of the IFB Dryer's control panel, showing the electromechanical control knob, program options, and the single polo micro door switch.

4.3 Starting and Stopping a Cycle

After selecting the program, press the start button. The dryer will begin its cycle. If the door is opened during operation, the machine will stop immediately as a safety feature. The timer knob must be operated in a clockwise direction only.

4.4 Special Features

- **Allergy Free:** Removes lint, hair, and allergens, keeping clothes fresh.
- **Protects From Outdoor Pollution:** Avoids airborne pollutants, protecting clothes from outdoor dust, germs, and contaminants.
- **No Fading:** Protects clothes from UV rays that can cause fading over time.
- **All Weather Drying:** Ensures 100% dry clothes regardless of external weather conditions.

5. MAINTENANCE

Regular maintenance ensures the longevity and efficiency of your IFB dryer.

5.1 Cleaning the Lint Filter

It is essential to clean the lint filter after every drying cycle. A clogged lint filter can reduce drying efficiency and pose a fire risk. The filter collects lint from clothes and also fine particles sucked in from the surrounding air.

5.2 Cleaning the Exterior and Drum

Wipe the exterior of the dryer with a soft, damp cloth. The drum is made of rust-resistant stainless steel and can be cleaned periodically with a damp cloth. The door material is toughened glass, which can be cleaned with a glass cleaner.

6. TROUBLESHOOTING

If you encounter issues with your dryer, refer to the following common problems and solutions before contacting service.

- **Clothes not completely dry:** Ensure the lint filter is clean. Avoid overloading the dryer. Select the appropriate drying program for the fabric type and desired dryness level.
- **Timer inaccuracy:** The mechanical timer may run slightly longer than indicated. This is a characteristic of the design. Plan your drying cycles accordingly.
- **Excessive lint accumulation:** This is normal as the dryer collects lint from clothes and ambient air. Regular cleaning of the lint filter is crucial.
- **Machine stops unexpectedly:** Check if the door was opened during the cycle. The thermal cut-off feature may have activated due to overheating; allow the machine to cool down before restarting.
- **Shrinkage of clothes:** Ensure you are using the correct heat setting for delicate fabrics. Over-drying or high heat can cause some fabrics to shrink over time.

For issues not resolved by these steps, please contact IFB customer support.

7. SPECIFICATIONS

Feature	Specification
Brand	IFB
Model	Maxi Dry EX
Capacity	5.5 Kilograms
Colour	Silver
Material	Stainless Steel (Drum)

Feature	Specification
Installation Type	Freestanding, Wall Mountable
Access Location	Front Load
Voltage	220 Volts
Wattage	2.9 KW
Maximum Rotational Speed	55 RPM
Noise Level	70 dB
Item Weight	25 kg 400 g
Item Dimensions (LxWxH)	53 x 60 x 72 Centimeters
Special Features	Allergy Free, Anti Crease
Certification	Energy Star
Included Components	Vent Kit, User Manual, 1 Clothes Dryer

8. WARRANTY AND SUPPORT

IFB is committed to providing excellent product quality and customer service.

8.1 Product Warranty

Your IFB 5.5 kg Fully-automatic Dryer comes with a **4 Years Complete Machine Warranty** and **10 Years Spare Part Support**. This ensures peace of mind regarding the durability and performance of your appliance.



2500+
CITIES NATIONWIDE
SUPPORTED BY OUR HELPLINE

IFB provides 24x7 service support across more than 2500 cities nationwide, ensuring comprehensive customer assistance.