

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

> [HQRP](#) /

> [HQRP Foam Filter Sleeve for Shop-Vac Wet/Dry Vacuums \(4-Pack\) - Installation and Maintenance Guide](#)

**HQRP Compatible with Shop-Vac 90M300, 90P650A, 90PN575A, 90S200, 90S250B, 92M300, 92M650B, 92P350, 92P550A, 92P600A, 90L400,**

# HQRP Foam Filter Sleeve for Shop-Vac Wet/Dry Vacuums (4-Pack) - Installation and Maintenance Guide

This manual provides comprehensive instructions for the installation, operation, and maintenance of HQRP Foam Filter Sleeves, designed for various Shop-Vac Wet/Dry Vacuums (5-gallon and larger) including models 90M300, 90P650A, 90PN575A, 90S200, 90S250B, 92M300, 92M650B, 92P350, 92P550A, 92P600A, 90L400, 90L500, 90L600, 90LN550A, and 90LN650C. Learn how to use the foam sleeve for wet pickup and with reusable disc-style filters.

## PRODUCT OVERVIEW

The HQRP 4-pack Foam Filter Sleeve is designed for use with compatible Shop-Vac Wet/Dry Vacuums (5-gallon and larger). These foam sleeves are essential for wet pickup operations and are also required when using reusable disc-style filters. They are a direct replacement for Shop-Vac Foam Filter Sleeve Part # 905-85-00 / 90585 / 9058500 / SV9058500.



Image: A pack of four HQRP Foam Filter Sleeves.



**Fits most Shop-Vac Wet / Dry vacuums  
5-gallon and up**



Image: The foam sleeve shown with various compatible Shop-Vac models.

## Key Features

- 4-pack Foam Filter Sleeve for extended use.
- Specifically designed for wet pickup applications.
- Required for use with reusable disc-style filters.
- Compatible with numerous Shop-Vac Wet/Dry Vacuum models (5-gallon and larger).
- Durable foam material for effective filtration.

## SETUP AND INSTALLATION

Proper installation of the foam filter sleeve is crucial for optimal performance, especially during wet pickup. Ensure your vacuum is unplugged before beginning any installation or maintenance.

### Installing the Foam Filter Sleeve for Wet Pickup

1. **Prepare the Vacuum:** Disconnect the vacuum from the power source. Remove the tank cover.
2. **Remove Existing Filters:** If a cartridge filter or disposable filter bag is installed, remove them. The foam sleeve is used *instead* of a cartridge filter for wet pickup.
3. **Position the Foam Sleeve:** Carefully slide the foam sleeve down over the filter cage on the motor head. Ensure it completely covers the cage.
4. **Secure the Cover:** Place the tank cover back onto the vacuum and secure the latches.

## HOW TO CHANGE THE FILTER



### STEP 1

Loosen the filter retainer by turning it counter-clockwise



### STEP 2

Lift and remove the filter



### STEP 3

Carefully slide foam wet filter down over the filter cage



### STEP 4

Make sure the whole cage is covered

Image: Visual guide for changing the filter, demonstrating how to slide the foam sleeve over the filter cage.

# Foam Sleeve is used **INSTEAD OF** the Cartridge Filter



**Wrong**



**Right**



Image: Important note illustrating that the foam sleeve should be used *instead* of the cartridge filter, not simultaneously.

## **Video: Foam Sleeve Product Overview and Correct Usage**

Your browser does not support the video tag.

Video: This video provides an overview of the foam sleeve product and demonstrates its correct usage, emphasizing that it should be used separately from a cartridge filter.

## **OPERATING INSTRUCTIONS**

The HQRP Foam Filter Sleeve is specifically designed for wet pickup tasks. For dry pickup, a cartridge filter or disposable filter bag should be used (without the foam sleeve).

### **Wet Pickup Operation**

When vacuuming liquids, ensure the foam filter sleeve is correctly installed over the filter cage. Do not use a cartridge filter or disposable filter bag during wet pickup, as this can damage the filter and reduce vacuum efficiency.

- Always ensure the foam sleeve is clean and free of debris before wet pickup.
- The vacuum is equipped with an automatic suction shut-off that activates when the tank is full. When this occurs, the motor sound will change to a higher pitch. Turn off the vacuum immediately.
- Empty the tank by removing the drain cap (if available) or by detaching the motor head and pouring out the liquid.

**PLEASE READ THE MANUAL  
PRIOR TO USING YOUR FILTER**

**DRY PICK UP**                      **WET PICK UP**

The diagram illustrates the correct filter installation for both dry and wet pickup. It shows two columns: 'DRY PICK UP' and 'WET PICK UP'. Each column shows a top-down view of the filter cage. Below each, two options are presented: 'FOAM SLEEVE' and 'CARTRIDGE FILTER'. For dry pickup, the foam sleeve is shown being placed over the cage, and the cartridge filter is shown with a pre-filter. For wet pickup, the foam sleeve is shown being placed over the cage, and the cartridge filter is shown with a pre-filter. A warning note at the bottom states that the foam sleeve and cartridge filter must be used separately.

**OR**                      **OR**

**FOAM SLEEVE**                      **FOAM SLEEVE**

**REUSABLE DRY FILTER**                      **PRE-FILTER FOR CARTRIDGE FILTER (OPTIONAL)**

**PLEASE NOTE!**  
FOAM SLEEVE and CARTRIDGE FILTER  
must be used  
**SEPARATELY**

Image: Guide on filter usage for dry and wet pickup, emphasizing the foam sleeve for wet applications.

## Video: Shop-Vac Filter Installation and Wet Pick Up Operation

Your browser does not support the video tag.

Video: This official Shop-Vac guide covers general filter installation, cleaning, and wet pickup operation, including the automatic shut-off feature.

## MAINTENANCE

---

Regular cleaning of your HQRP Foam Filter Sleeve ensures consistent performance and extends its lifespan.

### Cleaning the Foam Filter Sleeve

1. **Remove the Sleeve:** Disconnect the vacuum from power. Remove the motor head and carefully slide the foam sleeve off the filter cage.
2. **Rinse:** Rinse the foam sleeve thoroughly under running water to remove any collected debris or liquid residue. Gently squeeze out excess water.
3. **Dry:** Allow the foam sleeve to air dry completely before reinstallation or storage. Ensure it is fully dry to prevent mold or mildew growth.

*Note: For optimal performance, replace foam sleeves periodically, especially if they show signs of wear or damage.*

### Video: Filter Cleaning and Maintenance

Your browser does not support the video tag.

Video: This official Shop-Vac video includes instructions on how to clean and maintain various filters, applicable to the foam sleeve.

---

## TROUBLESHOOTING

---

If you encounter issues with your vacuum while using the HQRP Foam Filter Sleeve, consider the following common solutions:

- **Loss of Suction:**
    - Check if the foam sleeve is properly seated on the filter cage.
    - Ensure the tank cover is securely latched.
    - Verify the hose and attachments are free from blockages.
    - If performing wet pickup, the tank might be full, triggering the automatic shut-off. Empty the tank.
  - **Water Leaking:**
    - Ensure the foam sleeve is correctly installed and not damaged.
    - Check the tank's drain cap (if applicable) for a secure fit.
    - Inspect the tank for cracks or damage.
  - **Unusual Noise:**
    - A higher-pitched motor noise during wet pickup indicates the tank is full and needs to be emptied.
    - Check for any loose parts or obstructions within the vacuum.
- 

## SPECIFICATIONS

---

Attribute	Detail
Brand	HQRP
Material	Foam
Product Dimensions	9.53"L x 8.27"W x 8.27"H
Reusability	Reusable
Number of Pieces	4
Compatible Shop-Vac Models	90M300, 90P650A, 90PN575A, 90S200, 90S250B, 92M300, 92M650B, 92P350, 92P550A, 92P600A, 90L400, 90L500, 90L500A, 90L550A, 90L600, 90L600A, 90L600C, 90L650A, 90L650C, 90LN550A, 90LN650C (5-gallon and larger)
Replacement for Shop-Vac Part #	905-85-00 / 90585 / 9058500 / SV9058500

## WARRANTY INFORMATION

HQRP branded products typically come with a 2-week DOA (Dead On Arrival) replacement warranty. For specific warranty details and claims, please refer to the product packaging or contact HQRP customer support directly.

## CUSTOMER SUPPORT

For further assistance, questions, or to report any issues with your HQRP Foam Filter Sleeves, please visit the official HQRP Store on Amazon or contact their customer service department.

[Visit the HQRP Store on Amazon](#)

