

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Nite Ize](#) /
- › [Nite Ize S-Biner TagLock Double-Gated Carabiner Instruction Manual](#)

Nite Ize PLSBM-11-R3

Nite Ize S-Biner TagLock Double-Gated Carabiner Instruction Manual

Model: PLSBM-11-R3

INTRODUCTION

The Nite Ize S-Biner TagLock is a double-gated carabiner designed for securely attaching pet identification tags to collars. Its unique locking mechanism ensures that tags remain firmly in place, preventing loss during daily activities. This manual provides instructions for proper use and maintenance of your TagLock.

PRODUCT FEATURES

- **Secure Attachment:** Features a mini locking dual carabiner design to clip one side to a collar's D-ring and the other to pet tags.
- **Easy Operation:** A central locking lever twists to secure the gates, eliminating the need for frustrating split rings.
- **Durable Construction:** Made from stainless steel for resistance to rust and breakage.
- **Peace of Mind:** Designed to keep pet tags securely attached, reducing the risk of loss.

SETUP AND INSTALLATION

Follow these steps to attach your pet's identification tags using the Nite Ize S-Biner TagLock:

1. **Prepare Tags:** Gather all identification tags you wish to attach.
2. **Attach Tags to TagLock:** Open one gate of the S-Biner TagLock by pressing inward. Slide your pet's identification tags onto this open gate. Ensure all tags are fully seated on the carabiner.
3. **Attach TagLock to Collar:** Open the other gate of the S-Biner TagLock. Clip this gate onto the D-ring or attachment loop of your pet's collar.
4. **Secure the Lock:** Once both sides are attached, twist the black central locking lever to secure both gates. Ensure the lever is fully rotated to the locked position to prevent accidental opening.



Image: The Nite Ize S-Biner TagLock securely attached to a red pet collar, holding a blue bone-shaped identification tag. This demonstrates the product in use on a pet's collar.



Image: A white dog with brown markings wearing a red collar, featuring the Nite Ize S-Biner TagLock holding a rectangular identification tag. The dog is looking upwards in an outdoor setting.

Video Demonstration

Your browser does not support the video tag.

Video: This video demonstrates the process of attaching identification tags to the Nite Ize S-Biner TagLock and then securing it to a pet's collar. It highlights the ease of use and the locking mechanism.

OPERATING INSTRUCTIONS

The Nite Ize S-Biner TagLock features a simple twist-to-lock mechanism for secure operation:

- **To Open:** To open either gate, twist the black central lever until it aligns with the gate you wish to open. Press the gate inward to release.
- **To Close:** Once the gate is closed, twist the black central lever away from the gate opening. This will secure the gate in place.
- **To Lock Both Gates:** After attaching tags and securing the TagLock to the collar, ensure the black central lever is twisted to a position where it blocks both gates from opening. This provides maximum security.




Image: A detailed close-up of the Nite Ize S-Biner TagLock, illustrating its double-gated design and the central black lever used for locking and unlocking the gates.

MAINTENANCE

To ensure the longevity and proper function of your Nite Ize S-Biner TagLock, follow these maintenance guidelines:

- **Cleaning:** Wipe the TagLock periodically with a damp cloth to remove dirt and debris. Avoid using harsh chemicals or abrasive cleaners, which can damage the finish.
- **Lubrication:** If the locking mechanism becomes stiff over time, a small amount of silicone-based lubricant can be applied to the moving parts.
- **Inspection:** Regularly inspect the TagLock for any signs of wear, damage, or corrosion. If significant wear is observed, consider replacing the unit to maintain optimal security.

TROUBLESHOOTING

Issue: Tags are falling off or the TagLock opens unexpectedly.

Solution: Ensure the central black locking lever is fully twisted to the locked position after attaching the tags and to the collar. The lever should visibly block both gates from opening. If the lever feels loose or

does not hold its position, inspect for damage or consider replacement.

Issue: The locking mechanism feels stiff or difficult to twist.

Solution: Clean the TagLock thoroughly to remove any accumulated dirt or grime that might be impeding movement. A small amount of silicone-based lubricant can also be applied to the pivot points of the gates and the central lever.

SPECIFICATIONS

Specification	Detail
Model Number	PLSBM-11-R3
Material	Stainless Steel
Color	Stainless
Size	Small
Item Dimensions (LxWxH)	1.4 x 0.6 x 0.3 inches
Item Weight	0.211 ounces (0.01 Kilograms)
Lock Type	Wire Lock
UPC	795871633746, 094664032309
Country of Origin	China

WARRANTY AND SUPPORT

All Nite Ize products purchased from authorized resellers are backed by our [Worry-Free Guarantee](#). For detailed warranty information or product support, please visit the official Nite Ize website or contact their customer service.



Image: The Nite Ize 'Worry-Free Guarantee' logo, indicating product assurance.