

[Manuals.plus](#) /

> [Americh](#) /

> Americh DN6636T-WH Destin 6636 Freestanding Bathtub User Manual

Americh DN6636T-WH

Americh DN6636T-WH Destin 6636 Freestanding Bathtub User Manual

Model: DN6636T-WH | Brand: Americh

1. SAFETY INFORMATION

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in injury or property damage.

- Ensure all local plumbing and electrical codes are met during installation.
- Installation should be performed by a qualified professional.
- Do not use abrasive cleaners or tools that could damage the acrylic surface.
- Always test water temperature before entering the bathtub to prevent scalding.
- Keep children supervised when near the bathtub.

2. PACKAGE CONTENTS

Verify that all components are present and undamaged upon receipt.

- Americh DN6636T-WH Destin 6636 Bathtub (Tub Only)
- Integral Waste and Overflow with Polished Chrome Trim
- Installation Guide (this document)

3. SETUP AND INSTALLATION

The Americh Destin 6636 is designed for freestanding installation. Proper preparation and professional installation are crucial for optimal performance and longevity.



Figure 1: Americh Destin 6636 Bathtub Overview. This image displays the Americh Destin 6636 bathtub from a frontal perspective. The tub is white, featuring a clean, rectangular design with a polished chrome drain visible in the center of the tub's base. The exterior walls of the tub angle slightly inwards towards the bottom, suitable for freestanding placement.

3.1 Pre-Installation Checklist

- Verify the installation area dimensions match the bathtub specifications (66 x 36 x 22 inches).
- Ensure the floor is level and capable of supporting the weight of the tub filled with water, plus occupants (Item Weight: 326 pounds).
- Confirm access for plumbing connections (water supply and drain) in the intended location.
- Inspect the bathtub for any shipping damage before installation.

3.2 Installation Steps

1. Carefully position the bathtub in its desired freestanding location.
2. The tub is self-leveled, but verify stability and levelness using a spirit level. Adjust if necessary to ensure proper drainage.
3. Connect the integral waste and overflow system to the household drainage. Ensure all connections are watertight. The waste and overflow come with polished chrome trim.
4. Connect the hot and cold water supply lines to the faucet (faucet not included).
5. Fill the tub with water and inspect for any leaks around the drain and overflow connections.
6. Once plumbing connections are verified, the tub is ready for use.

4. OPERATING INSTRUCTIONS

Using your Americh Destin 6636 bathtub is straightforward.

- **Filling the Tub:** Ensure the drain stopper is closed. Turn on the faucet to fill the tub to your desired level. Always check water temperature before entering.
- **Draining the Tub:** To drain the tub, open the integral waste and overflow drain stopper. The polished chrome trim is part of this system.
- **Arm Rests:** The tub features four integral arm rests for comfort.

5. MAINTENANCE AND CLEANING

Regular cleaning will preserve the glossy finish and extend the life of your Americh bathtub, which is made from durable acrylic material.

- **Daily Cleaning:** Wipe down the tub with a soft cloth or sponge and a mild, non-abrasive cleaner after each use to prevent soap scum buildup.
- **Deep Cleaning:** For more thorough cleaning, use cleaners specifically designed for acrylic surfaces. Avoid abrasive powders, scouring pads, or harsh chemicals (e.g., acetone, paint thinner, strong acids/bases) as these can damage the finish.

- **Stain Removal:** For stubborn stains, a paste of baking soda and water can be gently applied and rinsed.
- **Preventing Scratches:** Do not place sharp or heavy objects directly on the tub surface. The textured tub floor provides some slip resistance but is not scratch-proof.
- **Polished Chrome Trim:** Clean the polished chrome waste and overflow trim with a soft cloth and a non-abrasive cleaner suitable for chrome.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your bathtub.

Problem	Possible Cause	Solution
Slow Draining	Hair or debris in drain; partially closed stopper.	Remove and clean the drain stopper. Use a drain snake if necessary. Avoid harsh chemical drain cleaners on acrylic.
Water Leaks Around Drain/Overflow	Loose connections; damaged gasket.	Tighten connections. Inspect and replace gaskets if damaged. Consult a plumber if issue persists.
Surface Scratches	Abrasive cleaning; sharp objects.	Use only non-abrasive cleaners and soft cloths. Minor scratches on acrylic may be buffed out with a specialized acrylic repair kit.
Dull Finish	Residue buildup; improper cleaning agents.	Ensure thorough rinsing after cleaning. Use acrylic-specific polish to restore shine.

7. SPECIFICATIONS

Feature	Detail
Model Number	DN6636T-WH
Brand	Americh
Type	Freestanding Bathtub (Tub Only)
Color	White
Material	Acrylic
Finish Type	Polished
Product Dimensions (L x W x H)	66 x 36 x 22 inches
Item Weight	326 pounds
Installation Type	Freestanding
UPC	739055524314
Certifications	UL and CUL standards compliant

Feature	Detail
Special Features	Integral arm-rests, Textured tub floor, Self-leveled bathtub, Superior heat retention

8. WARRANTY AND SUPPORT

Americh products are manufactured to high-quality standards. For specific warranty details, please refer to the warranty card included with your purchase or visit the official Americh website. For technical support, parts, or service inquiries, please contact Americh customer service directly.

Contact information can typically be found on the Americh website or on your purchase documentation.