

Comforday HG2903

Comforday Multi-Purpose Handheld Steam Cleaner

Model: HG2903

INTRODUCTION

Thank you for choosing the Comforday Multi-Purpose Handheld Steam Cleaner. This manual provides essential information for the safe and effective operation, maintenance, and troubleshooting of your steam cleaner. Please read all instructions carefully before use and retain this manual for future reference.

This powerful 1050W steam cleaner is designed for chemical-free cleaning and sanitizing various surfaces, utilizing high-pressure steam to cut through grease, mold, grout, and stains.

IMPORTANT SAFETY INSTRUCTIONS

WARNING: To reduce the risk of fire, electric shock, or injury, always follow basic safety precautions when using an electrical appliance.

- Read all instructions before using the appliance.
- Do not immerse the appliance in water or other liquids.
- Do not leave the appliance unattended when plugged in. Unplug from outlet when not in use and before servicing.
- Do not operate any appliance with a damaged cord or plug, or after the appliance malfunctions or has been damaged in any manner.
- Use only as described in this manual. Use only manufacturer's recommended attachments.
- Do not direct steam at people, animals, or electrical appliances. Steam is hot and can cause burns.
- Always ensure the safety cap is securely fastened before operating. Do not attempt to open the safety cap while the unit is pressurized or hot.
- Allow the unit to cool completely before refilling the water tank.
- Keep children and pets away from the appliance during operation.

PRODUCT OVERVIEW

Familiarize yourself with the components of your Comforday Multi-Purpose Handheld Steam Cleaner.



Image: Labeled diagram of the Comforday steam cleaner showing the steam button with safety lock, safety cap, short spray nozzle, and indicator light.

- **Steam Button with Safety Lock:** Controls steam release and prevents accidental activation.
- **Safety Cap:** Pressure-release cap for the water tank.
- **Short Spray Nozzle:** Basic attachment for general steam application.
- **Indicator Light:** Illuminates when heating and turns off when ready for use.

PACKAGE CONTENTS

Your Comforday Multi-Purpose Handheld Steam Cleaner package includes the following items:

- Comforday Handheld Steam Cleaner Unit
- Short Spray Nozzle
- Extended Connecting Spray

- Measuring Cup
- Long Spray Nozzle
- Funnel
- Spray Cup with Round Brush
- Bent Spray Cup
- Window/Door Cleaning Tool

SETUP INSTRUCTIONS

Follow these steps to prepare your steam cleaner for use:

1. **Open the Safety Cap:** Place the steam cleaner on a hard, stable surface. Apply continuous downward pressure to the top cap while turning it counter-clockwise until it opens.
2. **Fill Water Tank:** Use the provided funnel and measuring cup to fill the tank with clean water **Do not overfill. Fill with no more than 250ml of water.**
3. **Secure Safety Cap:** Apply continuous downward pressure to the cap while turning it clockwise until it is fastened completely and securely.
4. **Attach Accessory:** Select the appropriate spray head or accessory for your cleaning task and securely attach it to the nozzle.
5. **Connect Power:** Plug the unit into a standard electrical outlet. The indicator light will illuminate, signaling that the unit is heating.

Step 1:
Turn the cap
anticlockwise
until it is open.



Step 2:
Fill with no more than 250 of
water (Add a proper amount
of water to the container and
screw back the safety valve)



Step 3:
Replace the appropriate
spray head according to the
cleaning needs.



Step 4:
Connect the power
(Turn on the power, the red light is on.)



Step 5:
After the red light is off, the steam valve can be
pushed and the high temperature steam is
sprayed for cleaning.



Image: Visual guide demonstrating the five setup steps: opening the cap, filling the water tank, attaching an accessory, plugging in the unit, and the steam ready state.

OPERATING INSTRUCTIONS

Once the unit is set up and heated, follow these steps for effective cleaning:

1. **Wait for Heating:** The indicator light will turn off once the steam cleaner has reached its operating temperature and is ready to produce steam. This typically takes a few minutes.
2. **Unlock Steam Button:** Slide the safety lock on the steam button forward to unlock it.
3. **Apply Steam:** Press down on the steam button to release steam. Keep the steam nozzle tip within 2 inches (approximately 5 cm) from the object you are cleaning for maximum temperature and pressure.
4. **Cleaning Technique:** Move the nozzle slowly over the surface to allow the steam to penetrate and loosen dirt. For stubborn stains, hold the nozzle over the area for a few seconds.
5. **Safety Lock:** Release the steam button and slide the safety lock back to the locked position when not actively

steaming to prevent accidental discharge.




Image: A user demonstrating the steam cleaner in action, cleaning a sofa cushion with the attached nozzle.

Intended Use Areas

The Comforday Multi-Purpose Handheld Steam Cleaner is suitable for a wide range of surfaces:

- **Hard Surfaces:** Sealed ceramic, vinyl, laminate, granite, marble, sinks, stoves, countertops, refrigerators, furniture, floors, windows, bathroom tiles, shower curtains, litter boxes, car seats, and barbecues.
- **Soft Surfaces:** Beds, mattresses, linen, duvet covers, couch fabric. Can also gently remove wrinkles from shirts, pants, suits, dresses, and delicate fabrics.

The Office



The Kitchen



Living Room



Bathroom



Image: A visual representation of the steam cleaner's versatility, showing its application in different household and office settings.



Image: A demonstration of the cleaning effectiveness, displaying a "Before" image of a soiled stovetop and an "After" image of the same stovetop cleaned and shining.

MAINTENANCE

Proper maintenance ensures the longevity and optimal performance of your steam cleaner:

- **Empty Water Tank:** After each use, unplug the unit and allow it to cool completely. Carefully open the safety cap and empty any remaining water from the tank.
- **Clean Accessories:** Wash detachable accessories with warm, soapy water and rinse thoroughly. Allow them to air dry completely before storing.
- **Wipe Down Unit:** Wipe the exterior of the steam cleaner with a damp cloth. Do not use abrasive cleaners or solvents.
- **Descaling (if necessary):** If you notice reduced steam output or mineral buildup, you may need to descale the unit. Consult the manufacturer's website or support for specific descaling instructions.
- **Storage:** Store the steam cleaner and its accessories in a cool, dry place, away from direct sunlight and out of reach.

of children.

TROUBLESHOOTING

If you encounter issues with your Comforday Multi-Purpose Handheld Steam Cleaner, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
No steam or low steam output.	Water tank is empty or low. Unit not heated sufficiently. Mineral buildup (scaling).	Refill water tank (ensure not to overfill). Allow more time for the unit to heat until the indicator light turns off. Perform descaling procedure (refer to maintenance section or manufacturer support).
Water leaking from unit.	Safety cap not securely fastened. Water tank overfilled. Damaged seal or component.	Ensure safety cap is tightened completely. Do not fill past the maximum water level. Discontinue use and contact customer support.
Indicator light not turning on.	Unit not plugged in. Power outlet malfunction. Internal electrical issue.	Ensure power cord is securely plugged into a working outlet. Test the outlet with another appliance. Contact customer support.

If the problem persists after attempting these solutions, please contact Comforday customer support for further assistance.

SPECIFICATIONS

Technical specifications for the Comforday Multi-Purpose Handheld Steam Cleaner:

Product parameters

Power supply	AC110-120V,50/60 Hz, 900-1050W
Injection pressure	2.8-3.2bar
Injection volume	22-40g/min
Temperature switch	275F
Thermal fuse	336F
size	11.3*3.5*8.9inch



Image: A visual representation of the product's technical specifications and physical dimensions.

Feature	Detail
Brand	Comforday
Model Number	HG2903
Power Source	AC/DC
Wattage	1050 watts
Injection Pressure	2.8-3.2 bar (approx. 0.28-0.32 Mpa)
Injection Volume	22-40g/min
Temperature Switch	275°F (135°C)
Thermal Fuse	336°F (169°C)

Feature	Detail
Tank Volume	350 Milliliters (Recommended fill: max 250ml)
Item Weight	3.3 Pounds (approx. 1.5 kg)
Dimensions (L x W x H)	11.3 x 3.5 x 8.9 inches (approx. 28.7 x 8.9 x 22.6 cm)
Color	Yellow
Form Factor	Handheld

WARRANTY AND SUPPORT

Comforday products are manufactured to high-quality standards. For information regarding warranty coverage, technical support, or replacement parts, please refer to the warranty card included with your purchase or visit the official Comforday website. Please have your model number (HG2903) and purchase date available when contacting support.

© 2023 Comforday. All rights reserved.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question