Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

TRESKO BH-005

TRESKO BH-005 Bar Stool Set User Manual

Model: BH-005

Introduction

Welcome to your new TRESKO Bar Stool Set. This manual provides essential information for the assembly, operation, and maintenance of your bar stools to ensure safe and proper use. Please read this manual thoroughly before assembly and retain it for future reference.

Safety Information

WARNING: Do not exceed the weight limit of 300 lbs (136 kg). Keep the stool away from liquids to prevent slipping. Always ensure the stool is stable and balanced before sitting down.

- Ensure all screws and connections are securely tightened before each use.
- Do not stand on the bar stool.
- Avoid sudden movements or leaning excessively while seated.
- Keep children away from the assembly area and do not allow them to play with the stool.
- Place the stool on a flat, stable surface to prevent tipping.

Package Contents

Verify that all components are present and undamaged before beginning assembly. If any parts are missing or damaged, please contact customer service.

- Seat with Backrest (2 units)
- Gas Lift Cylinder (2 units)
- Base Plate (2 units)
- Footrest Ring (2 units)
- Assembly Hardware (screws, washers, Allen key)



Image: Two fully assembled TRESKO BH-005 bar stools, illustrating the main components.

Assembly Instructions

Follow these steps carefully for proper assembly. It is recommended to assemble the stools on a soft, clean surface to prevent scratches.

1. **Unpack Components:** Carefully remove all parts from the packaging and lay them out. Check against the package contents list.
2. **Attach Gas Lift to Base:** Insert the wider end of the gas lift cylinder into the center hole of the base plate. Ensure it is seated firmly.
3. **Attach Footrest Ring:** Slide the footrest ring over the gas lift cylinder.
4. **Attach Seat to Gas Lift:** Place the seat assembly onto the top (narrower) end of the gas lift cylinder. The seat mechanism should fit securely over the gas lift.
5. **Secure Connections:** Ensure all connections are tight. Some models may require securing the seat to the gas lift mechanism with screws (check your specific hardware).



Image: A diagram illustrating key dimensions of the bar stool, useful for understanding component fit during assembly.

Operating Instructions

Height Adjustment

To adjust the seat height, locate the lever positioned under the seat. While seated, pull the lever upwards to lower the seat. To raise the seat, stand up slightly to relieve weight from the seat, then pull the lever upwards. Release the lever at the desired height.

Swivel Function

The seat is designed to rotate 360 degrees freely. This allows for easy movement and access without needing to reposition the entire stool.

Footrest

Utilize the chrome ring located on the gas lift cylinder as a comfortable footrest. This feature enhances comfort

and stability while seated.

Maintenance

Cleaning

- **Leatherette Seat:** Wipe the seat surface with a soft, damp cloth. For stubborn stains, use a mild soap solution and immediately wipe dry. Avoid abrasive cleaners or solvents.
- **Chrome Parts:** Clean chrome surfaces with a soft cloth and a non-abrasive chrome cleaner. Polish gently to maintain shine.

Regular Checks

Periodically inspect all screws, bolts, and connections to ensure they remain tight. Re-tighten if necessary to maintain stability and safety.



Image: Detailed view of the quilted leatherette upholstery, highlighting the material to be maintained.

Troubleshooting

- **Stool feels unstable:** Ensure the stool is placed on a flat, even surface. Check all assembly connections and tighten any loose screws.
- **Height adjustment not working:** Verify that the gas lift lever is fully engaged. Ensure there are no obstructions preventing the gas lift from moving freely. If the gas lift is faulty, it may need replacement.
- **Squeaking noises:** Check all bolted connections and tighten them. A small amount of silicone lubricant can

be applied to moving parts, avoiding contact with the seat material.

SPECIFICATIONS

Brand	TRESKO
Model Number	BH-005
Material	Faux Leather (Seat), Metal (Frame), Chrome (Base/Footrest)
Color	Grey
Overall Height	87-107 cm (34.25-42.13 inches)
Seat Height Range	60-80 cm (23.6-31.5 inches)
Seat Width	48 cm (18.9 inches)
Seat Depth	36 cm (14.2 inches)
Backrest Height	26 cm (10.2 inches)
Base Plate Diameter	38.5 cm (15.2 inches)
Item Weight	7 kg (15.4 lbs) per stool
Weight Capacity	300 lbs (136 kg)
Swivel	360 degrees



Image: Close-up of the stool's base plate, showing its diameter.

Warranty and Support

For specific warranty information, please refer to the documentation provided with your purchase or contact TRESKO customer service directly. Keep your purchase receipt as proof of purchase for any warranty claims or support inquiries.

For further assistance or questions regarding your TRESKO BH-005 Bar Stool Set, please visit the official TRESKO website or contact their customer support.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B00THJIHIM

More documents and user manuals: **https://manuals.plus/**