

Goobay 67999

Goobay 67999 USB-C to USB A 3.0 Cable User Manual

Model: 67999 | Length: 0.5 meter

1. INTRODUCTION

1.1 Product Overview

The Goobay 67999 USB-C to USB A 3.0 Cable is designed for high-speed data transfer and efficient charging. This 0.5-meter black cable features a USB-C male connector on one end and a USB A 3.0 male connector on the other, enabling versatile connectivity between modern USB-C devices and traditional USB-A ports.

Key features include:

- For superfast synching and charging at up to 4.5 W.
- USB-C connector can be used on both ends (reversible).
- SuperSpeed data transmissions up to 5 Gbit/s – 10x faster than USB 2.0.
- Backwards compatibility to USB 2.0 and 1.1.



Image: The Goobay 67999 USB-C to USB A 3.0 Cable, showing the USB-A 3.0 connector on the left and the reversible USB-C connector

on the right.



Image: Diagram highlighting key features: USB-C compatibility, Quick Charge support, 5 Gbit/s data transfer, and 0.5 meter length.

1.2 What's in the Box

The package contains the following items:

- 1 x Goobay USB-C / A charging cable (0.5 meter)

2. SETUP

Setting up your Goobay USB-C to USB A 3.0 cable is straightforward. Follow these steps to connect your devices:

1. Identify the USB-C port on your device (e.g., smartphone, tablet, laptop). The USB-C connector is reversible, meaning it can be inserted in either orientation.
2. Identify a compatible USB-A 3.0 port on your host device (e.g., computer, wall charger, power bank). USB-A 3.0 ports are typically blue inside, but the cable is also backwards compatible with USB-A 2.0 and 1.1 ports.
3. Gently insert the USB-C end of the cable into the USB-C port of your device until it clicks into place.
4. Insert the USB-A 3.0 end of the cable into the USB-A port of your host device.

5. Ensure both connections are secure.

SuperSpeed USB-C™ auf USB 3.0

Mit bis zu 15W laden und Daten 10x schneller als mit USB 2.0 übertragen.

USB-A 3.0
Anschluss

USB-C™
Stecker

goobay®



Image: A detailed diagram showing the USB-C connector and the USB-A 3.0 connector, illustrating their distinct shapes and pin configurations.

3. OPERATING INSTRUCTIONS

Once connected, the Goobay USB-C to USB A 3.0 cable facilitates both data transfer and power delivery.

3.1 Data Transfer

For data transfer, ensure both connected devices support data communication via USB. The cable supports SuperSpeed data transmissions up to 5 Gbit/s, allowing for rapid transfer of large files such as photos, videos, and documents between compatible devices.

- Connect your USB-C device (e.g., smartphone) to a computer's USB-A 3.0 port.

- Your computer should recognize the connected device. Follow on-screen prompts on your computer and device to allow data access.
- You can then drag and drop files between your devices or use file management software.

3.2 Charging

The cable supports charging at up to 15W, making it suitable for charging smartphones, tablets, and other USB-C powered devices when connected to a compatible USB-A power source (e.g., wall adapter, power bank, computer USB port).

- Connect your USB-C device to a USB-A power adapter or a powered USB-A port.
- The device should begin charging automatically.
- Charging speed may vary depending on the power source and the device's charging capabilities.

Keine Zeit? Kein Problem.

Du musst gleich los und dein Akku ist leer? Dank 15W tankt dein Smartphone blitzschnell neue Energie.



Image: A smartphone connected to a power source via a USB-C cable, illustrating the charging process with a battery percentage display.

Multikompatibel Smartphone, Tablet & Co.

Lade alle deine USB-C™-Geräte mit
mit dem goobay Kabel.



Image: Various electronic devices such as smartphones and tablets, indicating the cable's multi-compatibility for charging and data transfer.

4. MAINTENANCE

To ensure the longevity and optimal performance of your Goobay USB-C to USB A 3.0 cable, follow these maintenance guidelines:

- **Storage:** Store the cable in a cool, dry place away from direct sunlight and extreme temperatures. Avoid tightly coiling or bending the cable, especially near the connectors, to prevent internal wire damage.
- **Cleaning:** If the cable or connectors become dirty, gently wipe them with a soft, dry, lint-free cloth. Do not use harsh chemicals, abrasive cleaners, or excessive moisture.
- **Handling:** Always grasp the connector housing when plugging or unplugging the cable. Avoid pulling directly on the cable itself, as this can strain the connections and lead to damage.
- **Inspection:** Periodically inspect the cable for any signs of wear, such as frayed insulation, exposed wires, or bent/damaged connectors. If any damage is observed, discontinue use and replace the cable.

5. TROUBLESHOOTING

If you encounter issues with your Goobay USB-C to USB A 3.0 cable, consider the following troubleshooting steps:

- **Cable Not Recognized / No Data Transfer:**
 - Ensure both ends of the cable are fully and securely inserted into their respective ports.
 - Try connecting the cable to different USB-C and USB-A ports on your devices.
 - Test the cable with different compatible devices to determine if the issue is with the cable or the devices.
 - Restart the connected devices (computer, smartphone).
 - Check device drivers on your computer if applicable.
- **Slow Charging / Not Charging:**
 - Verify that the power adapter or USB port you are using provides sufficient power for your device. Some devices require higher wattage chargers.
 - Ensure the cable is connected directly to the power source and not through an unpowered USB hub.
 - Clean the ports on your devices and the cable connectors from any dust or debris.
 - Try a different power adapter or USB port.
- **Physical Damage:**
 - Inspect the cable and connectors for any visible damage (bends, breaks, corrosion). A damaged cable should not be used.

6. SPECIFICATIONS

Technical specifications for the Goobay 67999 USB-C to USB A 3.0 Cable:

Feature	Detail
Model Name	USB 3.1 SuperSpeed+ Kabel USB C (67999)
Brand	Goobay
Connector Type	USB Type C (Male) to USB Type A 3.0 (Male)
Cable Type	USB
Length	0.5 meter
Color	Black
Data Transfer Rate	Up to 5 Gbit/s (SuperSpeed)
Charging Power	Up to 15W (Max)
Backwards Compatibility	USB 2.0 and 1.1
Item Weight	9.07 g (0.32 ounces)
Manufacturer	Goobay
Date First Available	February 18, 2015

Alle technischen Daten auf einen Blick

Anschluss 1

USB-C™

Anschluss 2

USB-A 3.0

Übertragung

5 Gbit/s

Leistung

max. 15W

kompatibel mit

iPhone, Samsung, Huawei, LG ...



gobay®

Image: An overview of the cable's technical specifications, including connector types, data transfer rate, power output, and compatible devices.




Image: A technical drawing of the Goobay USB-C to USB A 3.0 cable, showing detailed dimensions and internal wiring diagrams.

7. WARRANTY INFORMATION

Goobay products are manufactured with quality and reliability in mind. For specific warranty terms and conditions, please refer to the documentation provided with your purchase or visit the official Goobay website. Typically, warranty covers defects in materials and workmanship under normal use.

8. SUPPORT




For further assistance, technical support, or inquiries regarding your Goobay 67999 USB-C to USB A 3.0 Cable, please contact Goobay customer service. Contact information can usually be found on the product packaging or the official Goobay website.

Official Goobay Website: www.goobay.de

© 2023 Goobay. All rights reserved.

This manual is for informational purposes only. Specifications are subject to change without notice.

Related Documents

	Goobay Hub USB Slim: Espandi la Connettività del Tuo Dispositivo Scopri la gamma di hub USB Slim Goobay con velocità SuperSpeed fino a 10 Gbit/s, alloggiamento in alluminio e diverse combinazioni di porte USB-C e USB-A per tutte le tue esigenze.
	goobay USB 2.0 Hi-Speed Cable with USB Certificate - Technical Specifications Detailed technical specifications for the goobay USB 2.0 Hi-Speed Cable, featuring USB certification, 480 Mbit/s data transfer rates, and copper conductors. Available in lengths 2000mm, 3000mm, and 5000mm.
	Goobay USB-C Silicone Cable: Pastel Meets Power Discover the Goobay USB-C Silicone Cable, a stylish and durable charging and data transfer cable. Available in pastel colors, it offers fast charging up to 60W, 480 Mbit/s data transfer, and a soft, tangle-free silicone design with bend protection. Compatible with a wide range of devices including smartphones, tablets, laptops, and game consoles.
	Goobay USB-C Silicone Cables: Stylish, Durable, and Fast Charging Discover the Goobay USB-C Supersoft Silicone Cables. Available in 6 pastel colors, these 1.5m cables offer fast charging up to 60W, robust bend protection, and a tangle-free design. Perfect for smartphones, tablets, laptops, and more.

Documents - Goobay – 67999

NOTEBOOK & PC - USB - USB-C & 3.5 Gbit/s

Clicktronic Casual

USB-CTM adapter cable

SuperSpeed adapter with USB-CTM connector to USB Type-A connector

- compatible with many mass storage devices and peripherals, such as hard disks or mobile
- SuperSpeed data transmission up to 5 Gbit/s - 10 times faster than USB 2.0
- For rapid data synchronization and charging of up to 4.5W
- USB-CTM connector can be used on both sides
- 24K gold-plated contacts for minimum transmission resistance

0.50 m 48129 incl. tax

1.00 m 48129 incl. tax

2.00 m 48129 incl. tax

3.00 m 48129 incl. tax

Clicktronic Casual

USB-CTM adapter cable

SuperSpeed adapter with USB-CTM connector to USB Type-A connector

- compatible with many mass storage devices and peripherals, such as hard disks or mobile
- SuperSpeed data transmission up to 5 Gbit/s - 10 times faster than USB 2.0
- For rapid data synchronization and charging of up to 4.5W
- USB-CTM connector can be used on both sides
- 24K gold-plated contacts for minimum transmission resistance

0.50 m 48127 incl. tax

1.00 m 48128 incl. tax

2.00 m 48128 incl. tax

3.00 m 48128 incl. tax

Goobay

USB-CTM to USB A 3.0 cable, black

USB 3.0 male type A to USB-CTM male

- For rapid data syncing and charging of up to 4.5W
- USB-CTM connector can be used on both sides
- SuperSpeed data transmission up to 5 Gbit/s - 10x faster than USB 2.0
- Backwards compatibility to USB 2.0 and 1.1

0.50 m 67999 incl. tax

1.00 m 67999 incl. tax

2.00 m 71221 incl. tax

Goobay

USB-CTM to USB A 3.0 cable, white

USB 3.0 male type A to USB-CTM male

- For rapid data syncing and charging of up to 4.5W
- USB-CTM connector can be used on both sides
- SuperSpeed data transmission up to 5 Gbit/s - 10x faster than USB 2.0
- Backwards compatibility to USB 2.0 and 1.1

0.20 m 67189 incl. tax


0.50 m 67189 incl. tax

1.00 m 67188 incl. tax

Prices only for info and comparison purposes only. Illustrations and packaging design are not guaranteed.

[pdf]

EN 71221 Goobay Bürklin Elektronik 67188 buerklin medias sys master root h31 hd7 9378700197918 ||| 296 NOTEBOOK PC USB USB-CTM 3.1 GEN.1 Clicktronic Casual USB-CTM adapter cable SuperSpeed adap ... 5 Gbit/s 10x faster than USB 2.0 backwards compatability to USB 2.0 and 1.1 0.50 m 1.00 m 2.00 m **67999** Bulk 67890 Bulk 71221 Bulk 0.20 m 0.50 m 1.00 m 67189 Bulk 67185 Bulk 67188 Bulk Please ref... lang:en score:22 filesize: 105.26 K page_count: 1 document date: 2021-01-26




[\[pdf\]](#) Datasheet

67999fffff Produkt Datenblatt Product Data Sheet DA Goobay USB C Stecker 67999 3 0 A 5m sw asset
re in de add 160267 c1 en 001314361DS01 |||

3.80.2 PIN-Belegung USB 3.1 SuperSpeed Kabel USB 3.1 SuperSpeed cable Nr. /
No. Lnge / Length m **67999** 0.50 67890 1.00 67891 1.80 67892 3.00 67893 5.00

Anschlsse: USB 3.1 Typ C-Stecker Connectors: USB 3.1 Type C plug USB 3.0 A-
Stecker USB 3.0 A plug Material: Isolation: ...

lang:de **score:18** filesize: 190.6 K page_count: 1 document date: 2015-01-30



[\[pdf\]](#) Datasheet

67999 Produkt Datenblatt Product Data Sheet Goobay USB 3 1 C A 0 0050 SCHWARZ 0 5m

SuperSpeed cable ™ connector Type Industry Electronics 761296 industry electronics disclaimer url |||

3.80.2 PIN-Belegung USB 3.1 SuperSpeed Kabel USB 3.1 SuperSpeed cable Nr. /
No. Lnge / Length m **67999** 0.50 67890 1.00 67891 1.80 67892 3.00 67893 5.00

Anschlsse: USB 3.1 Typ C-Stecker Connectors: USB 3.1 Type C plug USB 3.0 A-
Stecker USB 3.0 A plug Material: Isolation: ...

lang:de **score:18** filesize: 178.14 K page_count: 1 document date: 2015-11-04


[pdf]

USB CTM fast simple universal Kabel skUSB 2 cable C™ to micro B black male type for synching and charging with up 5 W Stecker USB Ckabel sk files Katalogy C srsltid AfrmBOookujYY1 zNAnQ84i5pyIU0fMfhOVHojzxid6IA9r9UQwYan6s7 Stecker Goobay DVI adapter white I female Dual Link 24 pin connection between devices mirrors signals from USB USB CUSB zNAnQ84i5pyIU0fMfhOVHojzxid6IA9r9UQwYan6s7kabel AfrmBOorjjlex61Sb V IHAKLSIJALjxZ4ZaAvJsZ7Wc7zrV9rZflubL1 USB It was developed by the Implementers Forum IF a group of leading electronics companies such as Apple Intel Dell Belkin Multiport USB IHAKLSIJALjxZ4ZaAvJsZ7Wc7zrV9rZflubL1kabel AfrmBOopvajbr223hZdqggAPRsonCCs h893kx W1VZjHZ0gLn51jY3cZ Multiport These are small flat connectors that torsion proof designed 10 000 mating cycles A is not Thunderbolt™ 3 3 USB W1VZjHZ0gLn51jY3cZkabel AfrmBOopf8sk3lCp9BSDypiWSVDqDbyNw3KYHOMMecCdEtrTQoBqwCaJ 3 It can be plugged in on both sides twist which why it always works no matter how you align when plugging one USB AfrmBOopf8sk3lCp9BSDypiWSVDqDbyNw3KYHOMMecCdEtrTQoBqwCaJkabel AfrmBOoqX wGYrCmRux36DqjX9YTxf Q2ffSkYyqW G4Wh 0vWul1ifs ||| ||| USB-CTM fast, simple, universal Content USB-CTM One for all 3 Why USB-CTM 4 In a nutshell: USB-CTM vs. USB 3.1 5 At a glance: Thunderbolt™ 3 USB-CTM 5 Overview Active adapters 6 Overview Passive adapters 8 Overview Passive cables 8 Overvie ||| USB-CTM fast, simple, universal Content USB-CTM One for all 3 Why USB-CTM 4 In a nutshell: USB-CTM vs. USB 3.1 5 At a glance: Thunderbolt™ 3 USB-CTM 5 Overview Active adapters 6 Overview Passive adapters 8 Overview Passive cables 8 Overvie ||| USB-CTM fast, simple, universal Content USB-CTM One for all 3 Why USB-CTM 4 In a nutshell: USB-CTM vs. USB 3.1 5 At a glance: Thunderbolt™ 3 USB-CTM 5 Overview Active adapters 6 Overview Passive adapters 8 Overview Passive cables 8 Overvie ||| USB-CTM fast, simple, universal Content USB-CTM One for all 3 Why USB-CTM 4 In a nutshell: USB-CTM vs. USB 3.1 5 At a glance: Thunderbolt™ 3 USB-CTM 5 Overview Active adapters 6 Overview Passive adapters 8 Overview Passive cables 8 Overvie ||| USB-CTM fast, simple, universal Content USB-CTM One for all 3 Why USB-CTM 4 In a nutshell: ... ar. Changes and errors excepted. Other products on request. OVERVIEW PASSIVE CABLES 9 No. 45247 **67999** 67890 66506 71221 73141 67189 67185 67188 67975 67976 66507 66508 66509 67193 67194 71892 6798... lang:en score:15 filesize: 1.4 M page_count: 17 document date: 2020-04-17



[pdf] Datasheet

67189Ffff Produkt Datenblatt Product Data Sheet DE 67185 Goobay Bürklin Elektronik TDS GOOBAY goobay EN 1585813808823 buerklin medias sys master root h4b h7c 9378529837086 ||| 3.80.2 02.06.2016 jr USB 3.1 SuperSpeed Kabel USB 3.1 SuperSpeed cable Nr. / No. Lnge / length 67189 0,2 m **67999** 0,5 m 67185 0,5 m 67890 1,0 m 67188 1,0 m 71221 2,0 m Farbe / color Anschlsse: USB 3.1 Typ C-Stecker Connectors: USB 3.1 Type C plug USB 3.0 A-Stecker USB 3.... lang:de score:15 filesize: 222.11 K page_count: 1 document date: 2016-06-02



USB-C™ – schnell, einfach und universell



[pdf]

USB CTM schnell einfach und universell Wentronic 31 mar 2020 — Wer mehrere Mobilgeräte besitzt benötigt zugleich eine Vielzahl verschiedener Stecker Kabel Adapter Der neue Typ räumt mit diesem Problem C Broschüre DE wentronic content 03 |||

USB-CTM schnell, einfach und universell Inhalt USB-CTM Einer fr alles 3 Warum USB-CTM 4 In ... derungen und Irrtmer vorbehalten. Weitere Produkte auf Anfrage. BERSICHT PASSIVE KABEL Nr. 45247 **67999** 67890 71221 73141 67189 67185 67188 67975 67976 66507 66508 66509 41073 41074 67193 67194 7189...
lang:de score:15 filesize: 1.37 M page_count: 15 document date: 2019-11-14


USB-C™ – fast, simple, universal



[pdf]


USB CTM fast simple universal Wentronic 4 5 Why C™ also known as Type C is the latest connector type It was developed by Implementers Forum IF a group of leading electronics companies such Apple Intel Dell and Belkin wentronic content 2020 04 |||

USB-CTM fast, simple, universal Content USB-CTM One for all 3 Why USB-CTM 4 In a nutshell: ... ar. Changes and errors excepted. Other products on request. OVERVIEW PASSIVE CABLES 9 No. 45247 **67999** 67890 66506 71221 73141 67189 67185 67188 67975 67976 66507 66508 66509 67193 67194 71892 6798...
lang:en score:15 filesize: 1.4 M page_count: 17 document date: 2020-04-17




[pdf] Datasheet Diagram

45247ff Produkt Datenblatt Product Data Sheet Produktdatenblatt GOOBAY USB 3 1 Adapterkabel A C m 723598 D723598 D pollin at media ff 97 1701727190 |||
Art.-Nr. / Item No. Beschreibung / Description Lnge / Length L 45247 USB-C M/A 3.0 0015 SCHWARZ 0.15m 150 mm **67999** USB-C/A 3.0 0050 SCHWARZ 0.5m 500 mm 67890 USB-C/A 3.0 0100 SCHWARZ 1.0m 1000 mm L P1 USB-CTM P2 USB-A
Anschlussdiagramm / Wiring diagram Aderquerschnitt / Wire cross s...
lang:en score:13 filesize: 203.48 K page_count: 1 document date: 2022-10-08



[pdf] Datasheet Diagram

45247ff Produkt Datenblatt Product Data Sheet Produktdatenblatt GOOBAY USB 3 0 Adapterkabel A C 5 m 723597 D723597 D pollin at media c0 52 4e 1701727189 |||
Art.-Nr. / Item No. Beschreibung / Description Lnge / Length L 45247 USB-C M/A 3.0 0015 SCHWARZ 0.15m 150 mm **67999** USB-C/A 3.0 0050 SCHWARZ 0.5m 500 mm 67890 USB-C/A 3.0 0100 SCHWARZ 1.0m 1000 mm L P1 USB-CTM P2 USB-A
Anschlussdiagramm / Wiring diagram Aderquerschnitt / Wire cross s...
lang:en score:12 filesize: 203.48 K page_count: 1 document date: 2022-10-08



[pdf] Datasheet Diagram

45247ff Produkt Datenblatt Product Data Sheet en goobay USB Kabel 45247 0 15 m @ OFFICE Partner n1000213045 datenblatta666442 cdn assets office partner de media 69 c4 4a |||

Art.-Nr. / Item No. Beschreibung / Description Lnge / Length L 45247 USB-C M/A 3.0 0015 SCHWARZ 0.15m 150 mm **67999** USB-C/A 3.0 0050 SCHWARZ 0.5m 500 mm 67890 USB-C/A 3.0 0100 SCHWARZ 1.0m 1000 mm L P1 USB-CTM P2 USB-A

Anschlussdiagramm / Wiring diagram Aderquerschnitt / Wire cross s...

lang:en **score:12** filesize: 2.01 M page_count: 1 document date: 2021-12-09



[pdf]

Lieferprogramm 2019 Wer wir sind Wentronic ist Marktführer als Hersteller und globaler Distributor für Zubehör aus der Welt Consumer Electronic Unser vielfältiges Portfolio starken Eigen marken sowie Katalog wentronic content 2020 06 |||

LIEFERPROGRAMM 2019 TV SAT AUDIO / VIDEO TAB PHONE NOTEBOOK PC NETZWERK LICHT STROM WERKSTATT ... Gbit/s 10-mal schneller als USB 2.0

Abwärtskompatibilität zu USB 2.0 und 1.1 0,50 m 1,00 m 2,00 m **67999** Bulk 67890 Bulk 71221 Bulk 0,20 m 0,50 m 1,00 m 67189 Bulk 67185 Bulk 67188 Bulk Bitte gebe...

lang:de **score:10** filesize: 31.28 M page_count: 652 document date: 2020-03-17



[pdf] Specifications Accessories Label

PRODUCT RANGE 2019 Wentronic Important The inch and centimetre specifications of the wall mounts are approximate for optimum charging current devices with QC 3 0 Standard product range wentronic content 2020 06 Product Range 30 giu — is market leading manufacturer global distributor acces series from world consumer electronics Our diverse portfolio strong Who we private labels as well promising |||

PRODUCT RANGE 2019 TV SAT AUDIO / VIDEO TAB PHONE NOTEBOOK PC NETWORK LIGHTING POWER WORKSHOP ... 5 Gbit/s 10x faster than USB 2.0 backwards compatability to USB 2.0 and 1.1 0.50 m 1.00 m 2.00 m **67999** Bulk 67890 Bulk 71221 Bulk 0.20 m 0.50 m 1.00 m 67189 Bulk 67185 Bulk 67188 Bulk Please ref...

lang:en **score:10** filesize: 34.18 M page_count: 652 document date: 2018-08-13

