

IDEAL 2445

IDEAL 2445 Cross-Cut Deskside Paper Shredder User Manual

Model: 2445

1. INTRODUCTION

The IDEAL 2445 is a high-quality cross-cut deskside paper shredder designed for efficient and secure document destruction in home or office environments. This manual provides essential information for the safe and effective use, maintenance, and troubleshooting of your shredder.

Key features include continuous operation, P-4 security level for cross-cut shredding, and the ability to shred paper, staples, paper clips, and credit cards. Its robust design and German engineering ensure reliable performance.



Figure 1: The IDEAL 2445 Cross-Cut Desktop Paper Shredder. This image shows the overall design of the shredder, featuring its compact and professional appearance suitable for office environments.

2. SAFETY INSTRUCTIONS

Please read all safety instructions before operating the shredder to prevent injury or damage to the unit.

- Keep hands, loose clothing, hair, and jewelry away from the feed opening.
- Do not insert more than the recommended number of sheets (11-13 sheets) at one time.
- Keep children and pets away from the shredder.
- Unplug the shredder when not in use or before cleaning, moving, or emptying the waste bin.
- Do not spray aerosols or flammable products into or around the shredder.
- Do not shred adhesive labels, continuous forms, or plastic film.
- Ensure the shredder is placed on a stable, level surface.
- The patented, electronically-controlled, transparent safety shield in the feed opening is designed to protect fingers and hands. Do not bypass or tamper with this safety feature.

3. SETUP

1. **Unpacking:** Carefully remove the shredder from its packaging. Retain packaging for future transport or storage.
2. **Placement:** Position the shredder on a flat, stable surface. The unit is equipped with casters for easy mobility. Ensure adequate space around the unit for ventilation.
3. **Waste Bin:** Ensure the 9-gallon waste bin is correctly inserted into the cabinet. The shredder will not operate if the bin is not properly seated.
4. **Power Connection:** Plug the power cord into a standard electrical outlet.

**Haute qualité
dans les moindres
détails**



Figure 2: Approximate dimensions of the IDEAL 2445 shredder. The unit measures approximately 40 cm (15.7 inches) in width and 64 cm (25.2 inches) in height, indicating its compact deskside design.

4. OPERATING INSTRUCTIONS

The IDEAL 2445 shredder features a user-friendly control panel for easy operation.


1. **Power On:** Locate the main power switch, typically on the control panel. Press the power button to turn on the shredder. The indicator light will illuminate.
2. **Feeding Documents:** Insert paper into the feed opening. The shredder will automatically detect the paper and begin shredding. Do not exceed the maximum capacity of 11-13 sheets of paper at a time.
3. **Shredding Other Materials:** The shredder can also process staples, small paper clips, and credit cards. Insert these items into the feed opening one at a time.
4. **Continuous Operation:** The IDEAL 2445 is designed for continuous operation, minimizing downtime during shredding tasks.
5. **Jam Prevention:** The shredder features manual reverse and automatic reverse functions. If an overfeed occurs, the shredder will automatically stop and reverse to clear the jam. You can also manually activate the reverse function if needed.

6. **Bin Full Sensor:** The shredder will automatically stop when the waste bin is full, indicated by a specific light on the control panel.
7. **Power Off:** After use, press the power button to turn off the shredder. For extended periods of non-use, unplug the unit from the power outlet.



Figure 3: The IDEAL 2445 shredder actively processing documents. This illustrates the paper feed mechanism and the shredding process.

Très performant.
Avec un moteur puissant.



13
feuilles

35 l

Figure 4: Visual representation of the shredder's capacity. The IDEAL 2445 can shred up to 13 sheets of paper at once and has a 35-liter (9-gallon) waste bin capacity.

Une sécurité infaillible. Grâce à un système de sécurité complet.

P-4



Figure 5: The control panel of the IDEAL 2445 shredder. It features a single switch for multiple functions, including power on/off, forward, and reverse ('R') operations, along with status indicators.

Nombreuses fonctions. Un seul interrupteur.



Figure 6: Indication of the P-4 security level for the IDEAL 2445 shredder. This cross-cut security level is compliant with HIPAA and FACTA, ensuring protection against identity theft by shredding documents into small, unreadable particles.

5. MAINTENANCE

Regular maintenance ensures the longevity and optimal performance of your shredder.

- **Emptying the Waste Bin:** When the 'bin full' indicator illuminates, or when the bin is visibly full, slide out the waste bin and empty the shredded material. Reinsert the bin securely.
- **Oiling the Cutting Heads:** To maintain shredding performance and extend the life of the cutting heads, regularly oil the shredder. Apply shredder oil across the paper entry slot while the shredder is running in reverse for a few seconds. Refer to the oil manufacturer's instructions for frequency.
- **Cleaning:** Wipe the exterior of the shredder with a soft, dry cloth. Do not use abrasive cleaners or solvents. Ensure the shredder is unplugged before cleaning.



Figure 7: A hand removing the waste bin from the IDEAL 2445 shredder. This demonstrates the process of emptying the shredded paper from the 9-gallon bin.

6. TROUBLESHOOTING

If you encounter issues with your IDEAL 2445 shredder, refer to the following common problems and solutions:

- **Shredder Does Not Turn On:**

- Ensure the power cord is securely plugged into a working outlet.
- Check if the waste bin is correctly inserted. The shredder has a safety interlock.
- Verify the main power switch is in the 'ON' position.

- **Paper Jam:**

- If the shredder stops and reverses automatically, allow it to clear the jam.
- If the jam persists, use the manual reverse function (often marked 'R' on the control panel) to attempt to clear the paper.
- Reduce the number of sheets fed at one time.

- Unplug the shredder and carefully remove any visible paper from the feed opening.
- **Shredder Stops During Operation (Overheat):**
 - Although designed for continuous operation, prolonged heavy use can cause the motor to overheat. If this occurs, the shredder will automatically shut off.
 - Unplug the unit and allow it to cool down for approximately 30-60 minutes before resuming operation.
- **'Bin Full' Indicator Remains On After Emptying:**
 - Ensure the waste bin is fully and correctly reinserted.
 - Check the bin full sensor for any obstructions or debris.

7. SPECIFICATIONS

Detailed technical specifications for the IDEAL 2445 Cross-Cut Deskside Paper Shredder:

Feature	Specification
Brand	IDEAL
Model Number	24459111
Cut Type	Cross-Cut
Security Level	P-4 (HIPAA and FACTA compliant)
Sheet Capacity	11-13 sheets (80g paper)
Bin Capacity	9 Gallons (35 Liters)
Motor	1/2 HP
Shredding Abilities	Paper, Staples, Paper Clips, Credit Cards
Continuous Operation	Yes
Item Weight	46.2 pounds
Product Dimensions (L x W x H)	11.46 x 15.55 x 25 inches
Material Type	Wood
Manufacturer	MBM

8. WARRANTY INFORMATION

The IDEAL 2445 shredder is backed by a comprehensive warranty:

- **Lifetime Warranty:** On cutting shafts and wheels.
- **3-Year Limited Warranty:** On all other parts, excluding wearables.
- **90-Day Limited Warranty:** On labor or exchange, at IDEAL's discretion.

Please retain your proof of purchase for warranty claims. For detailed terms and conditions, refer to the warranty card included with your product or contact IDEAL customer support.

Cylindres de coupe : tranchants à vie



Figure 8: Illustration of the shredder's cutting cylinders and the lifetime warranty. This highlights the durability and quality of the shredding mechanism.

9. SUPPORT

For further assistance, technical support, or to inquire about replacement parts, please contact IDEAL customer service. Refer to the contact information provided in your product packaging or visit the official IDEAL website.

	IDEAL 2245 & 2265 Document Shredder Operating Instructions Comprehensive operating instructions for the IDEAL 2245 and IDEAL 2265 series document shredders, covering intended use, safety precautions, operation, maintenance, troubleshooting, and technical specifications.
	Ideal Classic HE P Series Installation and Servicing Guide Comprehensive installation and servicing guide for Ideal Classic HE P series boilers (HE15P, HE18P). Covers technical specifications, safety, installation procedures, and maintenance for these high-efficiency condensing gas boilers.
	Ideal Classic HE P Series HE15P HE18P Installation and Servicing Guide Comprehensive installation and servicing manual for the Ideal Classic HE P series gas boilers, including models HE15P and HE18P. Covers technical specifications, safety guidelines, installation procedures, and maintenance.
	Ideal imax Boilers: Installation and Servicing Guide Comprehensive installation and servicing instructions for Ideal imax W45, W60, W80, W100, W45P, W60P, and W80P boilers. Covers safety, installation procedures, ventilation, flue systems, and maintenance.
	Ideal Excel HE C24, C28, C32 Installation and Servicing Manual This comprehensive manual from Ideal Boilers details the installation, servicing, and technical specifications for the Excel HE range of condensing gas boilers, including models C24, C28, and C32. It is designed for qualified professionals to ensure safe and efficient operation.
	IDEAL 4305 Paper Guillotine Operating Instructions and Safety Guide Comprehensive operating instructions, safety precautions, installation guide, maintenance, and technical specifications for the IDEAL 4305 paper guillotine by Krug & Priester.



[\[pdf\]](#) Installation Guide Specifications

Viscount GTS Spec Sheet Product Guides Manuals and Downloads Ideal Commercial IHC Web
idealcommercialboilers documents |||

VISCOUNT GTS14 - GTS25 1 Easy to Install Floor Standing Minimal Emissions
Compact Size Features ... 72 DIM B 1670 DIM C 2105 GTS 15 1172 1670 2245 GTS
16 1172 1670 2355 GTS 17 1172 1670 **2445** GTS 18 1172 1670 2555 GTS 19 1172
1670 2645 GTS 20 1172 1670 2845 GTS 21 1172 16...

lang:en score:34 filesize: 523.8 K page_count: 3 document date: 2023-09-15



[\[pdf\]](#) User Manual Specifications

Viscount GTS Installation Manual Product Guides Manuals and Downloads Ideal Commercial Servicing
203619 4 idealcommercialboilers documents INSTALLATION AND SERVICING |||

INSTALLATION AND SERVICING VISCOUNT GTS 14 - 25 When replacing any part
on this appliance, use only ... 8 189 139.7 400 150 -30 -18 2355 269 130 20 1670
1705 2354.5 2007 1966 1488 210 139.7 400 370 -9 3 **2445** 321 130 20 1670 1816
2465.5 2118 2188 1504 236 159 400 370 -8 4 2555 265 130 20 1670 1927 2576...

lang:en score:34 filesize: 3.8 M page_count: 52 document date: 2018-07-06



[\[pdf\]](#) Installation Guide Specifications

Viscount GTS14 GTS25 Spec Sheet Product Guides Manuals and Downloads Ideal Commercial 211354
2021 idealcommercialboilers documents |||

VISCOUNT GTS14 - GTS25 1 Easy to Install Floor Standing Minimal Emissions
Compact Size Features ... 72 DIM B 1670 DIM C 2105 GTS 15 1172 1670 2245 GTS
16 1172 1670 2355 GTS 17 1172 1670 **2445** GTS 18 1172 1670 2555 GTS 19 1172
1670 2645 GTS 20 1172 1670 2845 GTS 21 1172 16...


lang:en score:34 filesize: 536.53 K page_count: 3 document date: 2021-05-26



[\[pdf\]](#)

Boiler User Guides Product Manuals Boilers Ideal Heating 156412 freeboilermanuals assets ideal |||
GENERAL Table 1 - General Data Gas supply Gas Supply Connection Injector Size
Inlet Connection ... 6. Reassemble in reverse order. 7. Check operation of the boiler.
Refer to Frame 50. 2030 Ecl **2445** User control isar - Installation and Servicing
Display unit Keyway Key Display unit Mains s...

lang:en score:34 filesize: 2.6 M page_count: 56 document date: 2010-03-01



[Tektronix 2445 Oscilloscope Service Instruction Manual](#)

Comprehensive service instruction manual for the Tektronix 2445 Oscilloscope,
detailing specifications, theory of operation, maintenance procedures, and
troubleshooting for qualified personnel.

lang:en score:33 filesize: 75.86 M page_count: 340 document date: 2017-05-04



[pdf] User Manual Instructions Warranty

Destroyit 2445 SMC op manual HIGH SECURITY 1463mbmcorp 2023 09 1463 User for a paper shredderUser shredder ManualLib Manual LibraryKrug Priester Aktenvernichter IDEAL CC MC 2465 CC2445 1463manuallib 10 27 Krug mbmcorp ||| ||| Aktenvernichter Document Shredders Destructeurs de Documents Papiervernietigers Distruiggidocumenti Destructoras de Documentos Dokumentf rst rare IDEAL 2445 IDEAL 2445 CC IDEAL 2445 MC IDEAL 2445 SMC IDEAL 2465 IDEAL 2465 CC DE Betriebsanlei

Aktenvernichter Document Shredders Destructeurs de Documents Papiervernietigers Distruiggidocumenti Destructoras de Documentos Dokumentf rst rare IDEAL **2445** IDEAL **2445** CC IDEAL **2445** MC IDEAL **2445** SMC IDEAL 2465 IDEAL 2465 CC DE Betriebsanleitung EN Operating Instructions FR Mode d'emploi NL Gebru...

lang:de score:28 filesize: 2.1 M page_count: 48 document date: 2020-01-14




[pdf] User Manual Instructions Warranty

DESTROYIT 2445 op manual Destroyit High Security Shredder USA Manual shredderwarehouse cdn shop files |||

Aktenvernichter Document Shredders Destructeurs de Documents Papiervernietigers Distruiggidocumenti Destructoras de Documentos Dokumentf rst rare IDEAL **2445** IDEAL **2445** CC IDEAL **2445** MC IDEAL **2445** SMC IDEAL 2465 IDEAL 2465 CC DE Betriebsanleitung EN Operating Instructions FR Mode demploi NL Gebruiksaan...


lang:de score:27 filesize: 2.1 M page_count: 48 document date: 2020-01-14



[pdf] User Manual Instructions Warranty

Destroyit 2445 SMC Level P 7 High Security Shredder DSH0067 user manual mybinding media manuals Destroyit **2445** SMC Level P-7 High-Security Shredder DSH0067 Instruction Manual Aktenvernichter Document Shredders Destructeurs de Documents Papiervernietigers Distruiggidocumenti Destructoras de Documentos Dokumentf rst rare IDEAL **2445** IDEAL **2445** CC IDEAL **2445** MC IDEAL **2445** SMC IDEAL 2465 IDEAL 2465 ...

lang:de score:27 filesize: 2.59 M page_count: 49 document date: 2020-11-25



[\[pdf\]](#) Specifications Guide Borchure

SpecSheet Wireless Guide cdn2 hubspot net hubfs 2502083 Brochures |||

Wireless Assemblies Guide Solutions for Wireless infrastructure such as Cell Tower and DAS applicat ... equipment employed in a wide range of systems. Wireless Assemblies Guide Rev. 2 2018-4 Page 1 **2445** Cades Way Vista, CA 92081
www.centerprises.com Toll Free: 800.334.3815 Office: 760.599.5111 ...
lang:en score:25 filesize: 5.22 M page_count: 7 document date: 2018-04-18



[\[pdf\]](#) Installation Guide Guide Borchure

Ideal Commercial Range Heating Evomax Cascade Brochures Product Guide specifiedby ideal commercial heating evomax cascade |||

Ideal Commercial Range Product Guide www.idealcommercialheating.com
Commercial Heating Solutions ... 217 2105 GTS 15 1785 1744 1488 188 2245 GTS 16 1896 1966 1488 189 2355 GTS 17 2007 1966 1488 210 **2445** GTS 18 2118 2188 1504 236 2555 GTS 19 2229 2188 1504 257 2645 Note: with models 21, 22, 23, ...
lang:en score:24 filesize: 7.29 M page_count: 52 document date: 2013-10-03




[\[pdf\]](#) User Manual Instructions Warranty

DESTROYIT 2445 op manual ideal 2465cestino è pieno Svuotare il cestino quando la spia accende Vedi pagina 14 ES Se para automaticamente cuando receptáculo está llenambmcorp 2023 09 manualmbmcorp |||

Aktenvernichter Document Shredders Destructeurs de Documents Papiervernietigers Distruggidocumenti Destructoras de Documentos Dokumentf rst rare IDEAL **2445** IDEAL **2445** CC IDEAL **2445** MC IDEAL **2445** SMC IDEAL 2465 IDEAL 2465 CC DE Betriebsanleitung EN Operating Instructions FR Mode d emploi NL Gebruiksaanwijzing IT Manuale d istruzioni ES Instrucciones de uso SV Bruksanvisning
lang:de score:24 filesize: 2.1 M page_count: 48 document date: 2020-01-14

Provided by
MyBinding
Online Image Makers

Call Us at 1-800-944-4573



lang:en score:23 filesize: 2.93 M page count: 13 document date: 2013-03-04

lang:en score:23 filesize: 4.69 M page count: 6 document date: 2018-08-08



[pdf] User Manual Instructions Warranty

IDEAL 2445 CC MC PT Por favor leiam o manual de instruções antes colocar a máquina em operação e vejam as precauções segurança As deverão AN Ideal 2465 4x40 Aktenvernichter Partikelschnitt 4 x 40mm 35l Blattanzahl max 15 Sicherheitsstufe Vernichtet auc asset re in add 160267 c1 gl 001426539ML01

Aktenvernichter Document Shredders Destrueteurs de Documents Papiervernietigers Distruggidocumenti Destructoras de Documentos Dokumentfrstrare IDEAL **2445** IDEAL **2445** CC IDEAL **2445** MC IDEAL **2445** SMC IDEAL 2465 IDEAL 2465 CC DE Betriebsanleitung EN Operating Instructions FR Mode d'emploi NL Gebruiksaan... lang:de score:22 filesize: 2.45 M page_count: 48 document date: 2016-02-05



[pdf] Instructions Declaration of Conformity Accessories

B IDEAL 2445 2465 DE EN FR NL IT ES SV 08 2022media ideal de wl id KcE2edh98m0a1rb7YHWOXQiQnmkclgG8 2022B 7JZsvhd9Xq7ciQEJZsk2c8hVZ4hfUcLOmedia ||| ||| Aktenvernichter Document Shredders Destrueteurs de Documents Papiervernietigers Distruggidocumenti Destructoras de Documentos Dokumentfrstrare IDEAL 2445 IDEAL 2445 CC / 2445 CC Oil IDEAL 2445 MC / 2445 MC Oil IDEAL 2445 SMC / 2445 SMC Oil Aktenvernichter Document Shredders Destrueteurs de Documents Papiervernietigers Distruggidocumenti Destructoras de Documentos Dokumentfrstrare IDEAL **2445** IDEAL **2445** CC / **2445** CC Oil IDEAL **2445** MC / **2445** MC Oil IDEAL **2445** SMC / **2445** SMC Oil IDEAL 2465 IDEAL 2465 CC DE Betriebsanleitung EN Operating ... lang:it score:22 filesize: 4.87 M page_count: 44 document date: 2024-11-15



[pdf] User Manual Instructions Warranty Accessories

untitled User Manual ideal 2465 Strip cut Paper Shredder Continuous Cut 21 Per Pass for shredding Staples Clip Credit Card CD DVD Shredders Accessories Providence Office Products LLC 1060506798 content etilize ||| Document Shredders Operating Instructions IDEAL **2445** IDEAL **2445** CC / **2445** CC Oil IDEAL **2445** MC / **2445** MC Oil IDEAL **2445** SMC / **2445** SMC Oil IDEAL 2465 IDEAL 2465 CC www.ideal.de DIN 66399 IEC 21964 / ISO Krug Priester GmbH Co. KG, Balingen warrants for at least 15 years, from date of p... lang:en score:19 filesize: 3.77 M page_count: 32 document date: 2019-06-21

IDEAL 2445

Convenient and powerful deskside document shredder.

21

24 cm

Level P-2

4 mm strip cut

Sheet capacity* 19-21 | 16-18

Capacity* 13-15 | 11-13

Level P-4

4 x 40 mm particle cut

Sheet capacity* 13-15 | 11-13

Capacity* 10-12 | 8-10

Level P-5

2 x 15 mm particle cut

Sheet capacity* 10-12 | 8-10

Capacity* 4-6 | 3-5

Level P-6

0.8 x 12 mm micro cut

Sheet capacity* 10-12 | 8-10

Capacity* 4-6 | 3-5

Level P-7

0.8 x 5 mm super micro cut

Sheet capacity* 10-12 | 8-10

Capacity* 4-6 | 3-5

Technical specifications

Volume 10 litres (auto) 20 litres (manual)

Power 200 V / 10 APT

Motor capacity 100 sheets single pass motor

Dimensions 335 x 225 x 245 mm (W x D x H)

Weight 11 kg

Product characteristics

SPS - Safety Protection System package: patented, electronically controlled, transparent safety film in the feed opening as additional safety element; ESDP - SMART24 - intelligent control element indicating the operational status of the shredder with warning control codes and back to service; automatic reverse and power cut-off with emergency stop; automatic stop if the shredder is full; electronic door protection via 4 magnetic sensing switches; double motor protection against over-heating; 25000 ENGINE ready mode; Complete, automatic disconnection from power supply after 15 minutes; Photo cell controlled automatic start and stop; Automatic oil injection on the cutting shafts during shredding operation for constantly high shredding performance; High quality paper chip ground cutting shafts from special hardened steel with lifetime guarantee but applicable for recycles with 0.8 x 12 mm micro cut or 0.8 x 5 mm super micro cut; Quiet, powerful and energy efficient single phase motor; Fully closed gear box housing and durable gears; High quality stainless cabinet; Shredder oil container; Convenient environmentally friendly shredd bin (no disposable shred bags required)





[pdf] Specifications

IDEAL 2445 21 engl media ideal de wl id 7SwJiD6GACincBFP3Xbv6pKf3FB9RfBI |||

IDEAL **2445** Convenient and powerful deskside document shredder. max. 21 sheets 24 cm Level P-2 4 mm strip cut Sheet capacity*: 19-21 | 16-18 Level P-4 4 x 40 mm particle cut Sheet capacity*: 13-15 | 11-13 Level P-5 2 x 15 mm particle cut Sheet capacity*: 10-12 | 8-10 Level P-6 0.8 x 12 mm...

lang:en score:19 filesize: 1.2 M page_count: 2 document date: 2022-02-04

IDEAL 2445 with automatic oiler

Convenient and powerful deskside document shredder.

15

24 cm

Level P-4

4 x 40 mm particle cut

Sheet capacity* 13-15 | 11-13

Capacity* 10-12 | 8-10

Level P-5

2 x 15 mm particle cut

Sheet capacity* 10-12 | 8-10

Capacity* 4-6 | 3-5

Level P-6

0.8 x 12 mm micro cut

Sheet capacity* 10-12 | 8-10

Capacity* 4-6 | 3-5

Level P-7

0.8 x 5 mm super micro cut

Sheet capacity* 10-12 | 8-10

Capacity* 4-6 | 3-5

Technical specifications

Volume 10 litres (auto) 20 litres (manual)

Power 200 V / 10 APT

Motor capacity 100 sheets single pass motor

Dimensions 335 x 225 x 245 mm (W x D x H)

Weight 11 kg

Product characteristics

SPS - Safety Protection System package: patented, electronically controlled, transparent safety film in the feed opening as additional safety element; ESDP - SMART24 - intelligent control element indicating the operational status of the shredder with warning control codes and back to service; automatic reverse and power cut-off with emergency stop; automatic stop if the shredder is full; electronic door protection via 4 magnetic sensing switches; double motor protection against over-heating; 25000 ENGINE ready mode; Complete, automatic disconnection from power supply after 15 minutes; Photo cell controlled automatic start and stop; Automatic oil injection on the cutting shafts during shredding operation for constantly high shredding performance; High quality paper chip ground cutting shafts from special hardened steel with lifetime guarantee but applicable for recycles with 0.8 x 12 mm micro cut or 0.8 x 5 mm super micro cut; Quiet, powerful and energy efficient single phase motor; Fully closed gear box housing and durable gears; High quality stainless cabinet; Shredder oil container; Convenient environmentally friendly shredd bin (no disposable shred bags required)





[pdf] Specifications Dimension Guide

IDEAL 2445 with oiler engl media ideal de wl id RFzMyK6HjPZaQAQJv8PKv0giu4IDQPKX |||

IDEAL **2445** with automatic oiler Convenient and powerful deskside document shredder. Level P-4 4 x 40 mm particle cut Sheet capacity*: 13-15 | 11-13 Level P-5 2 x 15 mm particle cut Sheet capacity*: 10-12 | 8-10 Level P-6 0.8 x 12 mm micro cut Sheet capacity*: 4-6 | 3-5 Level P-7 0.8 x 5 m...

lang:en score:19 filesize: 993.33 K page_count: 2 document date: 2022-05-05

IDEAL 2445

Confortable destructora de documentos personal, disponible por todos los niveles de seguridad importantes de la norma DIN 66399

21

24 cm

Nivel P-2

4 mm corte en tiras

Capacidad* 19-21 | 16-18

Capacidad* 13-15 | 11-13

Nivel P-4

4 x 40 mm corte en partículas

Capacidad* 13-15 | 11-13

Capacidad* 10-12 | 8-10

Nivel P-5

2 x 15 mm corte en partículas

Capacidad* 10-12 | 8-10

Capacidad* 4-6 | 3-5

Nivel P-6

0.8 x 12 mm corte micro

Capacidad* 10-12 | 8-10

Capacidad* 4-6 | 3-5

Nivel P-7

0.8 x 5 mm super micro corte

Capacidad* 10-12 | 8-10

Capacidad* 4-6 | 3-5

Características

Sistema de seguridad SPS, tapa de seguridad patentada con control electrónico de la abertura de alimentación; sensores de seguridad adicionales; lámpara multifunción ESDP-SMART24 - sistema de control integrable que indica el estado actual de la destructora mediante códigos de color y iconos; sensores, sensores y lámpara automática; límite eléctrico de papel; bloque automático cuando el contenedor está lleno; control electrónico de la puerta con controlador integrado; motor 25000 ENGINE - accionamiento completo automático del suministro de corriente al cable de 20 metros en modo Standby; doble protección del motor contra sobrecalentamiento; freno de paro electrónico controlado mediante lámpara; lámpara de advertencia de alimentación de 240 mm; Resolvente capaz de corte de alta calidad; lámpara de corte de acero especial; protección de cables; con una garantía de por vida; función modo corte fino MC 0.8 x 12 mm y 0.8 x 5 mm; hoja del motor: corte a granjas antes de ingresar a dentro; garantía 3 años; Silencioso y potente motor monocéfalo; Robustez: ruedas dentadas y perfiles con capa de engrase; control; Muestra de muestra de alta calidad con ruedas; Conmutador incorporado en el mando para un cómodo accionado; lámpara con un fondo de plástico desmontable





[pdf]

IDEAL 2445 aramid uy 8431f73407895d806477fff6998d6082d productos |||

IDEAL **2445** Confortable destructora de documentos personal, disponible por todos los niveles de seguridad importantes de la norma DIN 66399 Nivel P-2 Capacidad*: 4 mm corte en tiras 19-21 | 16-18 hojas Nivel P-4 Capacidad*: 4 x 40 mm corte en partículas 13-15 | 11-13 hojas Nivel P-5 Capacidad*: ...

lang:es score:19 filesize: 1.91 M page_count: 2 document date: 2018-10-01



Aktueller Liefer
 Des gesamten
 Papiervermögens
 Des gesamten
 Des gesamten
 Des gesamten

DE Brückensystem
 EN Operating Instructions
 FR Aide d'emploi
 NL Gebruiksaanwijzing
 IT Manuale di istruzioni
 SV Bruksanvisning

IDEAL 2445
 IDEAL 2445 GC / 2445 GC OR
 IDEAL 2445 MC / 2445 MC OR
 IDEAL 2445 SMC / 2445 SMC OR



IDEAL 2465
 IDEAL 2465 GC

www.ideal.de



[\[pdf\]](#) Instructions Warranty

Návod s upozorněnímSkartovačka IDEAL 2465 4x40 mmnavod 2445 2465cdn atomer user 32434 upload ftp client navod |||

Aktenvernichter Document Shredders Destrueteurs de Documents Papiervernietigers Distruggidocumenti Destrutoras de Documentos Skartovac stroje IDEAL **2445** IDEAL **2445** CC IDEAL **2445** MC IDEAL **2445** SMC IDEAL 2465 IDEAL 2465 CC DE Betriebsanleitung EN Operating Instructions FR Mode demploi NL Gebruiksaan... lang:de **score:18** filesize: 2.65 M page_count: 48 document date: 2018-02-16



[\[pdf\]](#)

UntitledIsar HE 24 30 35gasboilerforums manuals ideal Isar 35 |||

GENERAL Table 1 - General Data isar Gas supply Gas Supply Connection Injector Size Inlet Conn ... lding. 6. Reassemble in reverse order. 7. Check operation of the boiler. Refer to Frame 50. Ecl **2445** User control Display unit isar - Installation and Servicing 41 SERVICING Ecl 2044 SERVICI...

lang:en **score:18** filesize: 3.25 M page_count: 56 document date: 2003-11-04

IDEAL 2445

Convenient and powerful desktop universal shredder. With ISO 14000 certified shredder. For shredding almost every paper.

Lead-P 0 1.6m strip cut
Sheet capacity: 20 x 21 x 10.18

Lead-P 4 4.40m strip cut
Sheet capacity: 20 x 21 x 10.18

Lead-P 6 6.70m strip cut
Sheet capacity: 20 x 21 x 10.18

Lead-P 8 8.70m strip cut
Sheet capacity: 20 x 21 x 10.18

Lead-P 10 10.70m strip cut
Sheet capacity: 20 x 21 x 10.18

ISO 14000 certified shredder

Technical specifications

Model	2445 (Lead-P)
Color	Black
Power supply	230V 50/60 Hz
Power consumption	1000W (max) 700W (avg)

Dimensions 450 x 290 x 290 mm (D x W x H)
Weight 21 kg

Product description

ISO 14000 - Safety Features: Safety package - automatic, electronically controlled, emergency stop (E-Stop) in the feed opening, an additional safety element, EAGS-SafeCut - intelligent control system indicating the operational status of the shredder with auditory colour codes and lights in signals, automatic reverse and power off, built-in paper jam automatic stop (the shredder is safe, electronic stop procedure via a magnetic proximity switch), double motor system with over-heating, 230V 50/60Hz double motor, Cordless, automatic, emergency stop from power supply after 15 minutes. Photo cut controlled automatic stop and stop. With ISO 14000 sheet control, a version on the EAGS-SafeCut control indicates the used sheet capacity during shredding process to avoid paper jams. High quality, quiet and good cutting skills from special hardened steel with lifetime guarantee but applicable for sheets with 8 x 12 cm strip cut or 0.8 x 5 mm strip cut. Slow, powerful and energy-efficient single phase motor. Fully closed case for heating and durable parts, highly quality woven cabinet, mobile on casters. Convenient emergency stop by pressed the emergency stop/overload



IDEAL 2445

Connect and powerfull desktop cooler with driver.
With 500 W power supply, for aluminium window paper.



21

liters



+ 24 cm

Lead-P 0 1 km strip cut Sheet thickness: 0.21 x 14.18 mm	
Lead-P 4 4 x 42 cm paper roll Sheet thickness: 0.21 x 14.18 mm	
Lead-P 8 8 x 84 cm paper roll Sheet thickness: 0.21 x 14.18 mm	
Lead-P 14 14 x 140 cm paper roll Sheet thickness: 0.21 x 14.18 mm	
Lead-P 20 20 x 200 cm paper roll Sheet thickness: 0.21 x 14.18 mm	

Color Space: R 90

Technical specifications

Volume: 21 liters

Color: 100% black

Material: 100% aluminium

Power supply: 500 W power supply (for aluminium window paper)

Weight: 1.5 kg

Product description

UPH – Safety, Protection System package, electronic controlled temperature safety film in the head space on industrial safety element, EAGLE-SPEK – mid-range control element indicating the operational status of the cooler with varying color codes and basic 15 cm resolution, automatic control and 10 levels power panel, automatic stop (for trouble-free, full, electronic door protection via a magnetic proximity switch), double fire protection against over heating, 2100 EAGLE-SPEK main, Corning, polycarbonate, maximum heat load capacity after 30 minutes, Power cut (control automatic control stop), With 500-watt sheet delivery, a version on the EAGLE-SPEK element delivery, the used sheet supply during sheeting process is used as paper area, high-quality, superior grid cooling panels from special aluminium sheet with blowing particles that applicable for 1000 and 1.2 m strip cut 0.8 x 1.6 mm paper roll cut, 500-watt panel and energy-efficient single phase motor, fully closed panel head heating and drainage pipes, high-quality welded cables, rubber on rollers, Connect our energy-saving freely fixed to the suspension overhead mounted.



Dimensions: 1400 x 1400 x 240 mm (H x W x D)

Weight: 1.5 kg



See Ruffler Limited **130 Victoria Road, Horley, Surrey, RH12 7DT** **0445 556 557**

[illegible]

[\[pdf\]](#) Specifications Dimension Guide

IDEAL 2445 engl Maynards Group maynards co za 2022 11 |||

IDEAL 2445 Convenient and powerful deskside document shredder. With SSC smart shred control for shredding without paper jams. Level P-2 4 mm strip cut Sheet capacity*: 19-21 l 16-18 Level P-4 4 x 40 mm particle cut Sheet capacity*: 13-15 l 11-13 Level P-5 2 x 15 mm particle cut Sheet capa...

lang:en score:18 filesize: 1.27 M page_count: 2 document date: 2019-01-14

[\[pdf\]](#) Specifications Datasheet Dimension Guide

IDEAL 2445 Shredder Datasheet ShreddingMachines co uk ideal2445 shreddingmachines s |||

IDEAL 2445 Convenient and powerful deskside document shredder. With SSC smart shred control for shredding without paper jams. Level P-2 4 mm strip cut Sheet capacity*: 19-21 l 16-18 Level P-4 4 x 40 mm particle cut Sheet capacity*: 13-15 l 11-13 Level P-5 2 x 15 mm particle cut Sheet capa...


lang:en score:18 filesize: 1.37 M page_count: 2 document date: 2017-05-31

[\[pdf\]](#)

ideal aktenvernichter 2445 kpkontorplus de media 44 e8 a3 1606323327 kp |||

IDEAL 2445 Komfortabler und leistungsstarker SchreibtischAktivenvernichter. Mit SSC smart shred control für staufreies Shreddern. Stufe P-2 4 mm Streifenschnitt Blattzahl*: 19-21 | 16-18 Stufe P-4 4 x 40 mm Partikelschnitt Blattzahl*: 13-15 | 11-13 Stufe P-5 2 x 15 mm Partikelschnitt Blattzahl*: 10-12...

lang:de score:18 filesize: 1.09 M page_count: 2 document date: 2018-07-23



[pdf] User Manual Instructions

1 jreil Equipment Manual H K HCMF460 02 spm partstown modelManual |||

High Capacity Modular Freezer-220-240V Equipment Manual H K Model Number HCMF30-02-LH RH, HCMF460-0 ... o see if it has tripped. Reset if necessary. If these steps do not fix problem, call H K at 800-788-**2445**. Condenser Coil is dirty or clogged with debris. Use a vacuum cleaner or soft brush to clean ...

lang:en **score:18** filesize: 590.99 K page_count: 17 document date: 2013-08-12




[pdf] Instructions Warranty

Instrukcja obsługi Ideal 2445 CC 4mm 24454111 od PLN 2503 30 2022 Porównanie cen Cenowarka

Polska ccf1cd4b8197a5ab2757e8ae2dde5a4e8956 gzhl5 at blob ldb 4 d 3 |||

Aktenvernichter Document Shredders Destruktors de Documents Papiervernietigers Distruggidocumenti Destructoras de Documentos Dokumentfrstrare IDEAL **2445** IDEAL **2445** CC / **2445** CC Oil IDEAL **2445** MC / **2445** MC Oil IDEAL **2445** SMC / **2445** SMC Oil IDEAL 2465 IDEAL 2465 CC DE Betriebsanleitung EN Operating ...

lang:de **score:17** filesize: 2.5 M page_count: 52 document date: 2019-03-11



[pdf] Specifications Datasheet

Shredder Machine IDEAL 2445 Datasheet EN v 202305101549 image makewebeasy net makeweb 0

jxIPpOYv8 Document |||

IDEAL **2445** Convenient and powerful deskside document shredder. max. 21 sheets 24 cm Level P-2 4 mm strip cut Sheet capacity*: 19-21 I 16-18 Level P-4 4 x 40 mm particle cut Sheet capacity*: 13-15 I 11-13 Level P-5 2 x 15 mm particle cut Sheet capacity*: 10-12 I 8-10 Level P-6 0.8 x 12 mm...

lang:en **score:17** filesize: 1.41 M page_count: 2 document date: 2023-10-03

IDEAL 2445

Convenient and powerful desktop document shredder:
With SSC - smart shred control - for shredding without
paper jams.

Level P-2

4 mm strip cut

Sheet capacity* 19-21 l

Level P-4

4 x 40 mm particle cut

Sheet capacity* 13-15 l

Level P-5

2 x 15 mm particle cut

Sheet capacity* 10-12 l

21

24 cm



Technical specifications

Power

1000 W (max)

Power

1000 W (max)

Power

1000 W (max)

Product characteristics

SSC - Safety Protection System

patented, electronically controlled, transparent safety flap at the feed opening for additional safety element, SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

IDEAL

[pdf] Specifications Dimension Guide Borchure

IDEAL 2445 engl vicky jennings giles Ideal 2445CC KC Digital Services Ltd CC Brochure v 1587125034
cdn shopify s files 1 1276 3927 |||

IDEAL **2445** Convenient and powerful desktop document shredder. With SSC smart
shred control for shredding without paper jams. Level P-2 4 mm strip cut Sheet
capacity*: 19-21 l 16-18 Level P-4 4 x 40 mm particle cut Sheet capacity*: 13-15 l 11-
13 Level P-5 2 x 15 mm particle cut Sheet capa...

lang:en **score:17** filesize: 281 K page_count: 3 document date: 2016-11-16

IDEAL 2445

Convenient and powerful desktop document shredder:
With SSC - smart shred control - for shredding without
paper jams.

Level P-2

4 mm strip cut

Sheet capacity* 19-21 l

Level P-4

4 x 40 mm particle cut

Sheet capacity* 13-15 l

Level P-5

2 x 15 mm particle cut

Sheet capacity* 10-12 l

21

24 cm



Technical specifications

Power

1000 W (max)

Power

1000 W (max)

Power

1000 W (max)

Product characteristics

SSC - Safety Protection System

patented, electronically controlled, transparent safety flap at the feed opening for additional safety element, SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

IDEAL

[pdf] Specifications Dimension Guide

Ideal Shredder Machine 2445 CC Oiler 2 x 15 Dealer Malaysia Supplier 1024201823843PM2445 itsoffice
my product |||

IDEAL **2445** Convenient and powerful desktop document shredder. With SSC smart
shred control for shredding without paper jams. Level P-2 4 mm strip cut Sheet
capacity*: 19-21 l 16-18 Level P-4 4 x 40 mm particle cut Sheet capacity*: 13-15 l 11-
13 Level P-5 2 x 15 mm particle cut Sheet capa...

lang:en **score:17** filesize: 1.91 M page_count: 3 document date: 2016-03-07

IDEAL 2445 mit automatischem Dler

Konfortabel und leistungsstarker Schreibtisch-
Aktvernichter. Mit SSC - smart shred control
für staufreies Shreddern.

Stufe P-4

4 x 40 mm Partikelschnitt

Blattzahl* 13-15 l

Stufe P-5

2 x 15 mm Partikelschnitt

Blattzahl* 10-12 l

Stufe P-6

0,8 x 12 mm Feinschnitt

Blattzahl* 10-12 l

15

24 cm



Technische Daten

Leistung

1000 W (max)

Leistung

1000 W (max)

Leistung

1000 W (max)

Produktbeschreibung

SSC - Safety Protection System

patented, electronically controlled, transparent safety flap at the feed opening for additional safety element, SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

SSC - smart shred control - a sensor on the SSC-SWITCH element indicates the status of the shredder with respect to paper jams and paper jams, automatic reverse and paper jam

IDEAL

[pdf] Datasheet

Download IDEAL Aktenvernichter 2445 CC 2445CC OE P 4 35lt Papedis AG 495117 D papedis ch media
datasheets |||

IDEAL **2445** mit automatischem ler Komfortabler und leistungsstarker
SchreibtischAktvernichter. Mit SSC smart shred control fr staufreies Shreddern.
Stufe P-4 4 x 40 mm Partikelschnitt Blattzahl*: 13-15 l 11-13 Stufe P-5 2 x 15 mm
Partikelschnitt Blattzahl*: 10-12 l 8-10 Stufe P-6 0,8 x 12 mm Feins...

lang:de **score:16** filesize: 1.13 M page_count: 2 document date: 2017-09-22

IDEAL 2445

Komfortabler und leistungsstarker Schreibtisch-Aktenvernichter. Mit SSC - smart shred control für staufreies Shreddern.

21

24 cm

Stufe P-2 4 mm Streifenschnitt

Blattzahl* 19-21 | 16-18

Stufe P-4 4 x 40 mm Partikelschnitt

Blattzahl* 13-15 | 11-13

Stufe P-5 2 x 15 mm Partikelschnitt

Blattzahl* 10-12 | 8-9

Stufe P-6 0,8 x 12 mm Partikelschnitt

Blattzahl* 10-12

Stufe P-7 0,8 x 5 mm Super-Partikelschnitt

Blattzahl* 10-12 | 8-9

Technische Daten

Werkstoff: 303 Edelstahl

Stromverbrauch: 250 W (maximal)

Strom: 230 V / 50 Hz

Leistung: 200 Watt Motorleistung

Produktbeschreibung

SPS - Sicherheitspaket Safety Protection System: Patente, elektronisch kontrollierte Sicherheitsklappen in der Zuführung als zusätzliches Sicherheitsmerkmal. Mehrstufiges Schuttsystem: EASY SHUT-Off mit integrierter Bedienungsführung durch Fotofeld und Lichtschranke. Trennvorrichtung mit automatischer Abschaltung bei einem Papierstau. Abschaltstopp bei einem Schrittmotorblockade. elektronische Überwachung über Magnetfeld. zusätzliche Motorüberwachung: 20000 U/min-Standby-Modus. Komplett, automatische Nachschneidung nach 15 Minuten Standby-Modus. Lichtschranke für automatische Standby-Modus. Mit SSC - smart shred control ein Setzen auf dem EASY SHUT-Off-Schalter sorgt für staufreies Shreddern während des Shreddens an. Bariummetallfreie Qualität-Messwerkstoffe aus gehärtetem Spezialstahl mit LPTFME-Super-Bleed- und Verbleiben und kein Feinschnitt 0,8 x 12 mm und Super-Feinschnitt 0,8 x 5 mm zu entfernen. Garantie: 2 Jahre. Leuchtstange: 1000mm. Motorleistung: 200 Watt. 20000 U/min-Standby-Modus. 20000 U/min-Standby-Modus. Praktischer Schrittmotorblockade mit integriertem Kunststoff-Baum mit einer ohne Einwirkung verwendet werden.

IDEAL

www.ideal.de

[pdf]

Dane techniczne Ideal 2445 CC 4mm 24454111 od PLN 2503 30 2022 Porównanie cen Cenowarka Polska 216d06a00abd2c4acae3c52e22e56f0f317b gzhls at blob ldb 0 f 8 |||

IDEAL 2445 Komfortabler und leistungsstarker SchreibtischAktenvernichter. Mit SSC smart shred control fr staufreies Shreddern. Stufe P-2 4 mm Streifenschnitt Blattzahl*: 19-21 | 16-18 Stufe P-4 4 x 40 mm Partikelschnitt Blattzahl*: 13-15 | 11-13 Stufe P-5 2 x 15 mm Partikelschnitt Blattzahl*: 10-12...

lang:de score:16 filesize: 1.27 M page_count: 2 document date: 2019-01-14

IDEAL 2445

Komfortabler und leistungsstarker Schreibtisch-Aktenvernichter. Mit SSC - smart shred control für staufreies Shreddern.

21

24 cm

Stufe P-2 4 mm Streifenschnitt

Blattzahl* 19-21 | 16-18

Stufe P-4 4 x 40 mm Partikelschnitt

Blattzahl* 13-15 | 11-13

Stufe P-5 2 x 15 mm Partikelschnitt

Blattzahl* 10-12 | 8-9

Stufe P-6 0,8 x 12 mm Partikelschnitt

Blattzahl* 10-12

Stufe P-7 0,8 x 5 mm Super-Partikelschnitt

Blattzahl* 10-12 | 8-9

Technische Daten

Werkstoff: 303 Edelstahl

Stromverbrauch: 250 W (maximal)

Strom: 230 V / 50 Hz

Leistung: 200 Watt Motorleistung

Produktbeschreibung

SPS - Sicherheitspaket Safety Protection System: Patente, elektronisch kontrollierte Sicherheitsklappen in der Zuführung als zusätzliches Sicherheitsmerkmal. Mehrstufiges Schuttsystem: EASY SHUT-Off mit integrierter Bedienungsführung durch Fotofeld und Lichtschranke. Trennvorrichtung mit automatischer Abschaltung bei einem Papierstau. Abschaltstopp bei einem Schrittmotorblockade. elektronische Überwachung über Magnetfeld. zusätzliche Motorüberwachung: 20000 U/min-Standby-Modus. Komplett, automatische Nachschneidung nach 15 Minuten Standby-Modus. Lichtschranke für automatische Standby-Modus. Mit SSC - smart shred control ein Setzen auf dem EASY SHUT-Off-Schalter sorgt für staufreies Shreddern während des Shreddens an. Bariummetallfreie Qualität-Messwerkstoffe aus gehärtetem Spezialstahl mit LPTFME-Super-Bleed- und Verbleiben und kein Feinschnitt 0,8 x 12 mm und Super-Feinschnitt 0,8 x 5 mm zu entfernen. Garantie: 2 Jahre. Leuchtstange: 1000mm. Motorleistung: 200 Watt. 20000 U/min-Standby-Modus. 20000 U/min-Standby-Modus. Praktischer Schrittmotorblockade mit integriertem Kunststoff-Baum mit einer ohne Einwirkung verwendet werden.

IDEAL

www.ideal.de

[pdf] Datasheet

Ideal Office 2445 CC 2x15 Document shredder Particle cut 2 x 15 mm 35 l No of pages max 10 Safety level document s Conrad datasheet 1426537 ideal office cc particle no safety docume asset conrad media10 add 160267 c1 de 001426537DS01 |||

IDEAL 2445 Komfortabler und leistungsstarker SchreibtischAktenvernichter. Mit SSC smart shred control fr staufreies Shreddern. Stufe P-2 4 mm Streifenschnitt Blattzahl*: 19-21 | 16-18 Stufe P-4 4 x 40 mm Partikelschnitt Blattzahl*: 13-15 | 11-13 Stufe P-5 2 x 15 mm Partikelschnitt Blattzahl*: 10-12...

lang:de score:15 filesize: 2.56 M page_count: 3 document date: 2015-04-30



[pdf] User Manual

ideal 2445 2465 cestino è pieno Svutare il quando la spia accende Vedi pagina 14 ES Se para automaticamente cuando receptáculo está llena DESTROYIT op manual mbmcorp 2023 09 |||

...

lang:de score:15 filesize: 1 M page_count: 0 document date: 0000-00-00

SEVERIN

FR 2445 Hot air fryer XXL

2025 08 2445000 en

severinHot SEVERIN

Officialseverin staging sixa ch 01 ||| |||

FR 2445 Hot air fryer XXL for versatile, healthy and quick preparation without adding oil or fat - fast, healthy and energy-saving thanks to innovative hotair technology XXL frying basket with huge - approx. 5-litre - capacity for ideal pre

FR 2445 Hot air fryer XXL for versatile, healthy and quick preparation without adding oil or fat - fast, healthy and energy-saving thanks to innovative hotair technology XXL frying basket with huge - approx. 5-litre - capacity for ideal preparation of large portions up to 1,500 g fries and even ...

lang:en score:14 filesize: 508.45 K page_count: 3 document date: 2025-01-16

[pdf] Dimension Guide

FR 2445 Hot air fryer XXL severin2445000 enseverin 2025 08 2445000 en severinHot SEVERIN Officialseverin staging sixa ch 01 ||| ||| FR 2445 Hot air fryer XXL for versatile, healthy and quick preparation without adding oil or fat - fast, healthy and energy-saving thanks to innovative hotair technology XXL frying basket with huge - approx. 5-litre - capacity for ideal pre

FR 2445 Hot air fryer XXL for versatile, healthy and quick preparation without adding oil or fat - fast, healthy and energy-saving thanks to innovative hotair technology XXL frying basket with huge - approx. 5-litre - capacity for ideal preparation of large portions up to 1,500 g fries and even ...

lang:en score:14 filesize: 508.45 K page_count: 3 document date: 2025-01-16



[pdf]

FR 2445 Freidora de aire caliente XXL2445000 esseverin 2025 08 2445000 es |||

FR **2445** Freidora de aire caliente XXL para cocinar con resultados verstiles, saludables y rpidos sin aadir aceite ni otra grasa; cocina sana que ahorra tiempo y energia gracias a la innovadora tecnologia de aire caliente cesta de fritura XXL de enorme capacidad en torno a 5 litros , ideal para prep...

lang:es score:13 filesize: 509.53 K page_count: 3 document date: 2025-01-16



[pdf]

User Manual Owner's Manual Reference Guide Specifications Dimension Guide Guide Accessories

BREAKOUT d3d6mf6ofxeyve cloudfront net BREAKOUT® @ FXSB MODEL SPECIFICATIONS 1

DIMENSIONS Length 2445 mm 96 3 in Overall Width 915 36 Height 1040 40 9 Seat unladen 660 26

Ground Clearance 120 4 7 Rake steering head 35° Fork Angle 37° Trail 146 5 Wheelbase 1710 67 Tires

Dunlop Harley Davidson Series bias blackwall front and radial rear Inspections of certain systems

components are required at 4000 km 2500 mile intervals See Owner s Manual for full details

Specifications apply to all Breakout wieckautodeadline60 files

2 0 1 6 BREAKOUT FXSB Custom Styling in a Long, Low Silhouette Model shown in HDI configuration. The ... lizer and siren. Specifications apply to all available markets unless noted. DIMENSIONS Length **2445** mm 96.3 in. Overall Width Overall Height 915 mm 36 in. 1040 mm 40.9 in. Seat Height u...

lang:en score:13 filesize: 1020.66 K page_count: 4 document date: 2015-09-24



[pdf]

Specifications Dimension Guide Warranty


Specification Sheet ideal 2445 Cross Cut Centralized Deskside Paper Shredder for Office Continuous

Operation 11 13 9 Gal Bin 1 2 HP Motor P 4 Security Level Products A1BAEVO09UL m media amazon

images I |||

2445 Convenient and powerful Deskside shredder with Smart Shred Control SSC forshsrehddreerdoidl ing without paper jams. A smiley face will flash if the shredder has reached its capacity limit. shredder bags IDEAC0908H shredder oil IDEACCED21/4H shredder bags 17 3/4 shred volume: feed openi...

lang:en score:13 filesize: 1.84 M page_count: 2 document date: 2018-03-19



[\[pdf\]](#) Instructions Warranty

Ideal Office 2465 Iratmegsemmisítő Csíkokra vágás 4 mm 35 l Lapok száma max 21 Biztonsági fokozat iratmegsemmisítő Conrad hasznalati utmutato 1426538 ideal office iratmegsemmisito csikokra vagas

lapok szama biztonsagi ir asset conrad media10 add 160267 c1 gl 001426538ML03 |||

1 Document Shredders Opera tingInstructions 2 3 4 5 6 7 8 9 10 : 11 IDEAL **2445**

IDEAL **2445** CC - 12 IDEAL **2445** MC IDEAL **2445** SMC 13 14 ...

lang:en **score:13** filesize: 6.29 M page_count: 32 document date: 2016-01-16



[\[pdf\]](#) User Manual

Ideal Office 2465 Iratmegsemmisítő Csíkokra vágás 4 mm 35 l Lapok száma max 21 Biztonsági fokozat iratmegsemmisítő Conrad hasznalati utmutato 1426538 ideal office iratmegsemmisito csikokra vagas

lapok szama biztonsagi ir asset conrad media10 add 160267 c1 gl 001426538ML02 |||


Asiakirjatuhoogat Niszczarki dokumentw Destruidoras de documentos IDEAL **2445**

IDEAL **2445** CC IDEAL **2445** MC IDEAL **2445** SMC IDEAL 2465 IDEAL 2465 CC RU

FI Kyttohjeet PL Instrukcja obsługi PT Manual de instrues Normaalikytn mritelm

Zasady uytkowania Definio de uso normal IDEAL **2445** ...

lang:es **score:13** filesize: 2.11 M page_count: 40 document date: 2016-01-16



[\[pdf\]](#) User Manual Owner's Manual Reference Guide Specifications Dimension Guide Guide Accessories

FXDWG Long and Skinny Up Front Fat Low in the Back WIDE GLIDE® cloudfront net GLIDE® MODEL

SPECIFICATIONS 1 DIMENSIONS Length 2445 mm 96.3 Overall Width 895 35.2 Height 1135 44.7 Seat unladen 680 26.8 Ground Clearance 100 9 Rake steering head 34° Fork Angle 36° Trail 132 5

Wheelbase 1715 67 Tires Michelin Scorcher 31 front rear @Front Inspections of certain systems

components are required at 4000 km 2500 mile intervals See Owner s Manual for full details

Specifications apply to all wide glide d3d6mf6ofxeyve wieckautodeadline60 files

2 0 1 6 WIDE GLIDE FXDWG Long and Skinny Up Front. Fat and Low in the Back.

Authentic and Tough All ... lizer and siren. Specifications apply to all available

markets unless noted. DIMENSIONS Length **2445** mm 96.3 in. Overall Width 895 mm

35.2 in. Overall Height 1135 mm 44.7 in. Seat Heigh...

lang:en **score:12** filesize: 1.01 M page_count: 4 document date: 2015-09-24