Saved from manuals.plus.
Open the live page for links to other documents and user manuals.

Classic Accessories 18-122-010401-00

Classic Accessories QuadGear UTV Cab Enclosure User Manual

Model: 18-122-010401-00

Sections:

Introduction Package Contents Compatibility Setup & Installation Operation Maintenance Troubleshooting Specifications Warranty & Support

1. Introduction

This manual provides essential instructions for the proper installation, operation, and maintenance of your Classic Accessories QuadGear UTV Cab Enclosure. Designed to offer protection from weather and abrasion, this enclosure enhances the functionality of your UTV.

Key Features:

- Constructed from heavy-duty ProtekX6 fabric with a water-resistant backing and exterior coating for maximum weather and abrasion protection.
- Features large, ultra-clear windshield material, doors, and a back window for excellent visibility.
- Includes adhesive-backed rip-and-grip fasteners to secure the enclosure to your UTV.

2. Package Contents

Upon opening the package, verify that all components are present and undamaged:

- QuadGear UTV Cab Enclosure (Main Unit)
- Adhesive-backed Rip-and-Grip Fasteners
- User Manual (This Document)



Image 2.1: Main enclosure panel showing clear window sections and door design.

3. Compatibility

This QuadGear UTV Cab Enclosure is specifically designed to fit the following Polaris Ranger models:

- Polaris Ranger 800 Full size (2015 models and older)
- Polaris Ranger 6x6 800 (2015 models and older)
- Polaris Ranger Diesel (2015 models and older)

Important: Ensure your UTV model and year match the compatibility list for proper fitment and function.



Image 3.1: A Polaris Ranger UTV with the QuadGear Cab Enclosure fully installed.

4. Setup & Installation

Follow these steps for proper installation of your UTV cab enclosure. It is recommended to perform installation in a warm environment to allow the fabric and clear vinyl to be more pliable.

1. **Unpack and Inspect:** Carefully remove the enclosure from its packaging. Lay it out flat to allow any creases from shipping to relax. Inspect all components for any damage.
2. **Position the Enclosure:** Drape the enclosure over the roll cage of your UTV, aligning the front windshield section with the front of the UTV's cab area. Ensure the doors and rear window sections are correctly oriented.
3. **Secure Top Section:** Begin by securing the top portion of the enclosure to the roll cage. Use any integrated straps or attachment points to hold it in place loosely.
4. **Attach with Rip-and-Grip:** The enclosure includes adhesive-backed rip-and-grip (Velcro) strips. Clean the surfaces of your UTV's roll cage where these strips will attach. Apply the adhesive strips to the UTV frame, then press the corresponding enclosure sections firmly onto them. Work from the top down, ensuring a snug fit.



Image 4.1: Detail of the rip-and-grip fastening system for securing the enclosure.

5. **Zip Doors and Windows:** Carefully close all zippers on the doors and rear window. Do not force zippers if they catch; gently adjust the fabric to relieve tension. Allow the enclosure to sit on the UTV for several days, especially in warm weather, to allow the material to stretch and conform, which will ease zipper operation and reduce wrinkles in the clear vinyl.



Image 4.2: Close-up view of a zipper and fabric detail on the enclosure.

6. **Final Adjustments:** Check all attachment points and zippers to ensure a secure and weather-tight fit. Adjust as necessary.

5. Operating Instructions

The QuadGear UTV Cab Enclosure is designed for ease of use while providing protection.

- **Door Access:** The enclosure features zippered doors on both sides for easy entry and exit. Operate zippers smoothly to prevent damage.
- **Window Visibility:** The ultra-clear vinyl windows provide excellent visibility. For optimal clarity, ensure windows are clean and free of obstructions.
- **Ventilation:** If equipped, utilize any integrated vents or partially open windows/doors for airflow as needed.

6. Maintenance

Proper maintenance will extend the life of your cab enclosure.

- **Cleaning:** Clean the fabric with mild soap and water. Rinse thoroughly and allow to air dry completely before storage. Avoid harsh chemicals or abrasive cleaners, especially on clear vinyl windows.
- **Window Care:** For clear vinyl windows, use a soft cloth and a specialized vinyl cleaner or mild soap and water. Avoid wiping dry or using paper towels, which can scratch the surface. Wrinkles in new vinyl often diminish over time with exposure to warmth and sunlight.
- **Zipper Care:** Keep zippers clean and free of dirt and debris. Lubricate periodically with a silicone-based zipper lubricant to ensure smooth operation.
- **Storage:** When not in use for extended periods, remove the enclosure, clean it, ensure it is completely dry, and store it in a cool, dry place away from direct sunlight. Fold neatly to minimize creasing.



Image 6.1: Demonstrates the water-resistant ProtekX6 fabric, showing water beading on the surface.

7. Troubleshooting

Issue	Possible Cause	Solution
Difficulty zipping doors/windows	New material stiffness, misalignment, dirt in zipper.	Allow material to relax in warmth. Ensure proper alignment during installation. Clean and lubricate zippers. Do not force.
Wrinkles in clear vinyl windows	Packaging creases, cold temperatures.	Wrinkles typically diminish with exposure to warmth and sunlight. A hairdryer on a low setting (held at a distance) can help, but exercise caution to avoid damage.
Enclosure does not fit properly	Incorrect model year, improper installation.	Verify UTV model and year against compatibility list. Re-read installation instructions and ensure all steps are followed carefully, allowing material to stretch.

Issue	Possible Cause	Solution
Water leakage	Improper sealing, damaged fabric.	Ensure all rip-and-grip fasteners are securely attached and zippers are fully closed. Inspect fabric for tears or punctures.

8. Specifications

Feature	Detail
Model Number	18-122-010401-00
Material	ProtekX6 Fabric
Color	Black
Approximate Dimensions (Packaged)	21 x 23.5 x 58 inches
Approximate Item Weight	0.01 ounces (Note: This weight seems unusually low and may refer to a specific component or be a data entry error. Refer to product packaging for accurate shipping weight.)
Compatibility	Polaris Ranger 800 Full size, 6x6 800, Diesel (2015 models and older)

9. Warranty & Support

Classic Accessories provides a two-year limited warranty for this product. If your product experiences a failure within the warranty period, please refer to the official Classic Accessories website for details on their Hassle-Free warranty program and contact information for their US-based customer service team.
For further assistance or inquiries, please visit the Classic Accessories Store on Amazon or their official website.

© 2023 Classic Accessories. All rights reserved.

Ask a question about this manual

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page's manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. Privacy details.

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

https://manuals.plus/asin/B00TPUE2AA

More documents and user manuals: **https://manuals.plus/**