

Oster 465-42

Oster 465-42 3-Speed Blender User Manual

Model: 465-42

[Introduction](#) [Safety](#) [Components](#) [Setup](#) [Operation](#) [Maintenance](#) [Troubleshooting](#) [Specifications](#) [Warranty](#)

1. INTRODUCTION

Thank you for choosing the Oster 465-42 3-Speed Blender. This manual provides essential information for the safe and efficient use of your new appliance. Please read these instructions thoroughly before first use and retain them for future reference.

2. IMPORTANT SAFETY INSTRUCTIONS

When using electrical appliances, basic safety precautions should always be followed to reduce the risk of fire, electric shock, and/or injury to persons, including the following:

- Read all instructions before using the product.
- To protect against electrical shock, do not place cord, plug, or appliance in water or other liquid.
- Close supervision is necessary when any appliance is used by or near children.
- Unplug from outlet when not in use, before putting on or taking off parts, and before cleaning.
- Avoid contact with moving parts.
- Do not operate any appliance with a damaged cord or plug or after the appliance malfunctions or has been dropped or damaged in any manner.
- The use of attachments not recommended or sold by the manufacturer may cause fire, electric shock, or injury.
- Do not use outdoors.
- Do not let cord hang over edge of table or counter or touch hot surfaces.
- Keep hands and utensils out of container while blending to prevent the possibility of severe injury to persons or damage to the blender. A scraper may be used but must be used only when the blender is not running.
- Blades are sharp. Handle carefully.
- Always operate blender with lid in place.
- When blending hot liquids, use caution as steam can cause burns.
- Do not use appliance for other than intended use.

3. PRODUCT COMPONENTS AND OVERVIEW

Familiarize yourself with the parts of your Oster 465-42 Blender:

1. **Blender Base:** Houses the 400-watt motor and control knob. Features an all-metal drive system for durability.
2. **Glass Jar:** 1.25-liter capacity, made of heat-resistant glass.
3. **Lid:** Vinyl material, fits securely on the glass jar.
4. **Measuring Cap:** Transparent plastic cap with 60 ml capacity, integrated into the lid for adding ingredients during blending.
5. **Ice Crusher Blade:** Revolutionary blade designed for efficient ice crushing and blending.
6. **Small Mixing Cup:** An additional cup for preparing smaller mixtures.
7. **Control Knob:** Allows selection of 3 speeds and an OFF setting.



Figure 3.1: The Oster 465-42 Blender featuring its main glass jar, base with control knob, and an accompanying small measuring cup.




Figure 3.2: Side view of the Oster 465-42 Blender, highlighting the robust base and glass jar assembly.




Figure 3.3: Illustrative diagram showing the approximate dimensions of the Oster 465-42 Blender, indicating a height of 17 inches (43 cm).

4. SETUP AND ASSEMBLY

Before first use, wash all parts except the blender base in warm, soapy water. Rinse thoroughly and dry. The blender base can be wiped clean with a damp cloth.

1. **Assemble the Blade:** Place the Ice Crusher Blade assembly onto the bottom of the glass jar. Ensure it is seated correctly.
2. **Secure the Base:** Screw the jar base (which holds the blade) onto the bottom of the glass jar until it is tight.
3. **Place Jar on Motor Base:** Carefully place the assembled glass jar onto the motor base. Ensure it is securely seated and aligned with the all-metal drive system.
4. **Attach Lid:** Place the vinyl lid onto the glass jar. Insert the transparent measuring cap into the lid opening.
5. **Connect Power:** Plug the blender into a standard 120-volt electrical outlet.

Your blender is now ready for use.

5. OPERATING INSTRUCTIONS

Follow these steps for safe and effective blending:

1. **Prepare Ingredients:** Cut solid ingredients into small pieces (approximately 1-inch cubes) for optimal blending.
2. **Add Ingredients:** Place ingredients into the glass jar. For best results, add liquids first, then soft foods, then hard foods, and finally ice. Do not overfill the jar beyond the 1.25-liter mark.
3. **Secure Lid:** Always ensure the lid and measuring cap are securely in place before operating the blender.
4. **Select Speed:** Turn the control knob to your desired speed setting (1, 2, or 3).
 - **Speed 1:** For light mixing, stirring, and pureeing.
 - **Speed 2:** For medium blending, chopping, and mixing.
 - **Speed 3:** For heavy blending, crushing ice, and liquefying.
5. **Blend:** Allow the blender to run until desired consistency is achieved. For continuous operation, do

not run for more than 3 minutes at a time. Allow the motor to rest for 10 minutes between cycles.

6. **Add Ingredients During Blending:** If necessary, remove the measuring cap from the lid and add ingredients through the opening while the blender is running. Replace the cap immediately.
7. **Stop Blending:** Turn the control knob to the "OFF" position.
8. **Unplug:** Always unplug the blender from the electrical outlet after use.

Note: The small mixing cup can be used for preparing smaller quantities of ingredients, following similar blending principles.

6. MAINTENANCE AND CLEANING

Regular cleaning ensures optimal performance and extends the life of your blender.

6.1 Quick Cleaning

1. After use, rinse the glass jar, blade assembly, lid, and measuring cap.
2. Fill the glass jar halfway with warm water and add a drop of dish soap.
3. Place the lid securely on the jar and place the jar on the motor base.
4. Run the blender on Speed 1 for 15-30 seconds.
5. Empty the jar and rinse thoroughly.

6.2 Deep Cleaning

1. **Unplug the blender.**
2. Disassemble the glass jar, blade assembly, lid, and measuring cap.
3. Wash all removable parts in warm, soapy water. Use a brush to clean around the blades carefully.
4. Rinse all parts thoroughly and allow them to air dry completely before reassembling or storing.
5. Wipe the motor base with a damp cloth. Never immerse the motor base in water or any other liquid.

Caution: Blades are sharp. Handle with extreme care during cleaning.

7. TROUBLESHOOTING

If you encounter issues with your blender, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Blender does not start.	Not plugged in; power outlet not working; jar not correctly seated.	Ensure plug is firmly in outlet; check outlet with another appliance; ensure glass jar is securely placed on the motor base.
Ingredients are not blending smoothly.	Too little liquid; too many ingredients; ingredients are too large.	Add more liquid; reduce quantity of ingredients; cut ingredients into smaller pieces.
Motor smells or sounds strained.	Overloaded; continuous operation for too long.	Reduce ingredients; turn off and unplug, allow motor to cool for 10-15 minutes before resuming.
Leakage from the bottom of the jar.	Blade assembly not tightened; gasket missing or damaged.	Ensure blade assembly is securely screwed onto the jar; check if the gasket is properly installed and undamaged.

If the problem persists after trying these solutions, please contact customer support.

8. PRODUCT SPECIFICATIONS

Feature	Detail
Brand	Oster
Model Number	465-42
Color	Gray
Power	400 Watts
Voltage	120 Volts
Capacity	1.25 Liters (Glass Jar)
Number of Speeds	3
Material	Stainless Steel, Plastic, Glass
Product Dimensions (L x W x H)	22 x 22 x 34 cm (8.7 x 8.7 x 13.4 inches)
Product Weight	3.6 Kilograms (7.9 lbs)
Special Features	All-metal drive system, Ice Crusher Blade, Measuring Cap, Small Mixing Cup
Manufacturer	Newell Brands

9. WARRANTY AND SUPPORT

Oster products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty card included with your purchase or visit the official Oster website. Keep your purchase receipt as proof of purchase.



For technical support, service, or replacement parts, please contact Oster customer service. Contact information can typically be found on the product packaging or the official Oster website.

Online Resources: www.oster.com

© 2024 Oster. All rights reserved. Model: 465-42.

Related Documents - 465-42

	Oster Easy-to-Clean Blender with Dishwasher-Safe Glass Jar User Manual User manual for the Oster Easy-to-Clean Blender with Dishwasher-Safe Glass Jar (BLSTBCG Series), covering safety, operation, cleaning, and recipes. Visit www.oster.com for more information.
---	---

	Oster BLSTDG Series Blender User Manual and Recipes Comprehensive user manual for the Oster BLSTDG Series Blender, covering important safeguards, features, operating instructions, cleaning, storage, recipes, and warranty information.
	Oster BL660 Owner's Guide: Refurbished Product Information and Support Comprehensive owner's guide for the Oster BL660 blender, detailing accessory variations, important notes on refurbished units, and product support contact information.
	Oster Easy-To-Use Blender with 5 Speeds User Manual User manual for the Oster Easy-To-Use Blender with 5 Speeds, providing safety instructions, operating guides, cleaning tips, recipes, and warranty information.
	Oster Pro Series Blender with High Performance Motor User Manual User manual for the Oster Pro Series Blender with High Performance Motor (Model BLSTEPG-STO), detailing safety precautions, product features, operation instructions, care and maintenance, and warranty information.
	Oster Pro Series Blender with High Performance Motor User Manual User manual for the Oster Pro Series Blender with High Performance Motor (Model BLSTEPH), providing detailed instructions on safety, operation, assembly, cleaning, maintenance, and warranty information.



[pdf] User Manual Instructions

LICUADORA OSTERIZER® OSTERIZER Oster Latino Precauciones Importantes BLENDER Manual de Instrucciones LEA TODAS LAS INSTRUCCIONES ANTES DE USAR ESTE APARATO Instruction Cuando utilice aparatos eléctricos debe seguir siempre ciertas medidas seguridad básicas incluyendo las siguientes PRECAUCIONES IMPORTANTES Y GUARDE blender ® manual instrucciones licuadora osterizer® lea todas antes usar este aparato instruction please read all 4126 IB 4655

b1d51fee131770a09303a04e1b61212ef9abee814241428ed21478adf1cfb93a osterlatino manuales oster la mx ar licuadoras d3lfzbr90tctqz cloudfront net epi resource r d

BLENDER MODELOS MODELS 250-22 450-10 450-20 450-21 461-13 465-13 465-15 465-31 465-41 **465-42** 465-43 465-52 465-54 4090 4093 4122 4126 4128 4134 4190 4241 4655 BLSTBG4127V Manual de Instrucciones LICUADORA OSTERIZER LEA TODAS LAS INSTRUCCIONES ANTES DE USAR ESTE APARATO Instruction Manua...

lang:es score:37 filesize: 1.62 M page_count: 36 document date: 2015-08-07



[pdf] User Manual Instructions

Instruction Manual OSTERIZER® BLENDER MÉLANGEUR READ AND KEEP ALL INSTRUCTIONS 1 To protect against risk of electrical shock do not put Blender base in water or other liquid 2 Close supervision is necessary when any appliance used by near children incapacitated persons 3 Unplug from outlet use before putting on taking off parts and cleaning 4 450 10 FT cdn shopify s files 2278 4295 |||

BLENDER MODEL/MODLE MODELO 250-22 450-10 450-20 450-21 461-13 465-15 465-31 465-41 **465-42** 465-43 465-52 465-54 4122 4126 4128 4134 4190 4241 4655 4090 465-13 Instruction Manual OSTERIZER BLENDER READ ALL INSTRUCTIONS BEFORE USING THIS APPLIANCE Manuel d Instructions MLANGEUR OSTERIZER LIR...

lang:en score:31 filesize: 1.95 M page_count: 44 document date: 2011-08-25



[pdf] User Manual Instructions

LICUADORA OSTERIZER® BLENDER LIQUIDIFICADOR OSTERIZER Oster Latino Cuando utilice aparatos eléctricos debe seguir siempre ciertas medidas de seguridad básicas incluyendo las siguientes BLSTBG4127B IB osterlatino manuales oster mx

BLENDER MODELOS MODELS 250-22 450-10 450-20 450-21 461-13 465-13 465-15 465-31 465-41 **465-42** 465-43 465-52 465-54 4090 4093 4122 4126 4128 4134 4190 4241 4655 BLSTBG4127B BLSTBG4127V BLSTBG4655B BLSTBG4656B Manual de Instrucciones LICUADORA OSTERIZER LEA TODAS LAS INSTRUCCIONES ANTES DE...

lang:es score:26 filesize: 1.52 M page_count: 36 document date: 2016-05-17



[pdf] User Manual Instructions

465 41 Blenders IM bbach Oster Latino NOM ONTROL 004 MANUAL DE INSTRUCCIONES LICUADORA

OSTERIZER® LEA TODAS LAS ANTES USAR ESTE APARATO INSTRUÇÕES LIQUIDIFICADOR para México

Únicamente for mexico only licuadora osterizer ® importador sunbeam mexicana s a de c v avenida Juárez 40 201 ex

hacienda santa mónica tlalnepantla estado cp 54050 250 450 4100 4200 blenders IB osterlatino manuales oster la


PARA MXICO NICAMENTE FOR MEXICO ONLY LICUADORA OSTERIZER IMPORTADOR:

SUNBEAM MEXICANA, S.A. de C. ... FAX: 5-366-0810 R.F.C. SME 570928G90

CONTENIDO: 1 PIEZA CARACTERSTICAS ELCTRICAS MODELO VEL. **465-42** 3 465-43 3

4122-13 2 450-20 2 450-10 1 461-13 1 TIPO DE CONTROL Rotatorio HZ V 6...

lang:en **score:24** filesize: 1.25 M page_count: 28 document date: 2003-02-12



[pdf]

User Oster Licuadora 465 42 1 25 Litros 400W 3 Velocidades Cromo Cyberpuerta mx 61087d0e7ae153 90835097

cdn cyberpuerta storage articles multimedia 610 87d 0e7 |||


LICUADORA OSTER MOD. **465-42** 3 VEL V.V. CROMADO Descripcin - Base metlica con

recubrimiento cromado brillante - Perilla rotativa de 3 velocidades - Sistema All-Metal Drive -

Potente motor de 400 W. Base metlica con recubrimiento cromado brillante. Perilla rotativa de

3 velocidades. Sistema All-Metal ...

lang:en **score:23** filesize: 224.54 K page_count: 1 document date: 2021-08-18



[pdf] User Manual Instructions

liquidificador oster classico 125l 600w 3 velocidades 122107021959 gazin marketplace s3 amazonaws midias

manuais |||


BLENDER MODELOS MODELS 250-22 450-10 450-20 450-21 461-13 465-13 465-15 465-31

465-41 **465-42** 465-43 465-52 465-54 4090 4093 4122 4125 4126 4128 4134 4190 4241 4655

BLSTBG4127B BLSTBG4127V BLSTBG4655B BLSTBG4656B BLSTBG4127Z

BLSTBG4655Z Manual de Instrucciones LICUADORA OSTERIZER LEA TO...

lang:es **score:16** filesize: 1.85 M page_count: 35 document date: 2019-02-27



[pdf] User Manual Instructions

MODEL MODÈLE MODELO MODELOMODEL 465 41 42 43 52 54 4122 4126 LICUADORA OSTERIZER®

ImPORTADOR SUNbEAm mEXICANA 782255 1468523434798images colombo br produtos 782255

1468523434798 |||

BLENDER 250-22 MODEL/MODLE 450-10 450-20 MODELO 450-21 461-13 465-15 465-31

465-41 **465-42** 465-43 465-52 465-54 4122 4126 4126-R3S 4128 4134 4134-R3S 4190 4241

4655 4090 465-13 Instruction Manual OSTERIZER BLENDER READ ALL INSTRUCTIONS


BEFORE USING THIS APPLIANCE Manuel d Instructions ...

lang:pt **score:15** filesize: 1.43 M page_count: 8 document date: 2016-07-14

00083080900399	00402301233899	00789111217683	00789111217686	00083080900407
00750200548163	0075011083	...	sible - Oster Variedades America	BEST0E2le-Ec0tr-o0d1o3msticos
Licuada	Oster 3 Velocidades	Oster	465-42	Electrodomsticos Cafetera
Expresso	Hamilton Beach Negro - C4715	Hamilton	BEelaechtrVodaroie...	
lang:de	score:15	filesize: 614.26 K	page_count: 95	document date: 2019-10-21

[pdf] User Manual

Sin Autor Descripción Categoría 00060979285430 Afilador de Cuchillos Red Lemon Manual 2 Etapas Cocina y Hogar 00060979285462 Tapas silicón flexible para mantener los k2 bd8e310c d15a 4ac4 b418 62ba32a34d81 v1 i5 walmartimages dfw 4ff9c6c9 8929 00083080900399 00402301233899 00789111217683 00789111217686 00083080900407 00750200548163 0075011083 ... sible - Oster Variedades America BEST0E2le-Ec0tr-o0d1o3msticos Licuada Oster 3 Velocidades Oster **465-42** Electrodomsticos Cafetera Expresso Hamilton Beach Negro - C4715 Hamilton BEelaechtrVodaroie... lang:de score:15 filesize: 614.26 K page_count: 95 document date: 2019-10-21



[pdf] User Manual Instructions Warranty

Instruction Manual OSTERIZER® BLENDER MÉLANGEUR OSTERIZER Oster Latino Shoptime 112176908 READ ALL INSTRUCTIONS BEFORE USING THIS APPLIANCE Manuel d Instructions LIRE TOUTES LES AVANT D UTILISER CET APPAREIL de Instrucciones LICUADORA LEA TODAS LAS INSTRUCCIONES ANTES DE USAR ESTE ARTEFACTO Instruções LIQUIDIFICADOR English 3 4 LEAK PROOFLID The cover for your blender consists of two parts the plastic feeder cap and leak-proof lid is self-sealing made material which resistant to absorption odors Jun 2 2021 — instructions disassembly repair or alteration by anyone other than Sunbeam an Authorized Service Center Further warranty does 4655 Licuadora Clasica Beehive IB 4126 4134 4128 43 59668348 osterlatino manuales oster pe licuadoras img americanas br produtos 01 02 manual statics submarino b2w io manuais 80 conteudoproducto magazineluiza 20 204485500 BLENDER 250-22 MODEL/MODLE 450-10 450-20 MODELO 450-21 461-13 465-15 465-31 465-41 **465-42** 465-43 465-52 465-54 4122 4126 4126-R3S 4128 4134 4134-R3S 4190 4241 4655 4090 465-13 Instruction Manual OSTERIZER BLENDER READ ALL INSTRUCTIONS BEFORE USING THIS APPLIANCE Manuel d Instructions ... lang:en score:13 filesize: 2.99 M page_count: 23 document date: 2012-10-10



[pdf]

Presentación de PowerPoint GLozano DESCARGAR FICHA TECNICALICUADORA OSTER MOD 465 42 3 VEL V CR Grupo EncantoLICUADORA 42encanto mx 2020 04 LICUADORA ||| LICUADORA MOD. **M465-42** LINEA: CLSICA VASO DE VIDRIO DE 1.2 LTS. / 5 TAZAS VASO INCLUIDO PARA PEQUEAS MEZCLAS TAPA CON DOSIFICADOR DE 60MLTS. 3 VELOCIDADES CON INTERRUPTOR DE PERILLA Y APAGADO HACIA AMBOS LADOS BASE METLICA CROMADA MOTOR DE 400W DE POTENCIA SISTEMA DE CUCHILLAS TRITURADORAS ... lang:en score:12 filesize: 254.9 K page_count: 1 document date: 2020-01-20



[pdf] User Manual Instructions

MODEL MODÈLE MODELO 22a0daf2 9980 49e1 9e50 f22e92672c24 stream manualsonline 2 BLENDER MODEL/MODLE MODELO 250-22 450-10 450-20 450-21 461-13 465-15 465-31 465-41 **465-42** 465-43 465-52 465-54 4122 4126 4128 4134 4190 4241 4655 4090 465-13 Instruction Manual OSTERIZER BLENDER READ ALL INSTRUCTIONS BEFORE USING THIS APPLIANCE Manuel d Instructions MLANGEUR OSTERIZER LIR... lang:en score:10 filesize: 1.95 M page_count: 44 document date: 2011-08-25