

Titan 21049

Titan 21049 26-inch Wall Cabinet Instruction Manual

Model: 21049

1. INTRODUCTION

Thank you for choosing the Titan 21049 26-inch Wall Cabinet. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new wall cabinet. Please read these instructions thoroughly before assembly and retain them for future reference.

2. SAFETY INFORMATION

Always use appropriate safety gear when installing or maintaining the cabinet. Be aware of potential pinch points, especially when using the sliding door. Ensure the cabinet is securely mounted to the wall and not overloaded to prevent accidents.

- Wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.
- Ensure the mounting surface is structurally sound and capable of supporting the cabinet's weight when fully loaded.
- Do not exceed the maximum weight capacity of the cabinet.
- Keep hands clear of the sliding door mechanism to avoid pinching.
- Store heavy items on lower shelves or towards the back of the cabinet to maintain stability.

3. PACKAGE CONTENTS

Verify that all components are present before beginning assembly.


- Titan 21049 26-inch Wall Cabinet (1 unit)
- Shelves (quantity as specified by model)
- Keys for locking mechanism (2 units)
- Steel Hooks (30 units)
- Mounting Hardware (screws, anchors - specific type may vary)

4. SETUP AND INSTALLATION

The Titan 21049 Wall Cabinet is designed for easy wall mounting, often above a 26-inch rolling tool cabinet. Proper installation is crucial for safety and stability.

4.1. Planning the Installation Location

Choose a location with adequate wall support. Consider the cabinet's dimensions and ensure there is enough clearance for the sliding door operation.



This image illustrates the key dimensions of the Titan 21049 Wall Cabinet: 26 inches wide, 28.5 inches high, and 10.5 inches deep. These measurements are crucial for planning installation space.

4.2. Mounting Steps

1. **Mark Mounting Points:** Hold the cabinet against the wall at the desired height and use a pencil to mark the locations for the mounting screws. Ensure the marks are level.
2. **Drill Pilot Holes:** Using an appropriate drill bit for your wall type (wood studs, drywall with anchors, concrete), drill pilot holes at the marked locations.
3. **Install Anchors (if necessary):** If mounting into drywall without studs, insert wall anchors into the pilot holes according to their instructions.
4. **Secure the Cabinet:** Align the cabinet's mounting holes with the drilled holes/anchors. Insert and tighten the mounting screws securely. Do not overtighten.
5. **Test Stability:** Gently pull on the cabinet to ensure it is firmly attached to the wall before loading it with tools.

5. OPERATION

The Titan 21049 Wall Cabinet offers secure and accessible storage for your tools.



This image displays the Titan 21049 26-inch Wall Cabinet, featuring its black finish, sliding door, and integrated lock with keys. The interior shows the pegged backing for tool organization.

5.1. Sliding Door

The cabinet features a smooth-gliding sliding door for easy access to your stored items. To open, gently slide the door to either side. To close, slide it back until it covers the opening completely.

5.2. Locking Mechanism

For security, the cabinet is equipped with a lock. Insert the key into the lock cylinder and turn to secure or unlock the door. Always ensure the door is fully closed before locking.

5.3. Pegged Backing and Hooks

The interior features a pegged backing, allowing you to customize tool organization using the included 30 steel hooks. Arrange the hooks to suit your specific tools and needs.

6. MAINTENANCE

Regular maintenance will ensure the longevity and optimal performance of your Titan Wall Cabinet.

- **Cleaning:** Wipe the cabinet surfaces with a soft, damp cloth. Avoid abrasive cleaners that could damage the finish.
- **Door Mechanism:** Periodically check the sliding door tracks for debris and clean as needed. A light application of silicone spray can help maintain smooth operation.
- **Mounting Hardware:** Annually inspect all mounting screws and hardware to ensure they remain tight and secure. Retighten if necessary.
- **Lock:** If the lock becomes stiff, apply a small amount of graphite lubricant to the keyhole.

7. TROUBLESHOOTING

If you encounter issues with your cabinet, refer to the following common solutions:

- **Sliding Door Sticks:** Check the tracks for obstructions or dirt. Clean the tracks and apply a silicone lubricant if needed. Ensure the cabinet is level.
- **Lock Not Engaging:** Ensure the door is fully closed and aligned with the locking mechanism. Check if the key is fully inserted and turning correctly. Do not force the key.
- **Cabinet Feels Unstable:** Verify that all mounting hardware is securely tightened. Ensure the wall structure is adequate for the cabinet's weight. Redistribute contents if overloaded or unevenly weighted.

8. SPECIFICATIONS

Feature	Specification
Brand	Titan
Model Name	21049
Product Dimensions	10.5"D x 28.5"W x 26"H
Item Weight	24.6 Pounds
Color	Black
Material	Alloy Steel
Mounting Type	Wall Mount
Special Feature	Lockable
Door Style	Sliding
Included Components	Shelves, 30 Steel Hooks
Assembly Required	No

9. WARRANTY AND SUPPORT

For warranty information or technical support, please contact Titan customer service. Refer to your purchase documentation for specific warranty terms and contact details.

Manufacturer: Star Asia Usa