Manuals+
Q & A | Deep Search | Upload

Edifier G2000

Edifier G2000 32W PC Gaming Computer Speakers User Manual

Model: G2000 | Brand: Edifier

1. Introduction

Welcome to the Edifier G2000 PC Gaming Computer Speakers user manual. These speakers are designed to provide a superior audio experience for gaming, music, and movies on your PC, Mac, laptop, and other compatible devices. Featuring 32W peak power, multiple input options, and customizable RGB lighting, the G2000 speakers are engineered for immersive sound and aesthetic appeal.

Image: Edifier G2000 speakers in black with blue light accents, showcasing their hexagonal design.

2. Key Features

- **Superior Sound:** HIFI 2.75 inches full-range speaker unit with backward mega bass port, delivering 16W RMS power and 32W total peak power for unexceptionable sound quality and strong bass. Includes a subwoofer output interface.
- **Multiple Sound Modes:** Professional acoustic-team tuning with EQ adjustment for Game, Music, and Movie modes, providing outstanding sound effects tailored to your content.
- **Broad Compatibility:** Versatile connectivity options including 3.5mm AUX, Bluetooth, and USB sound card inputs, compatible with devices like PC, Mac, PS4, Xbox, laptops, TVs, CD players, and mobile phones.
- **RGB Illumination:** 12 RGB lighting effects to enhance your gaming experience and customize your desktop environment.
- **Delicate Design:** Unique column-shaped cabinet with 10-degree elevation and 0.65L isometric cavity, featuring a matte panel, metal laser engraving, screen printing logo, and anti-slip foot pads.

Image: A graphic illustrating the high-quality audio performance of the G2000 speakers, emphasizing 32W peak power and 2.75-inch full-range unit.

3. Package Contents

Please check the box contents upon unboxing to ensure all items are present:

- Edifier G2000 Speakers (2 units)
- Power Adapter
- USB Cable
- 3.5mm AUX Cable
- User Manual

4. Setup Guide

1. **Place Speakers:** Position the left and right speakers on your desktop or desired surface. Ensure they are placed at an optimal distance for stereo sound.
2. **Connect Power:** Plug the power adapter into the DC IN port on the back of the main speaker (usually the right speaker). Connect the adapter to a power outlet.
3. **Connect Speakers:** Connect the left speaker to the right speaker using the integrated cable.
4. **Select Input Mode:** Press the input mode button on the main speaker to cycle through available input options: Bluetooth, USB, or AUX. The indicator light will change to reflect the selected mode.
5. **Connect Audio Source:**
    - **For USB:** Connect the provided USB cable from your computer's USB port to the USB input on the speaker.
    - **For AUX:** Connect the provided 3.5mm AUX cable from your audio device's headphone jack or line-out port to the AUX IN port on the speaker.
    - **For Bluetooth:** Select Bluetooth mode on the speaker. On your audio device, search for

Related Documents - G2000

	Edifier R19BT Multimedia Speaker User Manual User manual for the Edifier R19BT multimedia speaker. Learn how to connect via USB, AUX, and Bluetooth, understand functional operations, and find troubleshooting tips for your Edifier R19BT speakers.
	Edifier R1700BT Multimedia Speaker User Manual Comprehensive user manual for the Edifier R1700BT multimedia speakers, covering setup, operation, safety information, troubleshooting, and specifications. Includes Bluetooth connectivity and wired input options.
	Edifier R980T Multimedia Speaker User Manual Comprehensive user manual for the Edifier R980T multimedia speaker system, covering setup, specifications, safety instructions, and troubleshooting. Includes details on connections, audio settings, and product care.
	EDIFIER R1700BT Multimedia Speakers User Manual User manual for the EDIFIER R1700BT multimedia speakers, covering setup, operation, safety instructions, specifications, and troubleshooting. Includes details on connectivity, Bluetooth pairing, and product features.

1. 物品清单

注：本品有带上四脚木垫为水平型，适合广放木和有脚书架，用标注的线缆与音箱可每与实物有偏差，最终请参与为准。

2. 功能说明

● 主箱背面

● 副箱背面

● 主箱侧面

1. 模式指示灯

●	蓝牙输入
●	线路输入
●	声卡输入

2. 开机-待机/输入模式切换

长按	开机（待机状态下）/ 待机（开机状态下）
短按	输入模式切换（蓝牙 / 声卡 / 线路）

3. 音量调节/播放-暂停/音效切换

旋钮	右旋转增大音量 左旋转减小音量 解除静音（当音箱处于静音状态时）
短按	播放/暂停音乐（声卡、蓝牙模式下有效） 静音/解除静音（线路模式下有效）
长按	强制断开蓝牙（蓝牙连接状态下）

4. 灯效切换/灯光亮度调节

旋钮	右旋转增大灯光亮度 左旋转减弱灯光亮度
短按	切换灯效
长按	恢复音箱出厂设置

3. 音箱连接示意图

1. 将主副箱连接线的两端分别连接主箱和副箱后面的接口上。
2. 将1.5mm-RCA音频线的一端连接到主箱后面板上的线路输入接口（注意颜色的对应），将一端连接音源设备。
3. 将电源线接入市电，打开电源开关，音箱即可使用。

4. 操作使用说明

● 蓝牙输入

1. 首次开机音箱默认为蓝牙模式，也可在蓝牙模式下短按输入模式切换键「⏻」切换至蓝牙模式，此时模式指示灯蓝灯常亮，音箱进入蓝牙配对搜索状态，打开蓝牙设备搜索并选择名称为「蓝牙音箱 - 取两 Halo 2.0」的音箱产品，连接成功后模式指示灯蓝灯常亮，即可使用。
2. 如需断开蓝牙连接，可长按音箱调节旋钮，即可断开音箱与当前设备的连接。

注意：
1. 当前正连接音箱时，如需输入PIN码，请输入"0000"。
2. 为确定您能使用产品提供的所有蓝牙功能，请确保您的音源设备支持A2DP、AVRCP协议。

● 线路输入

音箱开机后，短按输入模式切换键切换至线路模式，此时模式指示灯绿灯常亮，将3.5mm-RCA音频线连接音箱背后面板，选择播放设备中的音源文件，即可使用。

● 声卡输入

音箱开机后，短按输入模式切换键切换至USB声卡模式，此时模式指示灯红灯常亮，将USB连接线连接至电脑，打开电脑的声音设置，选择箱体设备"蓝声音 HDMI® Halo 2.0"，即可使用。

注意：
1. 声卡模式下音箱不支持音量同步，如需调节音量，可分别调节音箱和及电脑端的音量大小。
2. 声卡支持的系统：Windows 7/8/10/11，Mac。

● 低线缆供电

音箱内置独立65W氮化镓供电电源，共三个输出接口，可使用USB-C或USB-A充电线给设备充电。

输入：100-240V~ 50/60Hz 130W

USB-A充电输出：
60W Max 5V⎓3A，9V⎓3A，12V⎓3A，20V⎓3A)

USB-C1充电输出：
65W Max 15V⎓3A，9V⎓3A，12V⎓3A，15V⎓3A，20V⎓3.25A)

USB-C2充电输出：
65W Max 15V⎓3A，9V⎓3A，12V⎓3A，15V⎓3A，20V⎓3.25A)

USB-C1+USB-C2充电输出：20W Max+45W Max
USB-C1+USB-A充电输出：15W Max
USB-A+USB-C2充电输出：20W Max+45W Max
USB-A+USB-C1+USB-C2充电输出：10W Max+45W Max

注意：
1. 需要在音箱电源开关打开，电源线接通的情况下，内置的氮化镓供电电源方可供电。
2. 连接电大于5A高流线的充电功率较对设备充电时，请使用大于4.5A的充电数据线对设备充电，以免引起充电不良等问题。

HALO 2.0

HALO 2.0

5. 下载安装Edifier Connect App

1. 使用手机扫描 "Edifier Connect" 二维码，选择下载安装。
2. 将手机的蓝牙设置打开，搜索并连接名称为 "漫步者 花再 Halo 2.0" 的音箱产品。
3. 打开Edifier Connect App，将自动跳转到音箱设置界面，您即可通过App选择喜欢的个性化设置。

App功能说明

- 音效选择及自定义音效
- 氛围灯亮度调节及自定义氛围灯颜色
- 音量大小、播放/暂停、上/下曲调节
- 音源切换、恢复出厂等设置
- 快充状态实时查看

6. 规格参数 (执行标准:SJ/T 11540-2015)

头离架触控输出功率：L/R（单首）：1W+1W
L/R（中置首）：20W+20W
驱动声音频响应范围：55Hz-20kHz
噪声声级：<25dBAV

7. 疑难解答

● 音箱的噪声问题?
漫步者首提有有标准声特点，有些首源本身的临声会有比音箱的数值，所以检查时应留意音箱。并启开大音量，1米之外应基本听不到哪叫发出的声音。

● 蓝牙输入下搜索不到蓝牙 "漫步者 花再 Halo 2.0" 问题?
1. 请检查音箱是否开机。
2. 请检查音箱是否已经为蓝牙输入。
3. 请长按音箱背下按钮音箱会断开与最近连接的蓝牙设备，再次搜索 "漫步者 花再 Halo 2.0"。
4. 请断开音箱电源后重新开机或恢复蓝牙输入，再次搜索 "漫步者 花再 Halo 2.0"。

● 音箱无声，怎么办?
1. 请检查电源插头是否插好，电源开关是否打开。
2. 请检查音源和连接线是否正常。
3. 请检查音源信号输出是否正常。
4. 请检查音箱或音源的音量是否已被调至最小。
5. 请断开音箱电源后重新开机。

8. 保养与维护

在使用时，请阅读以下建议有助于您最可体使用前，并延长产品的使用寿命。

- 为防止火灾和触电危险，请勿让生产从雨和受潮。
- 请不要在靠近水的地方使用本产品，也不要将本产品浸入液体中或将液体溅落，避免损坏产品。
- 请不要在靠近任何热源（如散热器、暖气设备，炉灶或其它产生热量的设备）的地方长期存放。
- 为保产品能更加大限精制或者温度高的地方，高温会缩短电子部件的使用寿命，损坏电池，使某些塑料部件变形。
- 不要产品的完好无损地方，以免损坏内部电路板。
- 勿试图拆开产品，如果专业人员，可能会损坏产品。
- 不要跌落，强烈撞动，损害电池产品，以免造成内部电路。
- 勿使用烈性化学制品，清洁前请拔产品。
- 不要将长时间产品表面上先出，以免损坏外壳和面外观。

如果产品不能正常工作，请将其送至您的当地维修机构，工作人员会特心帮您解决问题的。

扫描关注漫步者花再微信

扫码关注 EDIFIER 漫步者

深圳市漫步者心音科技有限公司 出品
地址：深圳市宝安区福永街道福永社区福海工业区二区 9 号 317
生产企业：东莞市漫步者科技有限公司
地址：东莞松山湖高新技术产业开发区工业东路 2 号

合作商：北京星睿星科技有限公司
地址：北京市海淀区北四环西路 66 号
合作商：深圳市心乐品科技有限公司
地址：深圳市宝安区和裕下满工业大厦 35 号 B 栋 4 楼

产品型号：EDF2Bx005

EDIFIER®、**漫步者®**、**花再®** 均为北京星睿星科技有限公司所有注册商标，仿冒必究。
Halo 2.0™ 为深圳市心乐品科技有限公司所有注册商标，仿冒必究。


HECATE

G1500SE

GAMING SPEAKERS

Manual

EN 1.Important safety instruction

2. Product Description and Accessories

3. Connection

4. Power ON/OFF

5. Audio Input

6. Controls

7. Specifications

8. Troubleshooting

No sound

The G1500 SE does not turn on

Noises on relay fm irregularities

For more information, please visit our website:

www.edifier.com

[Edifier G1500 SE Gaming Speakers User Manual and Setup Guide]

Comprehensive user manual for the Edifier G1500 SE 2.0 desktop gaming speakers, covering safety instructions, product description, connection, controls, specifications, and troubleshooting. Learn how to set up and use your HECATE G1500 SE speakers.