

Indesit RAA 29

Indesit RAA 29 Refrigerator with Freezer User Manual

Model: RAA 29 | Brand: Indesit

INTRODUCTION

This manual provides essential information for the safe and efficient use of your Indesit RAA 29 free-standing refrigerator with freezer. Please read these instructions carefully before installation and use, and keep them for future reference. Proper installation, use, and maintenance will ensure optimal performance and longevity of your appliance.

IMPORTANT SAFETY INFORMATION

Always follow basic safety precautions when using electrical appliances to reduce the risk of fire, electric shock, and personal injury.

- Ensure the appliance is properly grounded.
- Do not damage the refrigerant circuit.
- Do not use electrical appliances inside the food storage compartments unless they are of the type recommended by the manufacturer.
- Unplug the appliance before cleaning or performing maintenance.
- Keep ventilation openings clear of obstruction.
- This appliance is not intended for use by persons (including children) with reduced physical, sensory or mental capabilities, or lack of experience and knowledge, unless they have been given supervision or instruction concerning use of the appliance by a person responsible for their safety.

SETUP AND INSTALLATION

1. Unpacking

Carefully remove all packaging materials, including protective films and adhesive tapes. Inspect the appliance for any signs of damage during transit. Report any damage to your retailer immediately.

2. Placement

- **Location:** Place the refrigerator on a firm, level surface. Use the adjustable feet to stabilize the appliance if necessary.

- **Ventilation:** Ensure adequate air circulation around the appliance. Leave sufficient space (at least 10 cm) at the back and sides for proper ventilation and heat dissipation. Do not block the ventilation openings.
- **Heat Sources:** Avoid placing the refrigerator near direct sunlight, heat sources (e.g., ovens, radiators), or in excessively humid environments.
- **Temperature:** The appliance is designed to operate within a specific climate class (N-ST for this model), meaning it is suitable for ambient temperatures between 16°C and 38°C.



Image: Front view of the Indesit RAA 29 refrigerator with freezer. This image shows the overall design and external appearance of the appliance.

3. Electrical Connection

Before plugging in the appliance, ensure that the voltage and frequency indicated on the rating plate (located inside the refrigerator compartment) correspond to your household power supply. The appliance must be properly grounded. Do not use extension cords or multiple adapters.

4. Initial Cleaning

Before first use, clean the interior of the appliance with a solution of lukewarm water and a mild detergent. Dry thoroughly.

5. First Use

After positioning and cleaning, wait at least 2-4 hours before plugging the appliance into the power socket. This allows the refrigerant to settle. Once plugged in, set the thermostat to a medium setting and allow the appliance to run for several hours (e.g., 4-6 hours) before placing food inside.

OPERATING INSTRUCTIONS

1. Temperature Control

The temperature inside the refrigerator and freezer compartments is controlled by a thermostat dial, usually located inside the refrigerator compartment. Turn the dial to adjust the cooling intensity:

- **"0" / "OFF"**: Appliance is off.
- **"1" (Min)**: Less cooling, suitable for light loads or cooler ambient temperatures.
- **"3" / "4" (Med)**: Recommended setting for general use.
- **"5" (Max)**: Maximum cooling, suitable for heavy loads or warmer ambient temperatures.

Adjust the setting based on ambient temperature, frequency of door opening, and amount of food stored.



Image: Interior view of the Indesit RAA 29 refrigerator with the door open, showing shelves, door bins, and the crisper drawer.

2. Refrigerator Compartment

- **Shelves:** Adjustable glass shelves allow for flexible storage.
- **Crisper Drawer:** Located at the bottom, ideal for storing fruits and vegetables to maintain their freshness.
- **Door Bins:** Suitable for bottles, jars, and smaller items.
- **Food Storage:** Cover all food items to prevent drying out and odor transfer. Avoid placing hot food directly into the refrigerator.

3. Freezer Compartment

- **Freezing Fresh Food:** For best results, freeze small quantities of fresh food at a time. Place food in airtight containers or freezer bags.
- **Storage Time:** Observe the storage times recommended on food packaging.
- **Ice Making:** Use ice cube trays to make ice.

4. Energy Saving Tips

- Do not open the doors unnecessarily.
- Ensure door seals are clean and intact.
- Do not place hot food directly into the appliance.
- Defrost the freezer regularly when ice build-up exceeds 3-5 mm.

MAINTENANCE AND CARE

1. Cleaning

Always unplug the appliance before cleaning.

- **Interior:** Clean regularly with a solution of lukewarm water and a mild, non-abrasive detergent. Rinse with clean water and dry thoroughly. Do not use harsh chemicals or abrasive cleaners.
- **Exterior:** Wipe with a soft cloth dampened with water and a mild detergent.
- **Door Seals:** Clean door seals regularly to ensure a tight seal and prevent energy loss.
- **Condenser Coils (Rear):** Periodically vacuum the condenser coils at the back of the appliance to remove dust and dirt, which can improve efficiency.

2. Defrosting

Refrigerator Compartment: This compartment features automatic defrosting. Frost on the rear wall will melt periodically and drain through a channel to an evaporation tray at the back of the appliance.

Freezer Compartment: The freezer compartment requires manual defrosting. Defrost when the layer of frost reaches approximately 3-5 mm thick. To defrost:

1. Unplug the appliance.
2. Remove all food items and wrap them in newspaper or place them in a cooler.
3. Leave the freezer door open. Place a towel or shallow tray at the bottom to collect melting water.
4. Do not use sharp objects or heating devices to speed up defrosting, as this can damage the appliance.
5. Once defrosted, clean and dry the interior thoroughly before plugging the appliance back in and returning food.

3. Extended Absence

If the appliance will not be used for an extended period:

- Unplug the appliance.
- Empty and clean both compartments.
- Leave the doors slightly ajar to prevent odors and mold growth.

TROUBLESHOOTING

Before contacting service, check the following common issues and solutions:

Problem	Possible Cause	Solution
Appliance does not operate.	No power supply; plug not inserted; fuse blown.	Check power connection; check household fuse.
Temperature is not cold enough.	Door not closed properly; frequent door opening; thermostat set too low; too much food inside; appliance near heat source.	Ensure door is sealed; reduce door openings; adjust thermostat to a colder setting; do not overload; relocate appliance.

Problem	Possible Cause	Solution
Excessive noise.	Appliance not level; contact with wall/furniture; normal operating sounds.	Adjust leveling feet; ensure clearance; gurgling/humming sounds are normal.
Water on the bottom of the refrigerator compartment.	Drain hole for defrost water is blocked.	Clear the drain hole with a small, soft tool (e.g., cotton swab).

If the problem persists after checking these points, please contact qualified service personnel.

TECHNICAL SPECIFICATIONS

Feature	Specification
Model Number	F087866
Total Net Capacity	212 L
Refrigerator Net Capacity	171 L
Freezer Net Capacity	41 L
Dimensions (W x D x H)	55 x 58 x 143 cm
Weight	45 kg
Energy Efficiency Class	A+
Annual Energy Consumption	226 kWh
Noise Level	42 dB
Climate Class	N-ST (16°C - 38°C)
Freezing Capacity	2 kg/24h





WARRANTY AND SUPPORT


Your Indesit RAA 29 refrigerator with freezer is covered by a manufacturer's warranty. For specific warranty terms and conditions, please refer to the warranty card included with your appliance or visit the official Indesit website.

For technical assistance, spare parts, or to schedule a service appointment, please contact Indesit customer support.

Have your model number (F087866) and serial number ready when contacting support.

For information regarding returns or defective products purchased through Amazon, please consult Amazon's help pages on [returns](#) and [defective items](#).

	Hotpoint/Indesit Fridge Freezer User Manual: Operation, Care, and Maintenance Comprehensive user manual for Hotpoint and Indesit fridge freezers. Covers essential information on operation, food storage guidelines, cleaning procedures, maintenance tips, and troubleshooting advice. Includes detailed sections on refrigerator and freezer compartments, functional sounds, and accessory usage.
	Indesit Refrigerator User Manual This user manual provides comprehensive instructions for the Indesit refrigerator, covering safety, installation, daily use, and troubleshooting to ensure efficient and safe operation.
	Refrigerator Safety Instructions and Usage Guide Comprehensive safety instructions, permitted use, installation guidelines, cleaning, maintenance, disposal, and energy-saving tips for refrigerators. Covers important warnings for safe operation and handling.
	Indesit Refrigerator Quick Guide and User Manual Get started with your Indesit refrigerator. This quick guide covers first-time use, product description, food storage, and troubleshooting. Find comprehensive support and register your appliance at www.indesit.com/register.
	User Manual for Refrigerators - Comprehensive Guide This user manual provides detailed instructions for the use, care, cleaning, and maintenance of refrigerators. It covers general information, how to use the appliance, food storage tips for both refrigerator and freezer compartments, troubleshooting common sounds, and after-sales service information.
	Indesit UI6 F2T W Upright Freezer: Quick Start Guide Quick start guide for the Indesit UI6 F2T W upright freezer. Learn about its controls, functions like Party Mode and Eco Night, and how to handle alarms. Features a detailed component list and operational tips.




[\[pdf\]](#) Decleration of Conformity Label

ENERGY LABEL MLS e team 7 0 eteam eu Réfrigérateur posable Indesit RAA 29 doc whirlpool cdn thron
delivery public document do d3449aff 8ab6 45a7 9c93 80a2ecb7be39 sckne7 WEB |||

INDESIT **RAA 29** 218 168 L 2010/1060 40 L 42 dB ...

lang:pl **score:23** filesize: 90.08 K page_count: 1 document date: 0000-00-00




[\[pdf\]](#) Decleration of Conformity Label

ENERGY LABEL MLS e team 7 0 eteam eu Réfrigérateur posable Indesit RAA 29 NX doc whirlpool cdn
thron delivery public document do 2cbd706b c6d3 4db2 8dfb e04f86b862c7 sckne7 WEB |||

INDESIT **RAA 29 NX** 218 168 L 2010/1060 40 L 42 dB ...

lang:pl **score:23** filesize: 90.48 K page_count: 1 document date: 0000-00-00




[\[pdf\]](#) Decleration of Conformity Label

ENERGY LABEL MLS e team 7 0 eteam eu Frigorifero combinato Indesit RAA 29 S doc whirlpool cdn
thron delivery public document do aa815a47 5c14 432f ada0 8f2030d793cd jsind9 WEB |||

INDESIT **RAA 29** S 218 168 L 2010/1060 40 L 42 dB ...

lang:pl **score:23** filesize: 90.39 K page_count: 1 document date: 0000-00-00




[\[pdf\]](#) Decleration of Conformity Label

ENERGY LABEL MLS e team 7 eteam eu Classe energeticaFrigorifero combinato Indesit RAA 29

ITdocdigitalassets cdn thron api v1 content delivery shares xoxl70 contents do d3449aff 8ab6 45a7 9c93
80a2ecb7be39 doc |||

INDESIT **RAA 29** 218 168 L 2010/1060 40 L 42 dB ...

lang:pl **score:23** filesize: 90.08 K page_count: 1 document date:




[pdf] Declaration of Conformity Label

ENERGY LABEL MLS e team 7 eteam eu Classe énergétiqueRéfrigérateur posable Indesit RAA 29 NX
NXdocdigitalassets cdn thron api v1 content delivery shares xoxl70 contents do 2cbd706b c6d3 4db2
8dfb e04f86b862c7 doc |||

INDESIT **RAA 29 NX** 218 168 L 2010/1060 40 L 42 dB ...

lang:pl score:22 filesize: 90.48 K page_count: 1 document date:




[pdf] User Manual

Fridge freezer combination RAA 29 Grupo de producto Frigorífico combi Tipo instalación Independiente
control Mecánico construcción Indesit 46215401 PRF087866es media flixcar f360cdn |||

RAA 29 12NC: F087866 Cdigo EAN: 8007842878660 CARACTERSTICAS
PRINCIPALES Grupo de producto Tipo de instalacin Tipo de control Tipo de
construccin Color principal del producto Potencia de conexin Intensidad corriente
elctrica Tensin Frecuencia Nmero de compresores Longitud del cable de alimentacin
e...

lang:es score:18 filesize: 395.43 K page_count: 1 document date: 0000-00-00



[pdf] Datasheet Borchure

Fridge freezer combination Indesit RAA 29 S Freestanding 212 L Silver Product Brochure Datasheet 0 4
MB 869990878650 mmo 28347782 1599035857 1827 22677 objects icecat biz |||

RAA 29 S 12NC: F087865 GTIN EAN code: 8007842878653 MAIN FEATURES
Product group Installation type Type of control Construction type Main colour of
product Electrical connection rating W Current A Voltage V Frequency Hz Number of
compressors Length of Electrical Supply Cord cm Plug type T...

lang:en score:17 filesize: 395.37 K page_count: 1 document date: 0000-00-00



[pdf]

Katalogy AP Servis katalog volne stojcich spotrebicu indesit 2017 2018 apspotrebice cz user documents upload katalogy |||

Voln stojc spotebice 2017/2018 1 Pro znacku Indesit pedstavuje domov msto pro harmonii a souzit. T ... tlen: sporn zrovka Barva: bl Rozmry v x s x h : 1430 x 550 x 580 mm Obj. kd: F087864 6 490 Kc **RAA 29** NX Kombinovan chladnicka Energetick tda A Rocn spoteba energie: 226 kWh Vyuziteln objem chla...

lang:hr score:16 filesize: 27 M page_count: 39 document date: 2017-10-10




[pdf]

Diapositiva 1 Giuseppe Cianni knowlogy snc RAA29 procie datas Visuels fiches techniques |||

RAA 29 Caractéristiques principales Classe nergtique A Garantit une consommation infrieure de 20 celle des rfrigateurs de classe A : Ils assurent les meilleures prestations de refroidissement avec une consommation minimale. Classe nergtique : A Type de froid: Statique Capacit nette Totale...

lang:fr score:14 filesize: 359.39 K page_count: 2 document date: 2015-01-15



[pdf] Specifications Dimension Guide

services8 rpdns co uk Created Date 1 25 2017 2 34 53 PM RAA29 fiche morecambe |||

REFRIGERATOR **RAA 29** UK 217L A INDESIT Refrigerator Dimensions: H 1430 x W 550 x D 580 mm Colour: White TECHNICAL SPECIFICATIONS Model Colour KEY INFORMATION Total Net Capacity I Total Gross Capacity I Fridge Gross Capacity I Fridge Net Capacity I Freezer Gross Capacity I Freezer Ne...

lang:en score:13 filesize: 1.39 M page_count: 2 document date: 2017-01-25



[pdf]

04 05 24 indd grigor grigorov Ултрагънък LED телевизор Техномаркет May 4 2017 · INDESIT ITWA 51052 W Пералня машина с горно зареждане 18 програми Защитна сиситема за деца Кратка програма 15 мин 559 00 ЛВ ЛВ technomarket cdn bg BG may |||

LED Pixel Plus HD 10X173.90. 10X 201.90 . PHILIPS 32PHS5301* /43/49PFS5301 32/43/49 81/109/124 HD*/FULL 1366 x 768p*/ 1920 X 1080 Digital Crystal Clear SMART TV WI FI USB , DVB-T/T2, DVB-C, DVB-S 499. 32 00 . 739. 43 00 . 899. 49 00 . Philips 5300 Smart TV ...

lang:i-klngon score:13 filesize: 12.92 M page_count: 12 document date: 2017-05-04

FISA PRODUS Frigidere/Combine Frigorifice	
NUME BRAND	INDESIT
COD COMERCIAL	RAA 29
Categorie	Combina frigorifica
Eficienta clasa energetica	A+
Consumul de energie 218 kWh pe an, pe baza rezultatelor testelor standard pentru 24 de ore. Consumul real de energie va depinde de modul de utilizare a aparatului si unde se afla.	
Capacitate congelator	40 l
Clasificarea este:	4
Capacitate racitor	168 l
Tip de compartiment separat cu alta temperatura	N/A
Altce compartiment separat cu alta capacitate neta (l)	0 l
Sistem Frost Free	Fara
Timpu de crestere a temperaturii (h)	20 h
Capacitatea de inghetare	2 kg/24h
Clasa climatica	N-ST
Acest aparat este destinat sa fie utilizat la o temperatura ambiantala intre 16°C and 38°C.	
Nivel agment dB(A) re 1 pW	42 dB(A) re 1 pW
Tipul instalarii	Independent

[pdf]

Informatii produs
 whirlpool
 cdn
 thrn
 static
 TZ2GHI
 PFF087866RO
 JWVHMG
 xseo
 response
 content

disposition
 inline
 filename
 |||

FISA PRODUS Frigidere/Combine Frigorifice
 NUME BRAND
 INDESIT
 COD

COMERCIAL
RAA 29
Categorie
Combina frigorifica
Eficienta clasa energetica
A

Consumul de energie
 218 kWh pe an, pe baza rezultatelor testelor standard pentru 24 de ore.
 Consumul real de energie va depinde de modul de utilizare...

lang:it
 score:13
 filesize: 50.62 K
 page_count: 1
 document date: 0000-00-00

FICHA DE PRODUCTO FRIGORÍFICOS Y CONGELADORES	
MARCA	INDESIT
CÓDIGO COMERCIAL	RAA 29 NX
Categoría	Frigorífico combi
Clase energética	A+
Consumo de energía 218 kWh/año, según los resultados obtenidos en la prueba estándar de 24 horas. El consumo de energía real depende de las condiciones de uso del aparato y de su localización.	
Capacidad (l) del congelador	40 l
N. de Estrellas	4
Capacidad (l) del frigorífico	168 l
Tipo de compartimento separado por otra temperatura	N/A
Otro compartimento separado por otra temperatura: capacidad neta (l)	0 l
Sistema No Frost	No
Autonomía (h)	20
Capacidad de congelación (kg/24h)	2 kg/24h
Clase climática:	N-ST
Este aparato está destinado a ser utilizado en una temperatura ambiente entre 16°C y 38°C.	
Nivel de rumor (dB(A) re 1 pW)	42 dB(A) re 1 pW
Tipo de instalación	Independiente

[pdf]

Informaci n de producto
 whirlpool
 cdn
 thrn
 static
 QCH1SJ
 PFF087864ES
 CLJJTU1
 xseo
 response

content
 disposition
 inline
 filename
 |||

FICHA DE PRODUCTO FRIGORFICOS Y CONGELADORES
 MARCA
 INDESIT

CDIGO COMERCIAL
RAA 29
NX
Categori
Frigorifico combi
Clase energtica
A

Consumo de energia
 218 kWh/ao, segn los resultados obtenidos en la prueba estndar de 24 horas.
 El consumo de energia real depende de las condiciones de uso del apa...

lang:es
 score:13
 filesize: 51.4 K
 page_count: 1
 document date: 0000-00-00

FICHA DE PRODUCTO FRIGORÍFICOS Y CONGELADORES	
MARCA	INDESIT
CÓDIGO COMERCIAL	RAA 29
Categoría	Frigorífico combi
Clase energética	A+
Consumo de energía 218 kWh/año, según los resultados obtenidos en la prueba estándar de 24 horas. El consumo de energía real depende de las condiciones de uso del aparato y de su localización.	
Capacidad (l) del congelador	40 l
N. de Estrellas	4
Capacidad (l) del frigorífico	168 l
Tipo de compartimento separado por otra temperatura	N/A
Otro compartimento separado por otra temperatura: capacidad neta (l)	0 l
Sistema No Frost	No
Autonomía (h)	20
Capacidad de congelación (kg/24h)	2 kg/24h
Clase climática:	N-ST
Este aparato está destinado a ser utilizado en una temperatura ambiente entre 16°C y 38°C.	
Nivel de rumor (dB(A) re 1 pW)	42 dB(A) re 1 pW
Tipo de instalación	Independiente

[pdf]

Informaci n de producto
 whirlpool
 cdn
 thrn
 static
 DE6RAL
 PFF087866ES
 N3CEOK
 xseo
 response

content
 disposition
 inline
 filename
 |||

FICHA DE PRODUCTO FRIGORFICOS Y CONGELADORES
 MARCA
 INDESIT

CDIGO COMERCIAL
RAA 29
Categori
Frigorifico combi
Clase energtica
A

Consumo de energia
 218 kWh/ao, segn los resultados obtenidos en la prueba estndar de 24 horas.
 El consumo de energia real depende de las condiciones de uso del aparat...

lang:es
 score:13
 filesize: 51.22 K
 page_count: 1
 document date: 0000-00-00



[pdf] Catalog

untitled Collezione 2015 2016 Icecat All interno dei cassetti freezer inoltre sono integrate le vaschette portaghiaccio Ice3 I congelatori Indesit garantiscono massime prestazioni con i mmo 30386517 1473665537 0618 17535 objects icecat biz |||

Ed. 09/15 - Cod. IF98338 Scopri di pi su indesit.it e seguici su Catalogo Elettrodomestici a liber ... compresa tra 16 e 43C. Doppia Porta // 55 cm // Caratteristiche Tecniche Modello 55 cm RAAA 29 **RAA 29 S RAA 29** Codice Energy Label Categoria del modello di apparecchio di refrigerazione per uso... lang:it **score:12** filesize: 10.13 M page_count: 89 document date: 2015-10-09

[pdf]

Natalia Mordaka Regulamin promocji „Im wyzsza klasa energetyczna tym Avans pl LodÅłwka BEKO GNE 134620 X 735138 SAMSUNG RB31FERNDSA Page 4 735135 RB29FERNDSS 124705 ZamraŁLarka WHIRLPOOL WH 1410 A E regulamin k 760 jaka tyle rabatu srsItid


AfmBOooooLUwgz4O6rmn0TrlnHLphujVIJcysCb69e5ETv8YcN7v00h7 avans lp regulaminy RS68N8241B1 882380 RS68N8671SL 363173 ELECTROLUX EN3790MKX 363042 EN3790MKW 883212 AfmBOorrdDBB6vv6NSF4nZ0fcZdUqqTNqc5N GzZd4f F849SJVbKmx e AfmBOop 1YC5bGd ISIVO6wmqPjQdegDmvX7STqnnWLnIAlrRk4txLK ELodÅłwka 883212LodÅłwka RDSA180K20W 344722 ERN2001BOW 880645 BRB260131WW 351797 GORENJE FN6191DHW 881635 LodÅłwka regulamin AfmBOooooLUwgz4O6rmn0TrlnHLphujVIJcysCb69e5ETv8YcN7v00h7regulamin


F849SJVbKmxeregulamin rabatureregulamin rabatuavans AfmBOooooLUwgz4O6rmn0TrlnHLphujVIJcysCb69e5ETv8YcN7v00h7avans F849SJVbKmx eavans ISIVO6wmqPjQdegDmvX7STqnnWLnIAlrRk4txLKavans AfmBOor634V1c

qe83p9VO8VwapxNw1MEqFrpAm RP3WXupTX eCO LodÅłwka LodÅłwka RS66N8100WW 884505 RB34N5000SA EF 884504 RB34N5491SA 366526 LIEBHERR GN 1066 Premiumregulamin eCOavans AfmBOop3pX Vb9KCMKBdtnkNg2Zgpj3KjC3Gwa3jIML0sF1GjXyuMhJu PremiumLodÅłwka NRK6192MBK 11 191694 ORB152BK 116344 ORB152R L 852085 SIEMENS KI 87VKS30 852275regulamin Vb9KCMKBdtnkNg2Zgpj3KjC3Gwa3jIML0sF1GjXyuMhJuavans AfmBOor5vIafW LdYOSkyrRd2A6BkE4roAznKMjdHvrmlAUhaMEVtmRi LG GBB548BLCZH 880629 RB36J8797S4 e1054715 NRK612ORAB e1054714 NRK612ORAW 362909

AfmBOorP9RXQIMCCEdS2hm3PT1Ci3CU4co9zIZ5rLisRPRIxTRQon9Vravans ||| Regulamin promocji „Im wysza klasa energetyczna, tym wicej rabatu - kody rabatowe 1 Definicje Okre ... 340E20DP Zamraarka AEG A62710GNX1 Lodlwka BOSCH KGN39LB20E Lodlwka BOSCH KGN39JB20E Lodlwka INDESIT **RAA 29** Lodlwka LG GSJ760WBXV Lodlwka HAIER A3FE632CSJ Lodlwka HAIER HTF-456DN6 Lodlwka WHIRLPOOL TTN...

lang:pl **score:11** filesize: 304 K page_count: 16 document date: 2018-07-11





[pdf] Label

F087825 Indesit RAA 29 S Freestanding 212 L Silver EU Energy Label 0 1 MB 869990878650 mmo

28347782 1484650138 7961 32316 objects icecat biz |||

...

lang:pl score:11 filesize: 114.79 K page_count: 1 document date: 2015-11-10