

Roca A34647L000

Roca Clean Rim SQUARE Wall-Hung Toilet Instruction Manual

Model: A34647L000

Brand: Roca

1. PRODUCT OVERVIEW

This manual provides essential information for the installation, operation, and maintenance of your Roca Clean Rim SQUARE wall-hung toilet pan, model A34647L000.

The Roca Clean Rim SQUARE is a modern, wall-hung toilet pan designed for optimal hygiene and a sleek aesthetic. It features a rimless design for easy cleaning and hidden fixings for a seamless appearance. This product is intended for use with a compatible Roca installation system. Please note that the toilet seat and cover are not included with this toilet pan.

- **Design:** Square shape, wall-hung with hidden fixings.
- **Hygiene:** Rimless design for enhanced cleanliness and easier maintenance.
- **Outlet:** Horizontal outlet.
- **Material:** High-quality porcelain in white finish.
- **Dimensions:** Approximately 350mm (width) x 540mm (depth) x 400mm (height).



Figure 1: Roca Clean Rim SQUARE Wall-Hung Toilet Pan. This image shows the complete toilet pan from a front-side angle, highlighting its square shape and clean lines, typical of a modern wall-hung design.

2. SAFETY INSTRUCTIONS

Please read all instructions carefully before beginning installation or use. Failure to follow these instructions may result in property damage or personal injury.

- Always ensure the water supply is turned off before performing any installation or maintenance.
- Wear appropriate personal protective equipment (PPE) such as gloves and eye protection during installation.
- Ensure the wall-mounting frame and fixings are securely installed and capable of supporting the weight of the toilet pan and user.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Do not use harsh abrasive cleaners or chemicals that could damage the porcelain surface.

3. SETUP AND INSTALLATION

The Roca Clean Rim SQUARE toilet pan is designed for wall-hung installation and requires a compatible concealed cistern and frame system (not included). Ensure you have all necessary components and tools before starting.

3.1 Pre-Installation Checks

- Verify that the wall-mounting frame is correctly installed according to the manufacturer's instructions and is level and secure.

- Ensure the waste pipe and water supply connections are correctly positioned and accessible.
- Check that all supplied fixings for the toilet pan are present.

3.2 Installation Steps

1. Carefully unpack the toilet pan and inspect it for any damage.
2. Connect the waste outlet of the toilet pan to the waste pipe of the concealed frame system, ensuring a watertight seal.
3. Connect the water inlet to the cistern's flush pipe.
4. Align the toilet pan with the threaded rods protruding from the wall frame.
5. Slide the toilet pan onto the threaded rods, ensuring the hidden fixings engage correctly.
6. Secure the toilet pan using the provided nuts and washers on the threaded rods. Tighten them evenly to ensure the pan is level and firmly attached, but do not overtighten.
7. Perform a leak test by flushing the cistern several times and checking all connections.
8. Install the toilet seat and cover (if purchased separately) according to their specific instructions.




Figure 2: Technical drawing showing the dimensions and installation points for the Roca Clean Rim SQUARE toilet pan. This diagram provides critical measurements for rough-in and final placement, including top, front, and side views with all relevant dimensions in millimeters.

4. OPERATING INSTRUCTIONS

Using your Roca Clean Rim SQUARE toilet is straightforward. The rimless design ensures efficient flushing and improved hygiene.

- **Flushing:** Operate the flush plate or button of your concealed cistern system as per its manufacturer's instructions. The rimless design directs water powerfully around the bowl for effective cleaning.
- **Hygiene:** The open rim design prevents dirt and bacteria buildup, making the bowl easier to clean thoroughly.

5. MAINTENANCE AND CLEANING

Regular cleaning will help maintain the appearance and hygiene of your Roca toilet pan.

5.1 Daily Cleaning

- Use a soft cloth or sponge with a mild, non-abrasive bathroom cleaner.
- Wipe down the exterior and interior surfaces of the toilet pan.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

5.2 Deep Cleaning

- For stubborn stains, use a cleaner specifically designed for ceramic sanitaryware.

- Avoid using abrasive pads, wire brushes, or harsh chemical cleaners (e.g., bleach, strong acids, or alkalis) as these can damage the porcelain finish.
- Pay special attention to the rimless area, which is easily accessible for cleaning.

6. TROUBLESHOOTING

This section addresses common issues you might encounter with your toilet pan. For issues related to flushing mechanisms or water supply, refer to the manual of your concealed cistern system.

Problem	Possible Cause	Solution
Toilet pan feels loose or wobbly.	Fixings are not tightened sufficiently or have come loose.	Carefully re-tighten the nuts on the threaded rods. Do not overtighten. If the issue persists, check the integrity of the wall-mounting frame.
Water pooling around the base of the toilet pan.	Leak from the waste pipe connection or flush pipe connection.	Turn off the water supply. Inspect all connections for proper sealing. Re-seat or replace seals if necessary. If unsure, contact a qualified plumber.
Stains on porcelain surface.	Hard water deposits or insufficient cleaning.	Use a non-abrasive ceramic cleaner. For hard water stains, a mild descaling agent designed for bathrooms may be used, followed by thorough rinsing.

7. SPECIFICATIONS


Feature	Detail
Model Number	A34647L000
Manufacturer	Roca
Dimensions (L x W x H)	540mm x 350mm x 400mm (approx. 35 x 54 x 40 cm)
Weight	27.3 kg
Material	Porcelain
Color	White
Shape	Square / Rectangular
Installation Method	Wall-Hung (Suspendido)
Flange Type	Rimless
Outlet Type	Horizontal

8. WARRANTY AND SUPPORT

For information regarding the warranty of your Roca Clean Rim SQUARE toilet pan, please refer to the warranty documentation provided at the time of purchase or contact your retailer. Warranty terms may vary by region and retailer.

For technical support or further inquiries, please visit the official Roca website or contact Roca customer service. You can also find more information on the [Roca Brand Store on Amazon](#).

Related Documents - A34647L000

	<p>Roca Debba Unik 500mm Compact Base Unit with Two Drawers and Basin - Gloss White</p> <p>Discover the Roca Debba Unik compact base unit, a stylish and space-saving bathroom vanity with two drawers, a square basin, and a gloss white finish. Features include wall-hung installation and compatible accessories. Reference A855904806.</p>
	<p>Roca IN-WASH INSIGNIA 2.0 Smart Toilet User Manual</p> <p>Comprehensive user manual for the Roca IN-WASH INSIGNIA 2.0 smart toilet, covering installation, operation, maintenance, safety precautions, and troubleshooting.</p>
	<p>Roca MULTICLIN ADVANCE RF SF Bidet Seat User Manual</p> <p>This user manual provides comprehensive instructions for the Roca MULTICLIN ADVANCE RF SF bidet seat, covering installation, operation, safety precautions, maintenance, and troubleshooting. Learn to use its advanced features for enhanced hygiene and comfort.</p>
	<p>Roca In-Wash Inspira Smart Toilet Quick How-To Use Guide</p> <p>A concise guide to operating the Roca In-Wash Inspira Smart Toilet, detailing controls for power, pressure, temperature, and position.</p>
	<p>Columna de Ducha Termostática Roca T-Plus Victoria - Cromado</p> <p>Descubra la columna de ducha termostática Roca T-Plus de la colección Victoria. Con rociador de ø245mm, ducha de mano de 3 funciones, flexible de 1.7m y acabado cromado. Ideal para baños modernos y clásicos.</p>



IN-WASH ONA
A80313600C



EN08

[Roca IN-WASH ONA Intelligent Toilet Manual](#)

This document provides comprehensive instructions, safety precautions, specifications, and troubleshooting for the Roca IN-WASH ONA Intelligent Toilet (Model A80313600C). It covers installation, operation, remote control functions, cleaning, and maintenance.