

[Manuals.plus](#) /

› [UPBRIGHT](#) /

› UpBright 10V 1.2A AC/DC Adapter Instruction Manual

UPBRIGHT Miroco MI-DL003 MI-DL001 Power

UpBright 10V 1.2A AC/DC Adapter Instruction Manual

Model: Miroco MI-DL003 MI-DL001 Power

INTRODUCTION

This instruction manual provides essential information for the safe and effective use of your UpBright 10V 1.2A AC/DC Adapter. Please read this manual thoroughly before using the product and retain it for future reference.

PRODUCT OVERVIEW

The UpBright 10V 1.2A AC/DC Adapter is a versatile power supply designed to provide stable and reliable power to compatible electronic devices. It features a wide input voltage range and multiple protection mechanisms to ensure safe operation.



Image: Front view of the UpBright 10V 1.2A AC/DC Adapter, showing the power brick and the connected barrel connector cable.

Key Features:

- **Universal Input:** Supports worldwide input voltage from 100-240VAC, 50/60Hz.
- **Stable Output:** Provides a consistent 10V DC output at 1.2A (1200mA).
- **Safety Protections:** Equipped with Over Voltage Protection (OVP), Over Current Protection (OCP), and Short Circuit Protection (SCP).
- **Compatibility:** Designed for use with various devices including Miroco MI-CL005 Light Therapy Lamp, MI-DL003, MI-DL001 LED Floor Lamp, Vere VSF1000120HU, and Intertek k12v100120u.



Image: The UpBright AC/DC adapter with an inset showing a detailed view of the barrel connector, highlighting its design.

SAFETY INFORMATION

To ensure safe operation and prevent damage to the adapter or connected devices, please observe the following safety precautions:


- Do not expose the adapter to water, moisture, or high humidity.
- Do not disassemble, modify, or attempt to repair the adapter. Refer servicing to qualified personnel.
- Ensure the adapter's voltage and current ratings match the requirements of your device.
- Avoid placing the adapter in direct sunlight or near heat sources.
- Do not use the adapter if the cord or plug is damaged.
- Keep out of reach of children.
- Unplug the adapter from the power outlet when not in use for extended periods.

SETUP

Follow these steps to set up your UpBright AC/DC Adapter:

1. **Verify Compatibility:** Before connecting, ensure your device requires a 10V DC input and a current draw of 1.2A or less. Check your device's specifications or original power adapter.
2. **Inspect the Adapter:** Visually inspect the adapter and its cable for any signs of damage. Do not use if damaged.
3. **Connect to Device:** Insert the barrel connector of the UpBright adapter firmly into the DC input port of your electronic device.
4. **Connect to Power Outlet:** Plug the AC prongs of the adapter into a standard wall power outlet (100-240VAC).
5. **International Use (if applicable):** If using in a region with different outlet types, ensure you have the correct physical outlet adapter. The product may come with suitable outlet adapters for international orders (AU, EU, UK types).

Come With A Suitable Outlet Adapter (Only One) to Fit
Your Country/Area For International Order



THIS PRODUCT COMES WITH A UPBRIGHT®

LIMITED WARRANTY CERTIFICATE
+ UPBRIGHT® LIMITED WARRANTY



Image: This image displays various international outlet adapters (AU, EU, UK) that may be included for global compatibility, alongside a sample "Limited Warranty Certificate".

OPERATING INSTRUCTIONS

Once connected, the UpBright AC/DC Adapter will automatically begin supplying power to your device. No further user interaction is typically required for basic operation.

- Ensure the adapter is placed in a well-ventilated area to prevent overheating.
- Avoid bending or crimping the power cable excessively.
- If your device has an on/off switch, use that to control the device's power, not by plugging/unplugging the adapter from the wall.

MAINTENANCE

The UpBright AC/DC Adapter requires minimal maintenance. Follow these guidelines to prolong its lifespan:

- **Cleaning:** Disconnect the adapter from the power outlet and the device before cleaning. Use a soft, dry cloth to wipe the surface. Do not use liquid cleaners or aerosols.
- **Storage:** When not in use, store the adapter in a cool, dry place away from direct sunlight and extreme temperatures. Avoid wrapping the cable too tightly around the adapter.
- **Inspection:** Periodically check the cable and connector for any signs of wear, fraying, or damage.

TROUBLESHOOTING

If you encounter issues with your UpBright AC/DC Adapter, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Device not powering on.	Adapter not fully plugged in. Device's power switch is off. Incompatible voltage/current. Damaged adapter or cable.	Ensure adapter is securely plugged into both the wall outlet and the device. Turn on the device's power switch. Verify device's power requirements match adapter specifications. Inspect adapter and cable for damage. If damaged, discontinue use and replace.
Adapter feels hot.	Normal operation (slight warmth). Poor ventilation. Overload or short circuit.	A slight warmth is normal. Ensure adapter is in a well-ventilated area, not covered. Disconnect immediately. Check device for short circuits or excessive power draw.
Loose connection at device.	Barrel connector size mismatch. Worn device input port.	Ensure the barrel connector is the correct size for your device's input port. If the device port is worn, professional repair may be needed.

If the problem persists after trying these solutions, please contact UpBright customer support.

SPECIFICATIONS

Feature	Detail
Input Voltage	100-240VAC, 50/60Hz
Output Voltage	10V DC
Output Current	1.2A (1200mA)
Connector Type	Barrel Connector
Protections	OVP (Over Voltage Protection), OCP (Over Current Protection), SCP (Short Circuit Protection)
Product Dimensions	Approximately 3 x 3 x 1 inches
Item Weight	Approximately 5.6 ounces (0.16 Kilograms)
Color	Black

Feature	Detail
Manufacturer	UpBright

WARRANTY INFORMATION

UpBright products are designed for reliability and performance. This product comes with a limited warranty. Please refer to the warranty certificate included with your purchase for specific terms and conditions, including warranty duration and coverage details.

Typically, UpBright offers a **30-day refund policy** and a **24-month exchange policy** for units in great working condition. Please retain your proof of purchase for warranty claims.

For warranty service, please contact UpBright customer support with your product details and purchase information.

SUPPORT

For technical assistance, troubleshooting beyond this manual, or warranty inquiries, please contact UpBright customer support:

- **Online Support:** Visit the official UpBright website for FAQs and support resources.
- **Contact Information:** Refer to the packaging or the warranty certificate for direct contact details (email or phone).

When contacting support, please have your product model number (Miroco MI-DL003 MI-DL001 Power) and purchase date ready.

ASK A QUESTION ABOUT THIS MANUAL

Ask about setup, troubleshooting, compatibility, parts, safety, or missing instructions. Manuals+ will review the question and use this page’s manual context to help answer it.

Name

Anonymous

Email

you@example.com

After a successful submission, we securely hash the supplied account or form email before sending it to Microsoft Advertising for conversion attribution. [Privacy details](#).

Question

Example: How do I reset this device or fix this error?

Details

Model number, symptoms, what you tried, or the section of the manual you are using.

Submit question

Open the live page

<https://manuals.plus/asin/B00V3F2ETG>

More documents and user manuals: **<https://manuals.plus/>**