
WOWTOU WT-S9-BL

WOWTOU WT-S9-BL Emergency Strobe Light User Manual

Model: WT-S9-BL

1. Introduction

This manual provides instructions for the safe and effective use of your WOWTOU Emergency Strobe Light. This device is designed to provide bright blue LED warning illumination for vehicle dashboards and windshields, featuring 16 selectable flashing modes. Please read this manual thoroughly before installation and operation.



The WOWTOU Emergency Strobe Light features a black housing with six blue LED lights and three clear suction cups for mounting.

2. Safety Information

- This product is designed for DC 12V vehicle power systems only. Do not connect to other voltage sources.
- Ensure the device is securely mounted to prevent it from becoming a projectile during sudden stops or accidents.
- Mount the light in a location that does not obstruct the driver's view or interfere with airbag deployment.
- Avoid direct eye exposure to the bright LED lights.
- Check local laws and regulations regarding the use of emergency warning lights on vehicles.

3. Package Contents

Verify that all items are present in the package:

- 1 x LED Strobe Light with Cigarette Lighter Plug
- 1 x Mounting Bracket

- 3 x Suction Cups
- 2 x Screws



The strobe light unit, cigarette lighter plug, mounting bracket, and suction cups laid out, showing all parts of the package.

4. Specifications

LED Light Source	6 x 1W Blue LEDs
Lighting Color	Blue
Operating Voltage	DC 12V only
Power	6W
Lighting Modes	16 Flashing Patterns Selectable

Housing Material	ABS (light), Aluminum (bracket)
Housing Color	Black
Recommended Mounting Location	Interior Windshield
Lifespan	30,000 hours
Operating Temperature	-30 to +65°C
Dimensions (with bracket)	190 x 110 x 50 mm (7.5 x 4.3 x 2 inches)
Weight (with bracket)	290 g (10.2 oz)
Special Features	High Beam, Memory Function

5. Setup and Installation

Follow these steps to install your emergency strobe light:

1. **Attach Suction Cups:** Insert the suction cups into the designated holes on the mounting bracket. Ensure they are firmly seated.
2. **Mount the Device:** Position the light on the interior of your vehicle's windshield. Press the suction cups firmly against the glass to secure the device. Ensure the placement does not obstruct your view or interfere with vehicle controls.
3. **Adjust Angle:** The mounting bracket allows for angle adjustment. Loosen the screws on the sides of the bracket, set the desired angle, and then tighten the screws to fix the position.



The strobe light positioned on a vehicle's dashboard, demonstrating a typical installation location.




Diagram illustrating the dimensions of the strobe light: 7.5 inches long, 4.3 inches wide, and 2 inches high with the bracket.

6. Operating Instructions

To operate your emergency strobe light:

1. **Connect Power:** Plug the cigarette lighter adapter into your vehicle's 12V power outlet.
2. **Turn On/Off:** Press the red 'PUSH ON' button located on the cigarette lighter plug to turn the light on or off.
3. **Change Flash Modes:** Locate the small button labeled 'Pattern' on the side of the strobe light unit. Press this button to cycle through the 16 available flashing patterns. The device features a memory function that recalls the last selected pattern when powered on again.



Close-up of the 12V cigarette lighter adapter, featuring a red 'PUSH ON' button for power control.



Detail of the small button labeled 'Pattern' on the side of the strobe light, used to cycle through the 16 flashing modes.



The strobe light in operation, showcasing its intense blue illumination.

7. Maintenance

To ensure optimal performance and longevity of your strobe light:

- Regularly clean the exterior of the light and the suction cups with a soft, damp cloth. Avoid abrasive cleaners.
- Periodically check the power connection and mounting for security.
- Store the device in a cool, dry place when not in use for extended periods.

8. Troubleshooting

If you encounter issues with your strobe light, consider the following:

- **Light does not turn on:**
  - Ensure the cigarette lighter plug is fully inserted into the vehicle's 12V outlet.
  - Check if the vehicle's 12V outlet is receiving power (e.g., by testing with another device).
  - Verify the red 'PUSH ON' button on the plug is pressed to the 'ON' position.
- **Light flickers or operates intermittently:**
  - Check for loose connections at the cigarette lighter plug.
  - Ensure the vehicle's power supply is stable.
- **Suction cups do not hold:**
  - Clean the windshield surface and the suction cups thoroughly to remove any dirt or grease.
  - Moisten the suction cups slightly before applying them to the glass.

9. Warranty and Support

WOWTOU products are designed for reliability. This product comes with:

- **18-Month Warranty:** Covers manufacturing defects and malfunctions under normal use.
- **60-Day Money-Back Guarantee:** For your peace of mind.

For any issues or support inquiries, please contact us through the Amazon Email System. We are committed to providing timely customer service and will do our best to assist you.

© 2023 WOWTOU. All rights reserved.