

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

› [KLARSTEIN](#) /

› [Klarstein 60L Mini Bar Refrigerator User Manual](#)

KLARSTEIN 10027672_SML

Klarstein 60L Mini Bar Refrigerator User Manual

Model: 10027672_SML

Brand: KLARSTEIN

INTRODUCTION

Thank you for choosing the Klarstein 60L Mini Bar Refrigerator. This compact and silent appliance is designed for convenient storage of beverages and snacks in various settings, including bedrooms, offices, and camping environments. This manual provides essential information for the safe and efficient operation, setup, maintenance, and troubleshooting of your new refrigerator. Please read these instructions carefully before use and retain them for future reference.

SAFETY INSTRUCTIONS

To ensure safe operation, please observe the following safety precautions:

- Ensure the power supply voltage matches the rating label on the appliance.
- Do not damage the refrigerant circuit. The appliance uses R600a refrigerant, which is environmentally friendly but flammable.
- Keep ventilation openings clear of obstruction in the appliance enclosure or in the built-in structure.
- Do not use mechanical devices or other means to accelerate the defrosting process, other than those recommended by the manufacturer.
- Do not use electrical appliances inside the food storage compartments of the appliance, unless they are of the type recommended by the manufacturer.
- Do not store explosive substances such as aerosol cans with a flammable propellant in this appliance.
- This appliance is intended for household use and similar applications only.
- Unplug the appliance before cleaning or performing maintenance.
- Do not allow children to play with the appliance.

SETUP

Unpacking

Carefully remove the refrigerator from its packaging. Inspect the appliance for any damage during transit. Retain packaging materials for future transport if needed.

Placement

Place the refrigerator on a firm, level surface. Ensure there is adequate ventilation around the unit, especially at the back and sides, to allow for proper heat dissipation. A minimum clearance of 2 cm from walls is recommended to prevent overheating.



Image: The Klarstein 60L Mini Bar Refrigerator placed in a room, demonstrating its compact size and suitable placement.

Initial Cleaning

Before first use, clean the interior and exterior of the refrigerator with a soft cloth and mild detergent. Rinse with clean water and dry thoroughly.

Door Orientation and Adjustable Feet

The refrigerator door is designed to open to the right and is not interchangeable. The unit is equipped with two height-

adjustable feet to ensure stability on uneven surfaces.



Image: The refrigerator with its door open, revealing the interior and adjustable shelves.

Power Connection

After placement and initial cleaning, plug the appliance into a grounded electrical outlet. Allow the refrigerator to stand for at least 2-4 hours before loading contents to allow the refrigerant to settle.

OPERATING INSTRUCTIONS

Temperature Control

The refrigerator features a temperature control dial located inside the unit. You can adjust the temperature between 3°C and 10°C (37°F - 50°F) to suit your cooling needs. Turn the dial to a higher number for colder temperatures and a lower number for warmer temperatures.

Loading Contents

The 60L capacity allows for ample storage of beverages and snacks. The unit includes two removable metal shelves that can be flexibly mounted to accommodate various sizes of cans and bottles. Arrange items to allow for proper air circulation.



Image: The refrigerator interior filled with various beverages and food items, showcasing its storage capacity.

Internal LED Lighting

The refrigerator is equipped with an internal LED light, which illuminates the contents for easy visibility. This light activates when the door is opened.

Silent Operation and Energy Efficiency

The Klarstein Mini Bar Refrigerator is designed for extremely quiet operation, making it suitable for quiet environments like bedrooms and offices. It utilizes an ecological R600a refrigerant for efficient cooling and has an energy efficiency rating of

E.

MAINTENANCE

Cleaning the Interior and Exterior

Regular cleaning helps maintain the hygiene and efficiency of your refrigerator. Unplug the unit before cleaning. Use a soft cloth dampened with a mild, non-abrasive detergent to clean the interior walls, shelves, and door seal. Wipe the exterior with a soft, damp cloth. Dry all surfaces thoroughly before plugging the unit back in.

Defrosting

This refrigerator features a semi-automatic defrosting system. Frost buildup on the evaporator plate is normal. When the frost layer becomes thick (approximately 3-5 mm), unplug the unit and allow the frost to melt naturally. Place a towel at the bottom to absorb water. Do not use sharp objects to remove frost.

Shelf Care

The metal shelves can be removed for easier cleaning. Wash them with warm, soapy water, rinse, and dry completely before placing them back into the refrigerator.

TROUBLESHOOTING

Before contacting customer service, please check the following common issues:

Problem	Possible Cause	Solution
Refrigerator does not operate.	No power supply; power cord not plugged in; circuit breaker tripped.	Check power connection; check circuit breaker; try another outlet.
Refrigerator is not cold enough.	Temperature setting too high; door opened too frequently; poor ventilation; too many items inside.	Adjust temperature setting; ensure door is closed properly; check ventilation; do not overload.
Unusual noises.	Appliance not level; items rattling inside; normal operating sounds (e.g., refrigerant flow).	Adjust leveling feet; rearrange items; normal sounds are expected.
Water on the floor.	Drain hole blocked; excessive humidity.	Clear drain hole; ensure door is sealed properly.

If the problem persists after checking these points, please contact qualified service personnel.

SPECIFICATIONS

Feature	Detail
Brand	KLARSTEIN
Model Number	10027672_SML

Feature	Detail
Capacity	60 Liters
Dimensions (L x W x H)	47 x 52.5 x 63 cm (18.5 x 20.7 x 24.8 inches)
Weight	Approx. 21 kg (46.3 lbs)
Noise Level	42 dB
Installation Type	Freestanding
Temperature Range	3°C - 10°C (37°F - 50°F)
Refrigerant	R600a
Power Supply	AC 220 - 240V, 50/60 Hz
Defrost System	Semi-automatic
Door Hinge	Right (not interchangeable)
Included Components	1 x Beverage Refrigerator, 2 x Shelves, Multilingual User Instructions

WARRANTY AND SUPPORT

For warranty information and technical support, please refer to the documentation included with your product or visit the official Klarstein website. Keep your purchase receipt as proof of purchase for any warranty claims.

For further assistance, you may contact Klarstein customer service through their official channels. Please have your model number (10027672_SML) and serial number ready when contacting support.