

Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Helix](#) /
- › [Helix 50 Key Lockable Key Cabinet Instruction Manual](#)

Helix 520510

Helix 50 Key Lockable Key Cabinet Instruction Manual

Model: 520510

1. PRODUCT OVERVIEW

The Helix 50 Key Lockable Key Cabinet is designed to provide secure and organized storage for up to 50 keys. Constructed from durable solid alloy with a white powder-coated finish, this cabinet is suitable for various environments, including offices and entryways. It features robust metal key hooks and a secure cylinder lock to ensure the safety of your keys.



Image 1.1: The Helix 50 Key Lockable Key Cabinet in its closed position, highlighting its white finish and secure cylinder lock.

Key Features:

- Secure cabinet provides storage space for multiple keys.
- Durable, scratch-resistant steel structure.
- White powder-coated finish.
- Durable metal key hooks accommodate most car keys.
- Secure cylinder metal lock complete with two keys.

2. SETUP AND INSTALLATION

The Helix 50 Key Lockable Key Cabinet is designed for surface mounting. Proper installation is crucial for security and stability.

Required Tools (Not Included):

- Drill
- Drill bits appropriate for your wall material
- Pencil
- Level

- Screwdriver

Installation Steps:

1. **Choose a Location:** Select a solid wall surface that can support the weight of the cabinet and its contents. Ensure the location is discreet and secure.
2. **Mark Drilling Points:** Hold the cabinet against the wall at the desired height. Use a pencil to mark the positions of the mounting holes on the back of the cabinet. Use a level to ensure the cabinet will be straight.
3. **Drill Pilot Holes:** Using an appropriate drill bit for your wall type (e.g., masonry bit for concrete, wood bit for studs), drill pilot holes at the marked locations.
4. **Insert Wall Anchors (if necessary):** If drilling into drywall or hollow walls, insert suitable wall anchors into the pilot holes.
5. **Mount the Cabinet:** Align the cabinet's mounting holes with the drilled holes/anchors. Insert the provided screws (or stronger M8 x 80mm anchor bolts for enhanced security, as recommended by some users) and tighten them securely with a screwdriver. Ensure the cabinet is firmly attached to the wall and does not wobble.



Image 2.1: A display of various Helix key cabinets, illustrating their design and mounting capability.

3. OPERATING INSTRUCTIONS

This section details how to use your Helix 50 Key Lockable Key Cabinet effectively.

Opening and Closing the Cabinet:

1. **To Open:** Insert one of the two provided keys into the cylinder lock on the front of the cabinet. Turn the key clockwise to unlock, then pull the door open.
2. **To Close:** Push the cabinet door shut firmly. Insert the key and turn counter-clockwise to lock the cabinet. Remove the key and store it in a secure location away from the cabinet.



Image 3.1: The two keys provided for operating the cabinet's cylinder lock.

Organizing Your Keys:

The cabinet features 50 durable metal hooks for key storage. For optimal organization:

- **Use Key Tags:** Attach each key to a key tag. The cabinet comes with color-coded plastic key labels, each with a write-on paper insert. Label each tag clearly with the key's purpose or location.
- **Categorize Keys:** Group similar keys together (e.g., office keys, vehicle keys, storage keys) and assign them to specific rows or sections within the cabinet.
- **Maintain a Key Log:** For larger organizations, consider keeping a separate log of which key corresponds to which tag number and what it accesses.



Image 3.2: Examples of color-coded key tags for efficient key identification and organization.



Image 3.3: An open key cabinet demonstrating how keys are organized on numbered hooks with tags.

4. MAINTENANCE

Regular maintenance ensures the longevity and proper functioning of your key cabinet.

- **Cleaning:** Wipe the exterior and interior surfaces of the cabinet with a dry, soft cloth. Avoid abrasive cleaners or solvents that could damage the powder-coated finish.
- **Lock Care:** Periodically apply a small amount of graphite lubricant (not oil-based lubricants) to the keyhole to ensure smooth operation of the lock. Do not force the key if it feels stiff.
- **Check Mounting:** Periodically check that the cabinet remains securely mounted to the wall. Tighten any loose

screws if necessary.

5. TROUBLESHOOTING

This section addresses common issues you might encounter with your key cabinet.

Problem	Possible Cause	Solution
Key is difficult to insert or turn.	Lock mechanism is dry or obstructed.	Apply graphite lubricant to the keyhole. Ensure the correct key is being used.
Cabinet door does not close properly.	Obstruction in the door frame or hinges.	Check for any items blocking the door. Inspect hinges for damage or misalignment.
Cabinet feels loose on the wall.	Mounting screws are loose or wall anchors are failing.	Tighten mounting screws. If necessary, remove the cabinet, repair wall holes, and re-mount with stronger anchors.

6. SPECIFICATIONS

Brand	Helix
Model Number	520510
Product Dimensions	7 x 22.4 x 20.5 cm
Weight	1.3 kg
Material	Solid Alloy
Color	White
Finish Type	Powder-coated
Key Capacity	50 Keys
Mounting Type	Surface Mount
Assembly Required	No
Batteries Required	No
Included Components	Key cabinet, 2 keys

7. SAFETY INFORMATION

Please observe the following safety guidelines:

- Be sure to securely attach the safe to the wall to avoid tipping.
- Handle the lock carefully to avoid injury.
- Keep keys safe to prevent unauthorized access.
- Do not store flammable materials or explosives inside the cabinet.
- Keep out of reach of children to prevent accidental lock-ins or access to restricted keys.

8. WARRANTY AND SUPPORT

For warranty information or technical support, please refer to the manufacturer's official website or contact their customer service department. Keep your purchase receipt as proof of purchase.