Manuals+

Q & A | Deep Search | Upload

manuals.plus /

- Feit Electric /
- > Feit Electric LED Flashlight 1000 Lumen User Manual

Feit Electric 72336

Feit Electric LED Flashlight 1000 Lumen User Manual

Model: 72336

INTRODUCTION

Thank you for choosing the Feit Electric Ultra Bright LED Flashlight. This high-performance flashlight is designed for durability and versatility, offering powerful illumination for various tasks. It features advanced LED technology, multiple brightness settings, and a convenient sliding zoom function.

Key features include:

- · Water Resistant construction
- · Sliding Zoom for adjustable beam focus
- Durable Aircraft Body Aluminum construction
- 3 levels of brightness: 1000, 500, and 250 lumens

SAFETY INSTRUCTIONS

Please read and understand all safety instructions before using this product. Failure to follow these instructions may result in injury or damage to the flashlight.

- Do not look directly into the LED light. The intense light can cause temporary vision impairment or permanent eye damage.
- · Keep out of reach of children.
- Do not mix old and new batteries, or different types of batteries.
- Remove batteries if the flashlight will not be used for an extended period to prevent leakage.
- · Dispose of batteries properly according to local regulations.
- · Do not attempt to disassemble or modify the flashlight. This will void the warranty and could cause damage or injury.

PACKAGE CONTENTS

Verify that all items are present in the package:

- Feit Electric Ultra Bright LED Flashlight (Model 72336)
- User Manual



Image: Feit Electric Ultra Bright LED Flashlight, showing the product in its retail packaging, highlighting its 1000 lumens, 3 brightness levels, and sliding zoom feature.

SETUP

Battery Installation

The Feit Electric LED Flashlight requires batteries for operation. The specific battery type is not provided in the product description, but typically flashlights of this type use AA or AAA batteries, or sometimes C or D cells. Please refer to the battery compartment markings on your flashlight for the correct battery type and orientation.

- 1. Unscrew the tail cap of the flashlight by turning it counter-clockwise.
- 2. Insert the required batteries into the battery compartment, ensuring the correct polarity (+/-) as indicated inside the compartment.
- 3. Screw the tail cap back on clockwise until it is securely tightened. Do not overtighten.



Image: Close-up view of the Feit Electric Ultra Bright LED Flashlight, highlighting its textured body and the "ZOOM IN / ZOOM OUT" markings on the head.

OPERATING INSTRUCTIONS

Turning On/Off and Brightness Levels

The flashlight features a single button operation, typically located on the tail cap, to control power and brightness modes.

- **To Turn On:** Press the power button once. The flashlight will typically turn on in the highest brightness mode (1000 lumens).
- **To Change Brightness:** While the flashlight is on, press the power button repeatedly to cycle through the brightness levels:

1st Press: 1000 Lumens (High)

o 2nd Press: 500 Lumens (Medium)

3rd Press: 250 Lumens (Low)

- Subsequent Presses: Cycles back to 1000 Lumens or turns off, depending on the model's specific sequence.
- **To Turn Off:** Continue pressing the power button until the light turns off, or press and hold the button for a short duration (if applicable to your model).

Sliding Zoom Function

The flashlight is equipped with a sliding zoom mechanism to adjust the beam from a wide floodlight to a narrow spotlight.

- To Zoom In (Narrow Beam/Spotlight): Gently push the head of the flashlight forward. This will narrow the beam, concentrating the light for longer distances.
- To Zoom Out (Wide Beam/Floodlight): Gently pull the head of the flashlight backward. This will widen the beam, illuminating a larger area.

MAINTENANCE

Cleaning

- Wipe the flashlight body with a soft, damp cloth. Do not use abrasive cleaners or solvents.
- Clean the lens gently with a lens cleaning cloth to maintain optimal light output.

Storage

- Store the flashlight in a cool, dry place away from direct sunlight and extreme temperatures.
- If storing for an extended period, remove the batteries to prevent corrosion and leakage.

TROUBLESHOOTING

Problem	Possible Cause	Solution
Flashlight does not turn on.	Batteries are dead or low. Batteries are inserted incorrectly. Tail cap is loose.	Replace with fresh batteries. Check battery polarity and reinsert correctly. Tighten the tail cap securely.
Light is dim or flickers.	Batteries are low. Loose connection.	Replace batteries. Ensure tail cap is tight and battery contacts are clean.
Zoom function is stiff.	Dirt or debris in the mechanism.	Gently wipe the sliding parts with a clean, dry cloth. Do not apply lubricants.

SPECIFICATIONS

Feature	Detail	
Model Number	72336	
Brand	Feit Electric	
Light Source Type	LED	
Brightness Levels	1000 Lumens (High), 500 Lumens (Medium), 250 Lumens (Low)	
Power Source	Battery Powered (Batteries not included)	
Material	Aircraft Body Aluminum	
Color	Black	
Item Weight	10.8 Pounds	
Product Dimensions	24 x 6.5 x 12 inches	
Water Resistance	Yes	
UPC	017801723366	

WARRANTY AND SUPPORT

Feit Electric products are manufactured to the highest quality standards. For warranty information or technical support, please refer to the contact details provided on the product packaging or visit the official Feit Electric website. Keep your purchase receipt as proof of purchase for any warranty claims.

For further assistance, you may visit the Feit Electric Store on Amazon.

© 2024 Feit Electric. All rights reserved.

Related Documents - 72336




Feit Electric LED High Lumen Output Multi-Directional Light with Speaker

Feit Electric's LED High Lumen Output Multi-Directional Light offers 4000 lumens and 300W equivalent brightness using only 35W. Features adjustable panels, 3 light color choices (3000K, 4000K, 5000K), Bluetooth speaker, and easy installation. Includes limited warranty information and FCC compliance details.



Feit Electric CAM/DOOR/WIFI Smart Video Doorbell: Installation Guide & Safety Instructions

This installation guide provides essential safety instructions, setup procedures, and troubleshooting tips for the Feit Electric CAM/DOOR/WIFI Smart Video Doorbell. Learn how to connect to your Feit Electric app and ensure proper installation for enhanced home security.




Documents - Feit Electric - 72336



Feit Electric 1000 Lumens LED High Performance Flashlight (Item #72336)

Explore the Feit Electric 1000 Lumens LED High Performance Flashlight (Item #72336). This durable flashlight offers adjustable zoom, multiple beam modes (High, Medium, Low), and an aircraft-grade aluminum body. It is water and impact resistant, providing reliable illumination with a long run time and a powerful 1000-lumen output. lang:en score:21 filesize: 307.11 K page_count: 1 document date: 2016-10-18



Feit Electric Night Lights and Flashlights Product Catalog

Detailed product specifications and features for Feit Electric's range of night lights and flashlights, including model numbers, performance metrics, and design details. lang:en score:19 filesize: 305.72 K page_count: 1 document date: 2019-12-03




[pdf] Catalog

Download Feit Electric PAR38 LED HBR Par38 Hbr Smart Lamp 120 V 16 W Medium E26 Warm White Light at Sutherlands 100003180 Catalog media suthlbr images vendor 18446 |||

LED LIGHTING Lamps Luminaires Innovation that s BrightTM X PENDING ENERGY STAR 2014-2015 Feit El ... n Time Run Time Run Time High Beam Med. Beam Low Beam Diameter Zoom In Length Zoom Out Length a. **72336** 1000 500 250 5.25 hours 10.5 hours 30.75 hours 2 9.82 10.35 Feit Electric Company ...

lang:en score:16 filesize: 2.1 M page_count: 43 document date: 2014-06-17



[pdf] Installation Guide Catalog

USESI 501026 catalog usesi media product catalogs

2016 LED Catalog Lamps Luminaires NOTE: Most lamps available in single and multi-pack options 1 ... 1.6 7.88 8.6 Item# High Beam Intensity Med. Beam Intensity 4. High Output Flashlight a. **72336** 1000 500 Low Beam Intensity Run Time High Beam Run Time Med. Beam Run Time Low Beam Dia...

lang:en score:10 filesize: 4.13 M page_count: 56 document date: 2016-05-09