

Schock D200A58N

Schock Lithos D200A58N Cristalite Plus Kitchen Sink User Manual

Model: D200A58N

1. INTRODUCTION

Thank you for choosing the Schock Lithos D200A58N Cristalite Plus Kitchen Sink. This manual provides essential information for the safe and efficient installation, operation, and maintenance of your new sink. The Lithos D200A58N is a versatile sink featuring two bowls and an integrated drainer, crafted from durable Cristalite Plus material. Its reversible design offers flexibility for various kitchen layouts.



An aerial view of the Schock Lithos D200A58N Cristalite Plus sink, showcasing its two spacious bowls and integrated drainer area. The sink is presented in a beige/oat finish, seamlessly integrated into a light-colored kitchen countertop, highlighting its modern design and material texture.

2. SAFETY INFORMATION

- Always ensure that installation is performed by a qualified professional to prevent damage or injury.
- Turn off the main water supply before beginning any installation or maintenance work.
- Handle the sink with care to avoid chipping or scratching, especially during transport and installation.
- Do not use harsh chemicals or abrasive cleaning agents on the sink surface, as this may damage the Cristalite Plus material.
- Ensure all connections are watertight to prevent leaks and water damage.

3. PACKAGE CONTENTS

Please check that all components are present before starting the installation:

- Schock Lithos D200A58N Kitchen Sink
- Drain kit (including waste fittings and overflow)
- Mounting clips/hardware for installation
- Installation template (if applicable)

4. SETUP AND INSTALLATION


The Schock Lithos D200A58N sink is designed for flexibility and can be installed as either a top-mount (SOPRATOP) or undermount (SOTTOTOP POSITIVO) unit. Its reversible design allows the drainer to be positioned on either the left or right side, depending on your kitchen layout.

4.1. Preparation


- Ensure your base cabinet is at least 80 cm wide to accommodate the sink.
- Carefully unpack the sink and inspect it for any damage.
- Review the technical drawing for precise dimensions and cutout requirements for your chosen installation method.

4.2. Countertop Cutout


Using the provided template or the dimensions from the technical drawing, mark and cut the opening in your countertop. Pay close attention to the corner radii for a proper fit.



Installazione: SOPRATOP



Installazione: SOTTOTOP POSITIVO



This diagram illustrates the precise dimensions of the Schock Lithos D200A58N sink, including bowl sizes, overall length, width, and depth. It also shows two installation methods: 'SOPRATOP' (top-mount) and 'SOTTOTOP POSITIVO' (undermount), with corresponding cutout templates and corner radii for proper countertop preparation. All measurements are in millimeters.

4.3. Sink Placement

- Apply a suitable sealant around the edge of the cutout (for top-mount) or to the underside of the sink flange (for undermount) to ensure a watertight seal.
- Carefully lower the sink into the cutout or position it beneath the cutout.
- Secure the sink using the provided mounting clips, ensuring even pressure around the perimeter.

4.4. Plumbing Connections

- Install the drain fittings and overflow according to the instructions provided with the drain kit.
- Connect the waste pipes to your household drainage system.
- Connect your faucet (not included) to the water supply lines.
- Once all connections are made, turn on the main water supply and check for leaks. Tighten any connections as necessary.

5. OPERATING INSTRUCTIONS

The Schock Lithos D200A58N sink is designed for standard kitchen use. Simply use your faucet to fill the bowls with water for washing, rinsing, or soaking. The integrated drainer provides a convenient area for drying dishes or preparing food.

6. MAINTENANCE AND CARE

The Cristalite Plus material of your Schock sink is highly resistant and easy to clean, ensuring long-lasting beauty and hygiene. Regular cleaning will help maintain its pristine condition.

6.1. Daily Cleaning

- Wipe the sink clean with a soft cloth or sponge and a mild dish soap after each use.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

6.2. Stain Removal

- For stubborn stains, use a non-abrasive liquid cleaner specifically designed for composite sinks.
- Avoid using abrasive pads, steel wool, or harsh chemical cleaners (e.g., bleach, strong acids, or alkalis), as these can damage the surface.
- Promptly wipe away any spills of highly pigmented liquids (e.g., coffee, tea, red wine) to prevent staining.

6.3. Preventing Damage

- Do not place extremely hot pots or pans directly onto the sink surface without protection.
- Avoid dropping heavy or sharp objects into the sink, which could cause chipping or cracking.

7. TROUBLESHOOTING

Here are some common issues and their potential solutions:

- **Slow Drainage:** Check the drain for food particles or debris. Use a plunger or a drain cleaner suitable for kitchen sinks. Avoid harsh chemical drain cleaners if possible.
- **Minor Leaks:** Inspect all plumbing connections under the sink. Tighten any loose nuts or fittings. If a seal is damaged, it may need to be replaced.
- **Water Spots/Mineral Deposits:** These can be removed with a solution of white vinegar and water. Apply, let sit for a few minutes, then scrub gently and rinse thoroughly.
- **Surface Scratches:** While Cristalite Plus is highly resistant, minor surface marks can occur. For deeper scratches, consult Schock customer support for recommended repair kits or methods.

If you encounter persistent problems that cannot be resolved with these steps, please contact customer support.

8. SPECIFICATIONS

Feature	Detail
Brand	Schock
Model Number	SC D200A/58
Material	Cristalite Plus
Color	Beige (Oat)
Product Dimensions (L x W x H)	116 x 50 x 20.4 cm

Overall Size	116 x 50 x 22 cm
Weight	19 kg
Bowl Configuration	Two bowls with drainer
Installation Method	Undermount (also suitable for Top-mount)
Minimum Base Cabinet Size	80 cm
Reversible	Yes
Origin	Germany

9. WARRANTY INFORMATION

Warranty details for the Schock Lithos D200A58N sink are typically provided with your purchase documentation or can be found on the official Schock website. Please retain your proof of purchase for any warranty claims. The warranty generally covers manufacturing defects under normal use and maintenance.

10. CUSTOMER SUPPORT

For further assistance, technical support, or to inquire about spare parts, please contact your retailer or visit the official Schock website. When contacting support, please have your model number (D200A58N) and proof of purchase readily available.