

## Manuals+

[Q & A](#) | [Deep Search](#) | [Upload](#)

manuals.plus /

- › [Roca](#) /
- › [Roca Victoria A5A9780C00 Smooth Round Shower Column User Manual](#)

### Roca A5A9780C00

# Roca Victoria A5A9780C00 Smooth Round Shower Column User Manual

*Model: A5A9780C00*

## 1. INTRODUCTION

Thank you for choosing the Roca Victoria A5A9780C00 Smooth Round Shower Column. This product is designed to provide a comfortable and reliable showering experience with its thermostatic mixer, large round head shower, and versatile hand shower. This manual provides essential information for the safe installation, correct operation, and proper maintenance of your new shower column.





Image 1.1: Overview of the Roca Victoria A5A9780C00 Smooth Round Shower Column, showcasing its chrome finish, large round overhead shower, and adjustable hand shower.

## 2. SAFETY INFORMATION

Please read all safety instructions carefully before installation and use. Failure to follow these instructions may result in injury or damage to the product.

- **Professional Installation:** Installation should be performed by a qualified professional plumber in accordance with local plumbing and building codes.
- **Water Supply:** Ensure the water supply is turned off before beginning any installation or maintenance.
- **Water Pressure:** Verify that your home's water pressure is within the recommended range for optimal performance.
- **Temperature Control:** The thermostatic mixer is designed to maintain a constant water temperature. Always test the water temperature before stepping into the shower to prevent scalding.
- **Cleaning:** Use only mild, non-abrasive cleaners on chrome surfaces to prevent damage.
- **Children:** Supervise children when they are near the shower to prevent accidental adjustments to water

temperature or flow.

### 3. PACKAGE CONTENTS

---

Verify that all components are present and undamaged before proceeding with installation.

- Thermostatic Shower Column (main unit)
- Round Sprayer (Head Shower) Ø 250 mm
- Hand Shower Ø 100 mm (3 functions)
- Flexible PVC Satin Hose 1.75 m
- Articulated Support for Hand Shower
- Mounting Hardware (screws, wall plugs, gaskets)

### 4. SETUP AND INSTALLATION

---

The Roca Victoria A5A9780C00 Shower Column is designed for wall-mount installation. It is highly recommended that installation be carried out by a certified professional to ensure proper function and adherence to safety standards.

#### 4.1 Pre-Installation Checks

- Ensure the wall surface is suitable for supporting the weight of the shower column and water.
- Confirm that hot and cold water supply lines are correctly positioned and accessible.
- Flush the water lines to remove any debris before connecting the mixer.

#### 4.2 Installation Steps (General Guide)

1. **Marking:** Position the shower column against the wall and mark the drilling points for the mounting brackets. Refer to the dimension diagram for optimal height and spacing.
2. **Drilling:** Drill holes at the marked points and insert appropriate wall plugs.
3. **Mounting:** Secure the mounting brackets to the wall.
4. **Connecting Water Supply:** Connect the thermostatic mixer to the hot and cold water supply lines, ensuring proper sealing with gaskets.
5. **Attaching Column:** Mount the main shower column body onto the brackets.
6. **Head Shower Installation:** Attach the round head shower to the overhead arm.
7. **Hand Shower & Hose:** Connect the flexible hose to the mixer and the hand shower. Attach the articulated support to the column at a comfortable height.
8. **Testing:** Turn on the water supply and check for leaks. Test the functionality of the thermostatic mixer and both shower outlets.




Image 4.1: Technical diagram illustrating the dimensions and installation points for the Roca Victoria A5A9780C00 Shower Column, including adjustable height ranges.

## 5. OPERATING INSTRUCTIONS

Your Roca Victoria shower column features a thermostatic mixer for precise temperature control and a diverter to switch between the head shower and hand shower.



Image 5.1: The Roca Victoria A5A9780C00 Shower Column elegantly installed in a contemporary bathroom setting, ready for use.

### 5.1 Thermostatic Mixer

- **Temperature Control:** Use the temperature knob (typically on the right) to set your desired water temperature. The thermostatic cartridge will automatically mix hot and cold water to maintain this temperature, even if water pressure fluctuates.
- **Safety Stop:** Most thermostatic mixers have a safety stop button, usually at 38°C (100°F), to prevent accidental scalding. Press this button to increase the temperature beyond 38°C.
- **Flow Control:** Use the flow control knob (typically on the left) to adjust the water volume.

## 5.2 Diverter (Head Shower / Hand Shower)

The diverter allows you to switch the water flow between the large overhead head shower and the flexible hand shower.

- Rotate or pull the diverter knob/lever to select your preferred shower outlet.

## 5.3 Hand Shower Functions

The hand shower features 3 different spray functions for a personalized showering experience.

- Rotate the spray plate on the hand shower head to cycle through the available spray patterns (e.g., rain, massage, mixed).



Image 5.2: The Roca Victoria A5A9780C00 Shower Column with its large round head shower delivering a full rain spray, providing a luxurious showering experience.



Image 5.3: A detailed view of the Roca Victoria A5A9780C00's round head shower, highlighting the evenly distributed nozzles for consistent water flow.

## 6. MAINTENANCE

---

Regular cleaning and maintenance will ensure the longevity and optimal performance of your shower column.

### 6.1 Cleaning Chrome Surfaces

- Clean chrome surfaces regularly with a soft cloth and mild soap or a non-abrasive bathroom cleaner.
- Avoid using abrasive sponges, scouring pads, or harsh chemical cleaners (e.g., bleach, acid-based cleaners) as these can damage the chrome finish.
- Rinse thoroughly with clean water and dry with a soft cloth to prevent water spots.

### 6.2 Descaling Shower Heads

- Over time, limescale can build up in the nozzles of the head shower and hand shower, affecting spray performance.
- Many shower heads feature flexible silicone nozzles that can be easily cleaned by gently rubbing them with your finger to dislodge scale.
- For more stubborn deposits, soak the shower head in a descaling solution (e.g., white vinegar diluted with water) for a few hours, then rinse thoroughly.

## 7. TROUBLESHOOTING

---

If you encounter any issues with your shower column, refer to the following common troubleshooting tips. For complex problems, contact a qualified plumber.

### 7.1 Low Water Pressure

- **Check Water Supply:** Ensure main water valves are fully open.
- **Clean Shower Heads:** Limescale buildup can restrict flow. Clean the nozzles as described in the Maintenance section.
- **Check Filters:** Some mixers have inlet filters that can become clogged. Consult a professional for cleaning or replacement.

### 7.2 Inconsistent Water Temperature

- **Check Hot Water Supply:** Ensure your hot water heater is functioning correctly and providing sufficient hot water.
- **Thermostatic Cartridge:** A faulty or scaled thermostatic cartridge can cause temperature fluctuations. This typically requires professional inspection and replacement.
- **Water Pressure Imbalance:** Significant pressure differences between hot and cold water lines can affect thermostatic performance.

### 7.3 Leaks

- **Check Connections:** Ensure all connections (hose, shower heads, mixer inlets) are securely tightened and properly sealed with gaskets.
- **Damaged Gaskets/O-rings:** Worn or damaged gaskets/O-rings can cause leaks. These may need to be replaced.
- **Internal Leaks:** Leaks from within the mixer body or column may indicate internal component failure and require professional service.

## 8. SPECIFICATIONS


Feature	Specification
Brand	Roca
Model Number	A5A9780C00
Product Dimensions	60 x 60 x 135 cm (approximate, adjustable height)
Item Weight	7.2 Kilograms
Colour	Chrome
Style	Smooth Round
Finish	Chrome
Material	Polyvinyl Chloride (hose), Brass (handle material)
Installation Method	Wall Mount
Number of Handles	1 (for thermostatic mixer)
Head Shower Diameter	Ø 250 mm
Hand Shower Diameter	Ø 100 mm (3 functions)
Hose Length	1.75 m






## 9. WARRANTY AND SUPPORT

Roca products are manufactured to high-quality standards and come with a manufacturer's warranty. Please retain your proof of purchase for warranty claims.


- **Warranty Information:** For specific warranty terms and conditions, please refer to the documentation provided with your purchase or visit the official Roca website.
- **Customer Support:** If you require technical assistance, spare parts, or have any questions not covered in this manual, please contact Roca customer service or your local distributor. Contact details can typically be found on the Roca website.

### Related Documents - A5A9780C00

	<p><a href="#">Columna de Ducha Termostática Roca T-Plus Victoria - Cromado</a></p> <p>Descubra la columna de ducha termostática Roca T-Plus de la colección Victoria. Con rociador de ø245mm, ducha de mano de 3 funciones, flexible de 1.7m y acabado cromado. Ideal para baños modernos y clásicos.</p>
---	--

	<p><a href="#">Roca MULTICLIN ADVANCE RF SF Bidet Seat User Manual</a></p> <p>This user manual provides comprehensive instructions for the Roca MULTICLIN ADVANCE RF SF bidet seat, covering installation, operation, safety precautions, maintenance, and troubleshooting. Learn to use its advanced features for enhanced hygiene and comfort.</p>
	<p><a href="#">Roca Debba Unik 500mm Compact Base Unit with Two Drawers and Basin - Gloss White</a></p> <p>Discover the Roca Debba Unik compact base unit, a stylish and space-saving bathroom vanity with two drawers, a square basin, and a gloss white finish. Features include wall-hung installation and compatible accessories. Reference A855904806.</p>
	<p><a href="#">Roca IN-WASH INSIGNIA 2.0 Smart Toilet User Manual</a></p> <p>Comprehensive user manual for the Roca IN-WASH INSIGNIA 2.0 smart toilet, covering installation, operation, maintenance, safety precautions, and troubleshooting.</p>
	<p><a href="#">Roca IN-WASH ONA Intelligent Toilet Manual</a></p> <p>This document provides comprehensive instructions, safety precautions, specifications, and troubleshooting for the Roca IN-WASH ONA Intelligent Toilet (Model A80313600C). It covers installation, operation, remote control functions, cleaning, and maintenance.</p>
	<p><a href="#">Roca In-Wash Inspira Smart Toilet Quick How-To Use Guide</a></p> <p>A concise guide to operating the Roca In-Wash Inspira Smart Toilet, detailing controls for power, pressure, temperature, and position.</p>





Griferías y columnas


[pdf]

Roca Griferías y Columnas Tarifa 2022 Catálogos tarifas Teclisa Abril mediafire file awwscist74109n9 ||| 236 Griferas y columnas ONA 237 Electronica Monomando Bimando Termosttica Electronica Temporizada ... termosttica para ducha Con altura regulable de 800 a 1200 mm y brazo de ducha orientable Cromado **A5A9780C00** 668,00 \*Hasta fin de existencias Victoria-T Bao-ducha Plus Columna termosttica para ... lang:es score:15 filesize: 18.63 M page\_count: 84 document date: 2022-04-07



[pdf]

Carmen Iordache Declaratie de conformitate80rc6036declaratieconformitateorig 72434 11 1725673467cdn contentspeed ro pimromstal websales cs content docs products 80rc6036declaratieconformitateorig 1725673467 ||| Declara ie de conformitate ROCA OBIECTE SANITARE SRL Str. Preciziei 3, Sector 6, Bucure ti, Rom n ... Cod Produs A5A9B90C00 A5A9C88C00 A5A2080C00 A5A9718C00 A2H0423000 A2H0416000 A5A9725C00 A5A9790C00 **A5A9780C00** A5A9788C00 A5A9C90C00 A5A2C18C00 A5B9961C00 A5A201AC00 A5A2718C00 A5B9M61C00 A5A9709C00 A... lang:it score:13 filesize: 550.95 K page\_count: 13 document date: 2024-09-04



Catalogue 2022

[pdf] Accessories Catalog

Roca 2022Search Results Kim Company Sdn Bhd1 ROCA 2022cdn shopify s files 1 0419 0365 3014 2022 v 1691501406 ||| Catalogue 2022 Vitreous china Faucets Furniture Accessories Baths Shower trays Shower screens Whe ... d, flexible hose 1,75m PVC satin and swivel bracket . Hand shower 100 with 3 unctions. Chrome . Ref. **A5A9780C00** Even-T Square thermostatic shower column A 150 303 A 900 1000 A 90 1100 B 17 0 -2... lang:en score:12 filesize: 17.54 M page\_count: 588 document date: 2023-08-08