

[Manuals.plus](#) /

> [Roca](#) /

> Roca Prada-T Faucet Cross Kit Replacement - Model A525092300

Roca A525092300

Roca Prada-T Faucet Cross Kit Replacement

Model: A525092300

1. PRODUCT OVERVIEW

This manual provides detailed instructions for the installation, operation, and maintenance of the Roca Prada-T Faucet Cross Kit, Model A525092300. This kit is designed as a direct replacement part for Roca Prada-T series faucets, ensuring continued functionality and aesthetic consistency.

The replacement cross kit features a robust construction from brass or stainless steel, offering durability and a polished finish. Its flexible design ensures compatibility and ease of installation for maintaining your faucet's performance.



Figure 1: The Roca Prada-T Faucet Cross Kit. This image displays the complete replacement kit, highlighting its polished metallic silver finish and overall design, ready for installation.

2. SAFETY INFORMATION

Please read all instructions carefully before installation and use. Failure to follow these instructions may result in property damage or personal injury.

- Always turn off the main water supply before beginning any installation or maintenance work on your faucet.
- Wear appropriate personal protective equipment, such as safety glasses and gloves, during installation.
- If you are unsure about any part of the installation process, consult a qualified plumber.
- Keep small parts away from children to prevent choking hazards.

3. PACKAGE CONTENTS

Verify that all components are present and undamaged before proceeding with installation.

- 1 x Roca Prada-T Faucet Cross Kit (Model A525092300)



Figure 2: Close-up view of a component from the Roca Prada-T Faucet Cross Kit. This image shows a detailed perspective of one of the internal parts, illustrating its precise engineering and material quality.



Figure 3: Another component of the Roca Prada-T Faucet Cross Kit. This image provides a different angle or part of the kit, emphasizing its robust construction and specific design features.

4. SETUP AND INSTALLATION

This section outlines the general steps for replacing the cross kit in your Roca Prada-T faucet. Specific faucet models may have slight variations.

1. **Turn Off Water Supply:** Locate the main water shut-off valve for your home or the specific shut-off valves for the faucet (usually under the sink). Turn them off completely.
2. **Drain Residual Water:** Open the faucet handles to drain any remaining water from the lines.
3. **Remove Faucet Handle:** Depending on your faucet model, you may need to pry off a decorative cap (often with a small flathead screwdriver) to expose a screw. Unscrew the handle screw and carefully pull the handle off.
4. **Remove Old Cross Kit:** Once the handle is removed, you will typically see the old cross kit or cartridge. Use an adjustable wrench or appropriate tool to unscrew and remove the old component. Note its orientation for

correct installation of the new part.

5. **Clean Faucet Body:** Clean any debris or mineral buildup from the faucet body where the new cross kit will be seated.
6. **Install New Cross Kit:** Carefully insert the new Roca Prada-T Faucet Cross Kit (Model A525092300) into the faucet body. Ensure it is seated correctly and aligned. Tighten it securely with your wrench, but do not overtighten.
7. **Reattach Faucet Handle:** Place the faucet handle back onto the new cross kit, align it, and secure it with the screw. Replace any decorative caps.
8. **Restore Water Supply:** Slowly turn the main water supply back on. Check for any leaks around the faucet base and connections.
9. **Test Faucet:** Operate the faucet handles to ensure proper water flow and temperature control.

5. OPERATING INSTRUCTIONS

After successful installation, the Roca Prada-T Faucet Cross Kit functions identically to the original part, restoring your faucet's normal operation.

- **Water Flow:** Turn the faucet handle to control the water flow.
- **Temperature Control:** For mixer faucets, rotate the handle to adjust the water temperature from cold to hot.

6. MAINTENANCE

Regular maintenance helps prolong the life and maintain the appearance of your Roca Prada-T Faucet Cross Kit.

- **Cleaning:** Clean the faucet and handle regularly with a soft cloth and mild soap. Avoid abrasive cleaners, scouring pads, or harsh chemicals, as these can damage the polished finish.
- **Leak Checks:** Periodically check for any signs of leaks around the faucet base or handle. Address any leaks promptly to prevent water damage.
- **Mineral Buildup:** In areas with hard water, mineral deposits may accumulate. Use a vinegar solution or a specialized descaling agent designed for faucets to remove these deposits, following the product's instructions.

7. TROUBLESHOOTING

If you encounter issues after installing the replacement cross kit, refer to the following common problems and solutions:

Problem	Possible Cause	Solution
Faucet leaks from handle base	Cross kit not seated correctly or overtightened/undertightened.	Turn off water, remove handle, check cross kit seating and tightness. Ensure O-rings are intact.
Low water flow	Aerator clogged, or water supply not fully open.	Check if the main water supply is fully open. Clean or replace the faucet aerator.
Handle is stiff or difficult to turn	Mineral buildup or incorrect installation.	Disassemble and clean components. Ensure the cross kit is installed correctly and not overtightened.

If the problem persists after attempting these solutions, please contact Roca customer support or a qualified

plumber.

8. SPECIFICATIONS

Model Number	A525092300
Brand	Roca
Material	Brass or Stainless Steel
Color	Metallic Silver
Finish Type	Polished
Head Style	Fixed Square
Operating Mode	Mechanical
Package Dimensions	12.4 x 9.6 x 5.3 cm
Item Weight	30 grams
Quantity in Package	1

9. WARRANTY AND SUPPORT

Roca products are manufactured to high-quality standards. For information regarding warranty coverage, please refer to the warranty documentation provided with your original faucet purchase or visit the official Roca website. For technical support or inquiries about this replacement part, please contact Roca customer service directly. You can find contact information and additional resources on the official Roca website: www.roca.com