Makita 201017-E

Makita 201017-E Cylinder User Manual

Model: **201017-E** | Brand: **Makita**

Introduction

This manual provides essential information for the proper installation, use, and maintenance of the Makita 201017-E Cylinder. This component is an original equipment manufacturer (O.E.M.) authorized part designed to fit various Makita models. Adhering to the guidelines in this manual will help ensure the longevity and optimal performance of the part and the tool it is installed in.



Figure 1: An example image of the Makita 201017-E Cylinder. This image represents the general appearance of the product, which is an O.E.M. authorized replacement part for various Makita tools.

Safety Information

Always observe the following safety precautions when handling, installing, or maintaining the Makita 201017-E Cylinder or any power tool part:

- **Disconnect Power:** Before attempting any installation or maintenance, ensure the power tool is disconnected from its power source (unplugged or battery removed).
- **Wear Personal Protective Equipment (PPE):** Always wear appropriate safety glasses, gloves, and other necessary PPE to prevent injury.
- **Use Correct Tools:** Utilize the correct tools for installation and removal to avoid damaging the part or

the tool.

- **Refer to Tool Manual:** Always consult the specific power tool's instruction manual for detailed disassembly and reassembly procedures.
- **Professional Installation:** If you are unsure about any step, seek assistance from a qualified service technician.

Setup and Installation

The Makita 201017-E Cylinder is a replacement part. Its installation procedure will vary depending on the specific Makita tool it is intended for. The following steps are general guidelines. Always refer to your specific tool's service manual for precise instructions.

1. **Preparation:** Ensure the power tool is clean and free from debris. Gather all necessary tools for disassembly and reassembly.
2. **Disassembly:** Carefully disassemble the power tool according to its service manual to access the cylinder component. Pay attention to the order of parts and any fasteners.
3. **Remove Old Cylinder:** Once accessible, carefully remove the old or damaged cylinder. Note its orientation and any seals or gaskets associated with it.
4. **Inspect Area:** Clean the area where the new cylinder will be installed. Inspect for any wear or damage to surrounding components.
5. **Install New Cylinder:** Position the new Makita 201017-E Cylinder in its correct orientation. Ensure all seals and gaskets are properly seated.
6. **Reassembly:** Reassemble the power tool by reversing the disassembly steps. Ensure all fasteners are tightened to the manufacturer's specifications.
7. **Functionality Check:** After reassembly, perform a thorough functionality check of the tool before putting it into operation.

Operating Principles

As an internal component, the Makita 201017-E Cylinder does not have direct user operating controls. Its function is integral to the overall operation of the power tool it is installed in. It is designed to meet the original specifications of Makita tools, ensuring proper fit and performance. The cylinder contributes to the mechanical action or fluid dynamics within the tool, depending on the tool's design (e.g., in a compressor, hydraulic system, or engine component).
Proper installation ensures the cylinder operates as intended, contributing to the tool's efficiency and reliability. Any abnormal noises, vibrations, or performance issues after installation should prompt immediate investigation and cessation of tool use.

Maintenance

The Makita 201017-E Cylinder itself is a sealed or precision-engineered component that typically does not require user-level maintenance beyond proper installation. However, its longevity and performance are directly linked to the overall maintenance of the power tool it is part of.

- **Regular Tool Maintenance:** Follow the maintenance schedule outlined in your power tool's user manual. This includes lubrication, cleaning, and inspection of other components.
- **Cleanliness:** Keep the area around the cylinder and within the tool housing clean to prevent debris

from interfering with its operation.

- **Inspection:** Periodically inspect the tool for any signs of wear, leaks, or damage that might affect the cylinder's performance.
- **Storage:** Store the power tool in a clean, dry environment to prevent corrosion or damage to internal components, including the cylinder.

Troubleshooting

Since the 201017-E Cylinder is an internal part, troubleshooting directly related to the cylinder often involves diagnosing issues with the larger power tool. If you suspect the cylinder is faulty after installation, consider the following:

Problem	Possible Cause	Solution
Tool not operating after cylinder replacement.	Incorrect installation; other components damaged during replacement; power supply issue.	Re-check all connections and reassembly steps. Verify power supply. Consult tool's service manual.
Abnormal noise or vibration from tool.	Cylinder not seated correctly; foreign object inside; worn bearings/seals.	Disassemble and inspect cylinder seating. Remove any debris. Check surrounding components for wear.
Reduced performance (e.g., low pressure in a compressor).	Cylinder seal failure; internal damage to cylinder; related component failure.	Inspect cylinder for damage or wear. Check associated seals and gaskets. Professional inspection recommended.

If troubleshooting steps do not resolve the issue, it is recommended to contact Makita customer support or a certified service center.

Specifications

The following specifications are for the Makita 201017-E Cylinder:

Part Number: 201017-E

Manufacturer: Makita

Item Weight: Approximately 1.01 pounds

Product Dimensions: Approximately 1 x 1 x 1 inches

Item Model Number: 201017-E

Item Package Quantity: 1

Batteries Included?: No

Batteries Required?: No

ASIN: B010BSWF7Q

Date First Available: June 18, 2015

Origin: Made in United States

Warranty and Support

As an O.E.M. replacement part, the warranty for the Makita 201017-E Cylinder is typically covered under

Makita's standard parts warranty, which may vary. It is recommended to retain your purchase receipt and contact Makita directly or the authorized seller for specific warranty terms and conditions.

For technical support, service, or to inquire about additional replacement parts, please visit the official Makita website or contact their customer service department. You can often find contact information on the Makita official website or through your product's original documentation.

Makita Official Website: www.makitatools.com

© 2023 Makita. All rights reserved. This manual is for informational purposes only.