Manuals+
Q & A | Deep Search | Upload

Atlas A876-SL

Atlas Homewares A876-SL Successi Collection Handle Pull User Manual

Model: A876-SL

Introduction

Thank you for choosing the Atlas Homewares A876-SL Successi Collection Handle Pull. This manual provides essential information for the proper installation, use, and maintenance of your new cabinet hardware. This handle pull is designed for durability and aesthetic appeal, crafted from zinc with a slate finish, and features a 288mm (11-5/16 inch) center-to-center mounting.

Image of the Atlas Homewares A876-SL Successi Collection Handle Pull, showcasing its design and slate finish.

Safety Information

Please read and understand all instructions before installation. Keep this manual for future reference. Always use appropriate safety gear, such as safety glasses, when using tools. Exercise caution when drilling to avoid injury or damage to surfaces. Keep small parts away from children.

Package Contents

- One (1) Atlas Homewares A876-SL Successi Collection Handle Pull
- Mounting Screws (typically two screws are included for installation)

Setup and Installation

The Atlas Homewares A876-SL handle pull is designed for easy installation. Follow these steps for secure mounting:

Tools Required:

- Measuring Tape or Ruler
- Pencil
- Drill with appropriate drill bit (typically 3/16" or 5mm for cabinet hardware screws)
- Screwdriver (Phillips head or flathead, depending on screw type)
- Optional: Cabinet hardware jig for consistent hole placement

Installation Steps:

1. **Measure and Mark:** Determine the desired location for your handle pull on the cabinet door or drawer. Use a measuring tape and pencil to mark the two drilling points, ensuring they are 11-5/16 inches (288 mm) apart (center-to-center). For multiple pulls, ensure consistent placement.
2. **Drill Pilot Holes:** Carefully drill pilot holes at the marked points. Ensure the drill bit size is appropriate for the mounting screws to prevent splitting the wood or creating holes that are too large. Drill straight through the cabinet material.
3. **Attach the Pull:** Align the handle pull with the drilled holes. Insert the mounting screws from the inside of the cabinet door/drawer through the pilot holes and into the threaded receivers on the back of the pull.
4. **Tighten Screws:** Using a screwdriver, carefully tighten the screws until the pull is secure. Do not overtighten, as this can strip the screws or damage the cabinet material.
5. **Verify:** Check that the pull is firmly attached and aligned correctly.

Operating Instructions

The Atlas Homewares A876-SL handle pull is designed for straightforward operation. Simply grasp the pull firmly to open and close cabinet doors or drawers. Ensure that the pull is securely fastened to prevent loosening during regular use.

Maintenance

To maintain the appearance and longevity of your Atlas Homewares handle pull, follow these simple maintenance guidelines:

- **Cleaning:** Clean the pull regularly with a soft, damp cloth. For stubborn marks, a mild soap solution can be used, followed by wiping dry with a clean, soft cloth.
- **Avoid Harsh Chemicals:** Do not use abrasive cleaners, ammonia-based products, or harsh chemicals, as these can damage the finish.
- **Check Fasteners:** Periodically check the mounting screws for tightness. If the pull feels loose, gently tighten the screws with a screwdriver.

Troubleshooting

If you encounter any issues with your handle pull, refer to the following common solutions:

- **Pull is Loose:**
  - Ensure the mounting screws are properly tightened.
  - If the screw holes in the cabinet material are stripped, consider using larger screws or a wood filler to secure the pull.
- **Finish Appears Dull or Damaged:**
  - Clean the pull using the recommended maintenance procedures.
  - Avoid contact with harsh chemicals or abrasive materials that can damage the finish.

- **Pull is Difficult to Install:**
  - Verify that the pilot holes are drilled accurately at 11-5/16 inches (288 mm) center-to-center.
  - Ensure the drill bit size is appropriate for the screws.

Specifications

Attribute	Detail
Model Number	A876-SL
Material	Zinc
Finish	Slate
Overall Length	11-3/4 inches (298 mm)
Center to Center (Mounting Holes)	11-5/16 inches (288 mm)
Projection	1-1/4 inches (32 mm)
Width	3/8 inches
Item Weight	8 ounces
UPC	782808643183

Warranty Information

This Atlas Homewares A876-SL Successi Collection Handle Pull is covered by a limited manufacturer's warranty. For specific details regarding warranty coverage, terms, and conditions, please refer to the documentation included with your purchase or visit the official Atlas Homewares website.

Customer Support

For further assistance, technical support, or inquiries regarding your Atlas Homewares product, please visit the official Atlas Homewares website or contact their customer service department. Contact information can typically be found on the manufacturer's website or product packaging.
Manufacturer: Atlas Homewares
Website: www.atlashomewares.com

© 2024 Atlas Homewares. All rights reserved.